


Personal Computing

For Your Home and Business

MODEMS



Also:

Income Statements

Pricing Your Product

Computer-Assisted Grading

New Radio Shack Computers

Announcing Texas Instruments Author Incentive Program... win up to \$3,000.



Texas Instruments is looking for unique home computer programs. If you have some, we can help you turn them into profit makers. To begin with--you could win up to \$3,000. You'll still own the programs...we may help you sell them.

One of the most exciting things about the home computer revolution is discovering the many ways a computer can be used.

If you've been working with small computers for a while, chances are you've developed some innovative application programs. This is your chance to put them to work—for a profit.

Texas Instruments is looking for quality programs. We've created an Author Incentive Program to make it worth your while. The award for the top program will be \$3,000. And there are five \$1,000 awards, plus twenty \$500 awards. All winners will be recognized with national publicity. Even if you don't receive one of these monetary awards, we may see enough market potential for your pro-

gram to help you develop it and sell it.

We want programs that offer real utility and lasting value. Programs that are self-teaching, that communicate on human terms. After all, the TI Home Computer was designed to be the first home computer the whole family can use.

TI is interested in education, personal finance and technical or managerial programs for professionals. Home management programs, hobby and simulation programs. We prefer that your submissions exclude entertainment packages.

Your entry can be a program you've created for use on the TI-99/4 or other microcomputers—in any high-level language, from Pascal and BASIC to FORTRAN or COBOL—or even assembly

language. All the way up to 48K RAM.

Keep in mind that programs for the TI Home Computer can incorporate high-quality color graphics, music and sound effects, and TI's remarkably-human synthesized speech.

To submit an entry, call the toll-free number below or use the reader service card in this magazine. We'll send you an entry submission form plus full details. *Please don't send anything until you receive and fill out this entry form.*

Programs must be in by November 15, 1980—so get your entry form soon.



For an entry form, call 1-800-858-4565.

Call between 8 a.m.-4:30 p.m. CDT, Mon-Fri. In Texas call 1-800-692-4279.

TEXAS INSTRUMENTS
INCORPORATED

© 1980 Texas Instruments Incorporated
Offer void where prohibited by law.
Author Incentive Program not open to TI employees,
TI consultants and contractors or their families.

Mountain Hardware MusicSystem™

All the Instruments Anyone with an Apple can Play

MusicSystem generates the sound of any musical instrument—real or imagined! Solo or sextet. Rock or classical. Laid-back or loud. At home or in the concert hall or classroom. MusicSystem sets new standards for computer generated music.

Digital Synthesizer with 16 voices. Stereo output. Polyphonic-multi-voice chords and note sequences. Additive synthesis of instruments. Waveforms, envelopes, and amplitudes are fully programmable for each voice to create instrument definitions and music dynamics. 32 KHz sample rate. Frequency resolution is .5Hz steps. Graphical input of sheet music on high-resolution screen using standard music notation. Print out sheet music with a graphics printer. Complete software operating system. Graphical music editor using light pen (provided), game paddles, or keyboard. Pre-entered music provided for immediate playing and enjoyment. Thorough documentation and tutorial user's manual.

Drop by your Apple Dealer and ask to hear for yourself. You'll know what we mean when we say MusicSystem is all the instruments anyone with an Apple can play!

Available at Apple Dealers worldwide.



Mountain Hardware
LEADERSHIP IN COMPUTER PERIPHERALS
A Division of Mountain Computer, Inc.
300 Harvey West Blvd., Santa Cruz, CA 95060
(408) 429-8600
Music I can play? Send details.


Name _____
Address _____
City _____ State _____ Zip _____
Phone _____

*Apple is a trademark of Apple Computer, Inc.


PC10

Personal Computing


For Your Home and Business



Page 32



Page 56



Page 60

Cover design by Donni Richman

DEPARTMENTS

FEEDBACK	6
RANDOM ACCESS	11
FUTURE COMPUTING	22
COMPUTER CHESS	77
COMPUTER GAMES	87
COMPUTER BRIDGE	89
BOOKSHELF	91
WHAT'S COMING UP	92
AD INDEX	112

LAUNCHING PAD

Computer-Assisted Grading	28
Teachers can determine grades with this program, which combines two approaches: grades based on performance against an absolute standard and by relative performance within a group. <i>by Reginald D. Gates</i>	
Radio Shack Announces Three New Computers	32
Radio Shack introduces a pocket computer, a TRS-80 Color Computer and a Model III. Specifications, features and prices are outlined. <i>by Ken Mazur</i>	
Novice's Notebook: Problem Solving and Computers <i>by David Lubar</i>	49
A Computer Spelling Exercise <i>by Jeremy C. Jones</i>	54

DIGGING IN


Modems: Your Link to the World	60
This month we look at modems, devices that enable your microcomputer to communicate over standard telephone lines with other micros or with time sharing mainframes. This article explains principles of operation and characteristics, plus provides a chart of vendors. <i>by Ken Mazur</i>	
Extended Basic for Your TRS-80	70
This program allows you to input lines of enhanced Basic source code and then translates the code into Level II TRS-80 Disk Basic. You can save the resulting program on disk for normal usage. <i>by William F. Stockwell</i>	

ON THE LIGHTER SIDE

Word Search	34
Create word search puzzles, like those found in daily newspapers, for your children and friends. <i>by Mike Fischer</i>	
Alice in Wonderland	56
A game featuring you as Alice searching for the Rabbit, with the Queen and Mad Hatter complicating your quest. <i>by Hugo T. Jackson</i>	
A Traveler's Restaurant Guide	66
Travelers who delight in sampling several restaurants in the cities they visit can use this program to keep track of where they've eaten and their impressions of the cuisine. <i>by G. R. Boynton</i>	

IN THE MONEY

Income Statements	24
Take the tedium out of preparing income statements. You can use this program for your business or family finances. <i>by W.B. Goldsmith, Jr.</i>	
Pricing Your Product for a Two-Step Distribution Channel	40
This program lets you develop a pricing structure for manufactured goods, based on quantity price breaks. You can account for various gross margins required by the retailer, wholesaler and manufacturer. <i>by Ira S. Gerson</i>	
Using Moving Averages To Track Stock Prices	44
Knowing the frequencies of the most dominant stock market cycles can help you determine when the next cycles — and lows — will repeat. <i>by E.D. Shafer</i>	
Cash in on the Power of Pascal	52
Those of you with old silver coins stashed in jars and piggy banks can use this program to figure out their "melt value." <i>by Sam Gaylord</i>	



Now... Intelligence beyond your CRT

HY-Q 1000

Xymec's HY-Q 1000™ Series brings microprocessor capability to printing. This fast, letter quality, intelligent printer/typewriter expands the capability of your computer or word processing system.

Xymec gives your system more of the features you want most:

- L.E.D. display
- tractor feed
- RS232, IEEE-C779 interface

Compatible with nearly all microcomputers, the HY-Q 1000™ Series prints **boldface** and **reverse**, centers titles, sets columns and right justifies. Your choice of three pitches and proportional spacing, with minimum throughput print speed of 20 cps. Changing print wheels or type styles takes but seconds.

Intelligent printing makes good sense to me: Send me more information and the name of my local dealer.

Name _____
 Title _____
 Company _____
 Address _____
 City _____
 State _____ Zip _____
 Telephone _____

Xymec, Inc.
 17905 Sky Park Circle, Suite J
 Irvine, CA 92714

Xymec™
 The Value Standard in Printers

Xymec gives you more features than any other machine on the market, regardless of price!

Xymec intelligent printers won't create a service nightmare. Reliably constructed, the HY-Q 1000™ Series is built with serviceability in mind. And with service centers nationwide, maintenance is easy and convenient.

Give your computer system the intelligent edge. Join up with Xymec. For more information, send in this coupon today.

Xymec, Inc.
 Subsidiary of Litronic Industries
 17905 Sky Park Circle, Suite J
 Irvine, CA 92714 (714) 557-8501

RAYGAM SUMMER SPECIALS



BLANK DISKETTES

BASF
VERBATIM
MEMOREX
DYSAN
(5 1/4, soft, 10 or 16 sector, SD, Box of 10)
8" SOFT GEORGIA MAGNETICS
(While quantities last)

LIST	RAYGAM
\$40.00	28.00
40.00	28.00
45.00	30.00
60.00	40.00
50.00	30.00

MOUNTAIN HARDWARE FOR APPLE 20% OFF

APPLE CLOCK	280.00	224.00
SUPERTALKER	300.00	240.00
ROMPLUS W/FILTER	200.00	160.00

(call or write for complete list)

20% OFF ALL APPLE SOFTWARE -muse
PERSONAL SOFTWARE, PROGRAMMA, SOFTWARE AND MORE
MICRO SOFT Z-80 LANGUAGE CARD

Turn your 6502 Apple into Z-80 compatible 350.00 315.00

Prices good through Aug. 31, 1980

WE SHIP FREE IN THE CONTINENTAL U.S.

To order or for more information, call or write:

RAYGAM, INC.

2737 Croddy Way, Bldg. E, Santa Ana, CA 92704

MASTER CHARGE AND VISA CARDS HONORED (Ca. res. pls. add 6% sales tax)

In Ca. (714) **556-9895**
Outside Ca. **854-8379**
TOLL FREE (800)

CIRCLE 5

What do you have in common with
a plumbing contractor, an auto parts
store owner and a real estate agent?

The program you designed
to help your business.

That's right. Your business application could be just the solution someone else needs for their business problems. And *Personal Computing* is looking for business applications of all types — whether tailored to your own company needs or applicable to any business. Of course, the more flexible your program, the greater your chance of seeing it in print.

But we can't publish it until you submit it. So why not send us your program? Be sure to include your program listing, program description, and sample run.

And we're not just interested in business applications. Send us your home and personal management, educational or recreational programs — in fact, send us any program you've written that helps you solve a problem or have fun with your computer.

Your program may help others; in return they may help you by improving on your work. And, if we publish your piece, we'll send you a check to add to your nest egg.

So, mail your material to: Don Wood, Managing Editor, *Personal Computing*, 1050 Commonwealth Ave., Boston, MA 02215, or call us at (617) 232-5470.

Personal Computing

OCTOBER 1980 VOL. IV, NO. 10

Publisher/Editor Harold G. Buchbinder

Managing Editor Don Wood

Associate Editors Harry Shershow
Ken Mazur

Assistant Editor Marjorie Morse

Editorial Assistant Elli Holman

Contributing Editors
Thomas A. Throop, Morris Miller,
George Koltanowski, William R. Parks,
Evan Katz

Art Director Richard D. Sarno

Assistant Art Director Stephen C. Fischer

Art Staff
Jacky Brill, Susan N. Genser, Josh Randall,
Donni Richman

Production Jon Buchbinder, Ruth Ellen Katz

Advertising Production Erik W. Slickman

Composition Manager Cheryl Dunphy

Composition
Florence Daniels, Robert Hildebrand,
Betty Mae LaBaugh, Claudia Majetich,
Maureen Riordan, Kathy Shank,
Don Spencer, Harvey Sweat

Circulation Manager Dave Harriman

Circulation Elizabeth Mahon-Laidlaw

Bookstore Sales Laura J. Giuliano

General Administration
Sara Binder, Norman Jolliemore,
Laurie Merrill, Malcolm Rankin,
Esther Shershow

Advertising Sales. Northeast: Arlene Joseph, Benwill Publishing Corp., 2 Park Ave., New York, NY 10016 (212) 340-9780 • **California:** Michael Reynolds, 924 Westwood Blvd., Los Angeles, CA 90024; (213) 478-3017 • **Japan:** K. Yanagihara, International Business Corp., 10-10 Shinjuku 3-chome, Shinjuku-ku, Tokyo 160, Japan; (03) 350-0272; Cable Address: Yanacour Toyko.

Publisher. Published monthly by Benwill Publishing Corp.: Harold G. Buchbinder, Chief Executive Officer; George Palken, President; Domenic A. Mucchetti, Treas. Executive; Editorial and Subscription Offices: 1050 Commonwealth Ave., Boston, MA 02215. Controlled Circulation postage paid at Long Prairie, MN.

Subscription rates. U.S.: 1 year (12 issues) \$14; 2 years (24 issues) \$26; 3 years (36 issues) \$38. Canada & Mexico: add \$4/year for surface mail, \$8/year for airmail. Other countries: add \$8/year for surface mail, \$36/year for airmail. Send subscription orders and address changes to: Circulation, *Personal Computing*, 1050 Commonwealth Ave., Boston, MA 02215. In Japan/Asia: K. Yanagihara, International Business Corp., 10-10 Shinjuku 3-chome, Shinjuku-ku, Tokyo 160, Japan; (03) 350-0272. In Europe: *Personal Computing* c/o LP Enterprises, 313 Kinston Road Ilford, Essex, Eng. IG1 1PJ tel: 01 553-1001. **Back Issues.** U.S.: \$3. Canada & Mexico: \$4. All other countries \$6.

Morgan-Grampian also publishes *American City and County* • *Circuits Manufacturing* • *Contractor* • *Design Engineering* • *Digital Design* • *Electronics Test* • *Government Buyer* • *Industrial Distribution* • *Industrial Product Bulletin* • *Mart* • *Minicomputer News* • *Municipal Index*

ABC Membership Applied for May 1980

For those special people who've stepped ahead with a mini-computer



Maxell offers a way to stay ahead.

A Maxell 5 1/4" Mini-Disk will consistently let you maximize the capability of your system today. And as your involvement with it grows, tomorrow as well. Maxell Mini-Disks are all made with the same exacting 100% certification and critical dependability of the Maxell 8" Floppy Disk. So you know your 5 1/4" Maxell Mini-Disks meet or exceed the same ISO and Shugart specifications industry requires.

There are double density Maxell single and double-sided 5 1/4" Mini-Disks for soft and hard sector systems. And 8" Maxell Floppy Disks for every disk drive configuration. See your computer supply dealer or write to us for more information. If you are a computer products dealer, write for the growing opportunities Maxell Business Products Division offers you with our 8" Floppy and 5 1/4" Mini-Disks.


maxell. 
BUSINESS PRODUCTS DIVISION

Maxell Corporation of America, Business Products Division, 60 Oxford Drive, Moonachie, N.J. 07074 Tel: 201-440-8020

Missing Key

Dear Editor:

In spite of the convenience of the TRS-80 numeric keypad for inputting large amounts of numeric data, it has one flaw that has thoroughly annoyed me, and perhaps other users, many times. This flaw is the absence of a “,” (comma) key on the keypad. Such a key seems to me to be essential for using multiple variable INPUT statements, and without it, one either has to (1) stop typing on the keypad, reach over all the way to the main keyboard, press the “,” key, then return to the keypad and type the next number; (2) use the right hand to enter the numbers on the keypad while keeping the entire left hand hovering over the comma, waiting for the proper moment to strike; (3) hit ENTER after each number is typed, allowing any information at the top of



the screen to scroll off; or (4) give up the keypad entirely and use the numeric row at the top of the main keyboard. All four of these approaches are either time-consuming, loaded with the potential for error, or both.

However, filled with the determina-

tion of any good computer jockey not to be overcome by the limitations of the equipment, and my own natural inclination to make things as easy for myself as possible, I wrote the following short program. It can be added to any program as a subroutine, and simulates the function of a comma key on the numeric keypad. (See Figure 1.)

As you can see, the separating comma is simulated by entering the decimal point twice. (Incidentally, this in no way interferes with the normal function of the decimal point.) Lines 10 to 90 are the main program to which the subroutine is added. Line 30 would have originally read, 30 INPUT A,B,C. Change it now to INPUT A\$ and GOSUB, and add line 35 to assign the numeric values of the “X” strings to the variables used by the main program. The subroutine can be changed if more or less than three variables are to be input at once; just change the counter in the Z-loop in 1010, and the IF/THEN statement in 1080 to the appropriate number, and correct the variable assignments in 35. Before adding this subroutine to any program, check to find the proper variable names you want to input, and check for and change any of the variables in the subroutine which would interfere with those already used in the program. With this method, one can now have fast entry of numbers from the numeric keypad. The computer takes about 1/2 second to process the numbers, but input time is so speedy I am spending at least 50% less time than I formerly did with this operation. As far as I am concerned, the only drawback that the routine has is that it can't be used to enter long DATA lines when programming!

While I am writing, I want to compliment and thank the staff of *Personal Computing* for continuously putting out such an enjoyable and exciting magazine. I subscribe to several computer-oriented magazines, but *PC* is my favorite, and the amount of information and pleasure I have received from it are immeasurable.

Robert P. Aden
Murfreesboro, TN

Program Listing

```

10 ***** "ORIGINAL PROGRAM" *****
20 ? "INPUT THREE NUMBERS"
30 INPUT A$ : GOSUB 1000 ***** (INPUT A,B,C)
35 A=VAL(X$(1)) : B=VAL(X$(2)) : C=VAL(X$(3))
40 ? A; "+"; B; "+"; C; "="; A+B+C
50 ? "("; A; "*"; B; ")" /"; C; "="; (A*B)/C
60 ? A; "-"; B; "-"; C; "="; A-B↑ABS(C)
70 ? : GOTO 20
80 ***** END ORIGINAL PROGRAM *****
90 END
1000 ***** COMMA SIMULATOR SUBROUTINE *****
1010 FOR Z=1 TO 3
1020 X$(Z)=" "
1030 L=LEN(A$)
1040 Q=0 : FOR Q=1 TO L
1050 F$=MID$(A$,Q,2)
1060 IF F$="." THEN 1100
1070 X$(Z)=X$(Z)+LEFT$(F$,1)
1080 NEXT Q : IF Z=3 THEN RETURN
1100 L=L-(LEN(X$(Z))+2)
1110 A$=RIGHT$(A$,L)
1120 NEXT Z

```

Sample Run

```

INPUT THREE NUMBERS
? 37..2.93..-15.8
37 + 2.93 + -15.8 = 24.13
( 37 * 2.93 ) / -15.8 = -6.86139
37 - 2.93 ↑ ABS(-15.8 ) = -2.37963E+07

```

Figure 1

Now NRI takes you inside the world's most popular microcomputer to train you at home as the new breed of computer specialist!


NRI teams up with Radio Shack to teach you how to use, program and service microcomputers...make you the complete technician.

It's no longer enough to be just a programmer or a technician. With microcomputers moving into the fabric of our lives (over 200,000 of the TRS-80™ alone have been sold), interdisciplinary skills are demanded. And NRI can prepare you with the first course of its kind, covering the complete world of the microcomputer.

Learn At Home in Your Spare Time

With NRI training, the programmer gains practical knowledge of hardware, enabling him to design simpler, more effective programs. And, with advanced programming skills, the technician can test and debug systems quickly and easily.

Only NRI gives you both kinds of training with the convenience of home study. No classroom pressures, no night school, no gasoline wasted. You learn at your convenience, at your own pace. Yet you're always backed by the NRI staff and



your instructor, answering questions, giving you guidance, and helping you over the tough spots.

Explore the TRS-80 Inside and Out

NRI training is hands-on training, with practical experiments and demonstrations as the very foundation of your knowledge. You don't just program your computer, you introduce and correct faults...watch how circuits interact...interface with other systems...gain a real insight into its nature.

You also build test instruments and the NRI Discovery Lab, performing over 60 separate experiments in the process. You learn how your trouble-shooting tools work, and gain greater understanding of the information they give you. Both microcomputer and equipment come as part of your training for you to use and keep.

Send for Free Catalog... No Salesman Will Call

Get all the details on this exciting course in NRI's free, 100-page catalog. It shows all equipment, lesson outlines, and facts on other electronics courses such as Complete Communications with CB, TV and Audio, Digital Electronics, and more. Send today, no salesman will ever bother you. Keep up with the latest technology as you learn on the world's most popular computer. If coupon has been used, write to NRI Schools, 3939 Wisconsin Ave., Washington, D.C. 20016.



Training includes TRS-80 computer, transistorized volt-ohm meter, digital frequency counter, and the NRI Discovery Lab with hundreds of tests and experiments.

(TRS-80 is a trademark of the Radio Shack division of Tandy Corp.)



NRI Schools
McGraw-Hill Continuing
Education Center
3939 Wisconsin Avenue
Washington, D.C. 20016
NO SALESMAN WILL CALL
Please check for one free catalog only.

- ☐ Computer Electronics Including Microcomputers
- ☐ TV/Audio/Video Systems Servicing
- ☐ Complete Communications Electronics with CB • FCC Licenses • Aircraft, Mobile, Marine Electronics
- ☐ CB Specialists Course

- ☐ Digital Electronics • Electronic Technology • Basic Electronics
- ☐ Small Engine Repair
- ☐ Electrical Appliance Servicing
- ☐ Automotive Mechanics
- ☐ Auto Air Conditioning
- ☐ Air Conditioning, Refrigeration, & Heating including Solar Technology



All career courses approved under GI Bill.
☐ Check for details.

Name _____ (Please Print) Age _____
Street _____
City/State/Zip _____
Accredited by the Accrediting Commission of the National Home Study Council

173-100

Software for Lower Case Mods

Dear Editor:

I'd like to address David Rose's article "Moving Up to Lower Case," July 1980.

On page 58 under the heading "Use with other software," he brings out the point that Radio Shack's mod eliminates the use of a large amount of existing software. Well, I have purchased two products that I believe your readers would like to be aware of. They are

described below, and have been in existence since late last year.

In PencilC, the modifications described were done with permission of Michael Shroyer Software Co. and are available only by returning the original media cassette to Lords.

PencilC will operate on both the Shack lower case mod and the original type modification done by progressive individuals much earlier. Radio Shack's lower case mod works great with PencilC so now people who prefer Radio Shack's descending characters don't need to be limited in their software use.


The Shift Down Arrow has been converted to the control key, and the button will still operate as shown in the Electric Pencil manual. The Form Feed is now a "Control L." Although the options are executed in the sub-command mode (K), none of them appear in the command list on the screen.

The authors of the modification didn't stop until they had all the meat in the pot. So to quiet the hungry savages they added "Free," which tells the typist how much memory is left unused.

For "Speed Freaks," they included a high speed clock control. This is an automatic software routine for systems that have a hardware clock speed-up board installed. It not only allows faster input of text and handling routines, but eliminates the loss of character which sometimes happens at the end of a video line. For systems with the proper hardware modification, the software automatically "kicks" the clock into high speed and resets the clock slower for disk I/O, line printer output, and TRS232 output operations. Those machines that trouble with high speed clock and upper memory stability can use "option K" in the sub-command file to shut off the high speed clock.

The Special Character Definition option allows the operator to define the Shift Back Arrow, normally used to erase the previous character, as any printable character on the printer. This is especially useful to systems with "daisy wheel" printers to allow access to all but the first and last characters.

Once a special symbol is entered to text, the Shift Back Arrow may be re-defined for another character. Once this



D-Cat.™ Everything you'll ever need in a basic, direct modem.

There's only one originate/answer modem that gives you the performance and reliability of a direct connect modem with the portability and price of an acoustic. Novation's new D-Cat.

D-Cat is the only direct modem that's FCC approved for handset jack connection with any modular phone. Use it at home or at work on a 50-pin, six line business phone. Talk to D-Cats, Cats, or any other Bell 103 compatible modem.

D-Cat also has all the features you want: full duplex capability, voice/data

monitor, up to 20 dB performance improvement over acoustic, hold function, privacy button, self-test, and a remarkable price. Only \$199.

But best of all, it's from Novation. The recognized world leader in personal communications.

D-Cat by Novation

Call for details:

(800) 423-5410

In California (213) 996-5060

Available at Avnet Electronics, Hamilton Electro, Hamilton Avnet, Kierulff Electronics, Byte Shops, Computerland, and your local computer store.

Novation, Inc., 18664 Oxnard Street, Tarzana, California 91356

TRS-80 Model II

Software for the Radio Shack TRS-80 Model II micro-computer is being readied at this moment by TBS. However, ads are prepared well in advance of publication, and we don't know exactly what will be ready at this time. Please call or write for a catalog. We are planning to have demonstration diskettes of our programs in our Dealer stores so you may see the features of our software. Although Radio Shack Computer Centers may not sell our software, each of them now has a copy of our new Mailing List Program for the Model II. This program, so new it is not named yet, is the apex of mail programs. Starting with the capability of ONE MILLION names and the extremely easy operator keyin module, TBS has built on their experience with the only endless system for the Model I. It must be seen to be believed!

Ask your dealer, call or write for your catalog. TBS remains your publisher of the most sophisticated, yet easy to use, software on the market.



THE BOTTOM SHELF, INC.

P.O. Box 49104, Atlanta, Georgia 30359 (404) 296-2003

option is used however, the original Shift Back Arrow cannot be used to erase until you reboot the PencilC program.

"Page Halt" commands the Pencil printer output to stop at the end of each page as set by the sub-command (K) G

function or the Top of Page Indicator in the text. The purpose of the option is to allow insertion of a new sheet of paper or to change print elements, change margins, line length, reset print specifiers, and so forth. Pressing "ENTER" will continue the printing, or

by pressing the "BREAK" key the print cycle can be terminated and the page numbering option will be automatically reset to the original value.

Quime or Diablo users will want to know about the special RS232 driver. Sub-command "UB" allows use of these high speed printers at their rated speed without having to use Null characters for carriage returns. The RS-232 switches are used characters for carriage returns. The RS-232 switches are used to set the baud rate, parity and word length.

Trendata 1000 users have a special correspondence printer driver available for cassette use. The baud rate is automatically set to 134.5 and all characters are automatically set for the Courier 10 print element. Also the Special Character Definition option will allow back spacing and limited underlining.

The cost is \$35 and the Electric Pencil "C" can be used with the following DOS: TRSDOS 2.1, 2.2, 2.3 and NEWDOS. Customers should send us their original cassette of Pencil (disk version stamped on the case). We've heard all kinds of excuses for not sending the original cassette, so if you've recently had a fire send \$175 and we will send out a new cassette, with PencilC disk version on it. Be sure to mention your memory size.

Lords also offers a lower case software mod for use with Radio Shack's hardware mod. It allows use of software normally mentioned on Shack's "Forbidden List," and is loaded utilizing the "AUTO" command on the DOS. We charge \$20 for it.

Allen Barker
Lords
P.O. Box 99
Port Angeles, WA 98362

MORE THAN 50 REASONS!

SUPERIOR PERFORMANCE • REMOTE SOFTWARE MAINTENANCE • COMMERCIAL QUALITY
-55dB SENSITIVITY • DIAL TONE DETECTOR • ANSWER • ORIGINATE
REMOTE CONTROL • FSK BINARY • PROGRAMMABLE TIMER
FCC APPROVED • MC68860 MODEM • ON-LINE • SERIAL-PARALLEL
50dB DYNAMIC RANGE • MESSAGE SWITCH • FULL DUPLEX • CONCENTRATOR
LASER • TUNED FILTERS • EVEN PARITY • REMOTE DATA BASE
DATA GATHERING • BULLETIN BOARDS • HALF DUPLEX
MULTIPLE MODEM • 5MHz WITH • NO WAIT STATES
POWER-UP • AUTO DIAL • AUTO ANSWER
TIME SHARING • TWX SIMULATION • SIGNAL LEVEL CONTROL • ASCII
5-8 DATA BITS • S-100 HARDWARE SYSTEMS INCLUDING: CDOS
ALL KNOWN ARCHIVES • CROMEMCO • DYNABYTE
ALPHA MICRO • POPULAR OPERATING SYSTEMS INCLUDING: DOS
CP/M-PM • NORTH STAR DOS • (REGISTERED TRADEMARKS OF OTHERS)
BELL-103 • IEEE S-100 (ADAPTABLE TO OTHER SYSTEMS)
SOME SATISFIED MM-103 USERS
AEROSPACE CORPORATION • BELL TELEPHONE LABS • IBM
JET PROPULSION LABS • JFK SPACE CENTER • LOCKHEED
MITRE • NASA • NATL GEOLOGICAL SURVEY
NATL BUREAU OF STANDARDS • NORTH STAR
RCA • SANDIA LABS • SMITHSONIAN • TWA
US DEPARTMENT OF JUSTICE • US NAVY
VARIOUS OEM COMPANIES • WESTINGHOUSE
WESTERN ELECTRIC • AND UNIVERSITIES OF:
ALABAMA • BRIGHAM YOUNG • CALIFORNIA
FLORIDA • JOHNS HOPKINS • MCGILL
MICHIGAN • MIT • TEXAS
UCLA • WASHINGTON

WHY BUY

MM-103 MODEMS

With our unbeatable quality, low cost, one-year warranty and 24 hour a day Test Center, you won't find a better S-100 bus modem than the MM-103!

Call or write for brochure and price information:

POTOMAC MICRO-MAGIC, INC.
5201 Leesburg Pike, Suite 604
Falls Church, VA 22041
(703)379-9660 (VOICE)
(703)379-0303 (MODEM: 61-600 BAUD)
MEETS IEEE S-100 STANDARDS

micro magic

**AFTER ALL...
ALL MODEMS
ARE NOT
CREATED EQUAL!**

Letters . . .

Have you found a bug? Got a gripe? Want to tell our readers about your successes, failures or fascinations? Send your comments to the Feedback editor, *Personal Computing*, 1050 Commonwealth Ave., Boston, MA 02215. We'll review each letter and publish the most interesting and valuable submissions.

RANDOM ACCESS

Pediatric Information System


Your four-year-old son scurries in from playing outdoors, complaining of itching around his ankles. After questioning him on where he's been and examining the rash, you realize it must be poison ivy. What should you apply to it, if anything? How long before it disappears? You turn to your microcomputer for help.

Mathemedics, Ltd., a new, small company in southern California, is working toward making it possible for parents to get medical information from their micros. Matthew Witten, president of Mathemedics, said, "We wanted to design medical information systems — not only information systems but medical mathematical research and modeling." And, says Witten, a parent himself, "I got tired of calling my pediatrician."

The system, known as the Syntactical Pediatric Evaluation Diagnostic System, is compiled from information from published medical material. Witten has had three years of med school but says the system will be checked for accuracy before it's released to the public.

Witten explained that the system operates in several modes. You'd use the critical mode if you already knew what the problem was but needed emergency information. You would type in the problem and the computer would come back with a standard set of information. With this mode, there's no time to diagnose what the problem is.

Another mode, for non-emergency situations, handles treatment information. For instance, your child might have something in his/her eye and you can't remove it; or a child could be running a fever of 105° and you don't know what steps to take.



A third interactive mode provides clinical information. You can type in a question and get answers in various areas. Poison ivy might come under this mode. "Let's say your child had a rash that you weren't worried about but you wanted to find out about it. You'd tell the computer you needed information on general rashes and it would tell you a little about skin rashes. Then, if you wanted information about poison ivy, the computer would offer more specific information about it," explained Witten.

The diagnose mode specifically deals with trying to diagnose what the problem is. It uses statistical correlations to come up with what the top ten most probable diagnoses for the problem are. This, the most difficult and complex mode, is not yet on the small computers because it requires one megabyte of memory storage for the database. "What we're thinking of doing is shrinking the mode down and taking out the crucial things and making a smaller version," said Witten.

Mathemedics, run by Witten

and his partner David Maloney, is divided into a research division and an applied systems division. The research division contains larger computers whereas the applied systems division uses the microcomputers.

Witten said, "We wanted a company that was not only computer oriented in the sense that we designed computer equipment software, but a company that someone could hire out to do statistical analysis of data."

Other Mathemedics projects include software for paraplegics which will enable them to read by blowing commands through pipes. The company also consults for a few hospitals, helping them with data analysis.

Besides working for Mathemedics, Witten is also a professor in the general systems department of the Institute for Safety and Systems and Management at the University of Southern California. He teaches business management courses in mathematical modeling and computer simulation.

— by Marjorie J. Morse

Personal Computing Welcomes S-80 Computing

Personal Computing this month welcomes aboard over 7000 subscribers to *S-80 Computing*.

Computer Information Exchange's *S-80 Computing* and *S-80 Bulletin* publications have ceased publishing. *Personal Computing* will fulfill subscriptions to *S-80 Computing* on either a new or renewal basis.

No longer able to justify operating redundant services in competition with a host of others, nonprofit CIE will concentrate on People's Software and its long-dormant *Word Processing Letter*, areas not served by others.

CIE's People's Software provides public-domain TRS-80 programs for the cost of copying. Tapes with as many as 77 programs are available for just \$10.95. The organization now offers approximately 200 programs on its five public domain tapes. In addition, People's Software offers a tiny Pascal compiler for \$19.95, with royalties to Pipedream Software in Australia, and other offerings.

Word Processing Letter is devoted to using personal computers for writing, either in the home or office. The first issue tells about a readily available 510 characters/second daisywheel-quality printer that is about ten times faster than the fastest "daisies," yet only about twice as expensive. Also included is a wrap-up on the new copying machines that not only do what you expect of a copying machine, but which also output type and graphics from your computer and facsimile machine. Sometime in the not too distant future, all office printing will come out of the same box, said Bill McLaughlin, president of CIE.

Word Processing Letter also has started a reader project of creating personal computer software to match features of the new IBM electronic-dictionary word processor. IBM stores 50,000 words but the *Word Pro-*

cessing Letter project will be more modest. Readers will share both the burden of creating the software and keyboarding all the words, which will be distributed on cassette. The *Word Processing Letter* costs \$15 for 12 issues,

and is also available from CIE.

For a People's Software catalog or more information on the *Word Processing Letter*, write to Computer Information Exchange, Box 159, San Luis Rey, CA 92068.

Remedial Instruction by Computer

Using a Pet computer, elementary students in Edina, MN, progressed up to 31 months over a seven month period in their language arts skills. While program developers do not claim that this progress is due solely to the Pet, the new teaching aid has been met with great enthusiasm by teachers, students and parents alike.

Educational programs were written for the Pet by Thorwald Esbensen, president of Micro-Ed, Inc., based in Edina, a suburb of Minneapolis. In the fall of 1979, third and fifth grade students were given the Iowa Tests of Basic Skills and those who, on the basis of local norms, scored in the bottom quartile in the areas of capitalization, punctuation and English usage, and who were in schools having student support centers, were scheduled into these centers on a regular basis to receive microcomputer instruction. Student support centers were designed to help children in need of additional help with their studies. In the spring of 1980, these students were re-tested and considerable progress had been achieved.

Four of six elementary schools in Edina had established student support centers. The students usually spent from 20 to 30 minutes per session and were generally scheduled into the support center for one or two sessions per week. There are from two to six Pets in each center and also some scattered throughout the schools in individual classrooms.

Student support centers are

staffed by para-professionals who are acquainted in a "nuts and bolts" way with what programs are available. There is one para-professional in each center and Esbensen works with them on a continuing basis.

All of the student programs were written for the 8K Pet with a cassette recorder. "They are on cassette because it would cost just as much to buy a whole new computer as it would to buy a disk drive," Esbensen said. There is also one printer in the central audio visual office for special purposes.

The tapes are self-contained and each stands alone, allowing interested users to build their own library of tapes. Most of the tapes sell for \$7.95 each.

The 59 fifth grade students participating in the English usage program progressed 20 months over a seven month period. A group of 67 fifth graders concentrating on improving their punctuation skills also advanced 20 months within seven months. The 73 fifth graders who studied capitalization over this same period gained 25 months.

Third graders also concentrated on their studies with the computer for seven months: 35 students in English usage gained 27 months; 39 in punctuation progressed 31 months; and 43 in capitalization advanced 18 months.

"We do not make any kind of claim at all that these results were solely because we used micros," Esbensen said. "It's my strong feeling that any time that

the school system or a classroom zeros in on specific student needs or areas where they need help, giving the necessary time to adjust those weaknesses, and does so with appropriate materials, you can get very significant gains."

According to Esbensen, micros offer a golden opportunity to zero in on student needs. They can provide the additional time to the student without taking the classroom teacher away from the full group. The children also loved to work with the micros, Esbensen said. "Never was remedial instruction sought with such eagerness as with the micros."

Esbensen noted that he was careful not to portray the computers as competition for classroom teachers. In most instances the children were recommended for computer-assisted instruction

by the teachers and were scheduled into the support centers at the convenience of their teacher. "We were very careful to avoid giving any impression that micros were somehow preferable to other teaching modes. We want micros to be the instructional allies of teachers," Esbensen said.

The Edina school system also offers an in-service computer training program for their teachers, taught by Esbensen. One two-day workshop is held for teachers in June as soon as school lets out. "It's a 'shake hands with a micro' kind of workshop where they get to know the micros as being friendly machines. They use many of the programs that we've developed locally and they can see how simple the micros are to use and how very interesting you can make a program," Esbensen said. In August they of-

fer a similar kind of workshop for teachers, and in the fall Esbensen teaches a 12-week Pet programming workshop for a limited number of staff members. He also teaches a programming course for some of the elementary school students along with a community education class in micros.

Use of the Pets in this project has been funded totally by the Edina local budget. "We've had no special grants from anybody, no foundations, no special input on anything. We've done it all out of our own operating budget," Esbensen said. "When you have elementary school principals in this day of budget cutting, putting down micros as a first priority, you know that some interesting things are happening. That's the situation here."

— by Elli Holman

New Jersey Sales Center Demystifies Computers

Silent Partner, a new computer sales center in Fort Lee, NJ, is devoted to demystifying the computer. "We see our task as helping our customers solve problems by means of the microcomputer," says Peter Schwartz, president of Silent Partner. "We're dedicated to showing the average American — professionals, businessmen, students — how they can apply the microcomputer to business, education and personal matters." Besides microcomputers, Silent Partner also stocks complete lines of computer accessories and software, he added.

Silent Partner displays computer packages that are designed for specific business, educational and personal functions. They include a complete word-processing system, a business forecasting and projection system, a stock market information system, an educational system and a complete business operations system.

A fully equipped service department enables the firm to make installations and adjustments rapidly and efficiently.

A separate seminar room within the Fort Lee headquarters accommodates training sessions, demonstrations, videotape screen-

ings and discussions of computer applications. Computer users clubs will also be invited to use the premises for their meetings.



"I think I'm ready to be replaced by a computer,"

Home Time-Sharing Projections

Consumers are flocking to sign up for home time-sharing services, and there may be as many as 100,000 subscribers to these services by the end of 1981, according to a new 148-page report from International Resource Development Inc. There are currently two consumer time-sharing services in operation, with a combined total of about 8,000 users according to the report, which predicts entry into the market by several other "major" companies during the next three years. Total revenues generated from these services could exceed \$1 billion per year before the end of the current decade, and most of these revenues will be derived from the use of computer and communications facilities which otherwise would have been idle during evenings and weekends.

Demand for the services recently has become so strong that the computer facilities have been overloaded, the report points out. However, both The Source and CompuServe are adding more computers and will be able to deal with the expected ten-fold expansion in the number of users over the next year or so.

The Source has reached an agreement with Tymshare, one of the largest commercial time-sharing companies, to use Tymshare's computers in off-hours; CompuServe has several more of its own computers which could be made available as its consumer business expands.

According to Charles W. Newton, project manager for the IRD study, "Tymshare has very cleverly positioned itself so as to obtain an inside view of the development of consumer time-sharing over the next three years, without needing to make a major commitment in terms of new computers and facilities." Newton views several other large time-sharing organizations, including General Electric Information Services and Boeing Computer Services, as possible entrants into

the consumer time-sharing services market.

The IRD report predicts that several years will elapse before the market for consumer time-sharing services broadens beyond its current user base of computer hobbyists and affluent gadget-lovers. However, because the services are nationwide, these categories alone will provide good revenue growth to suppliers through

1985, according to the report. As Newton points out, "Of the expected 1 million home computer users, 10%, or only 100,000 users will be accessing the time-sharing services from the home in 1981."

In an interview program conducted during the study, the IRD researchers asked all of the leading commercial time-sharing vendors how they expected the consumer time-sharing market to develop

PROJECTED HOME TIME-SHARING MARKET THROUGH 1990

AVERAGE MONTHLY EXPENDITURES	1981	1984	1987	1990
	MILLIONS OF HOUSEHOLDS			
\$10.00	.04	.25	1.00	3.5
\$25.00	.03	.15	.60	1.3
\$50.00	.02	.10	.30	.7
\$75.00	.01	.05	.15	.2
\$100.00		.03	.10	.2
NUMBER OF HOUSEHOLDS	100,000	580,000	2,150,000	5,900,000
ANNUAL EXPENDITURES	\$30-35M	\$175-200M	\$700-750M	\$1,500-1,750M

REASONS FOR USING HOME TIME-SHARING SERVICES

REASONS	SEGMENTS	APPLICATIONS PROCESSING	EDUCATION	ELECTRONIC MAIL	ENTERTAINMENT	INFORMATION SERVICES	PERSONAL COMPUTING	TRANSACTION SERVICES	WORD PROCESSING
TIMELINESS		X		X		X		X	
COST EFFECTIVENESS				X			X		
AVAILABILITY		X	X		X	X		X	X
FORMAT		X	X			X		X	
SOCIAL INTERACTION				X	X				
GROUP INFLUENCES		X	X		X	X	X	X	
SELF IMPROVEMENT			X			X	X		X
ENTERTAINMENT				X	X	X	X		

SOURCE: INTERNATIONAL RESOURCE DEVELOPMENT INC.

over the next five years; the response was about evenly divided between cautious optimism and downright skepticism, reports Newton.

Included in the report is an analysis of the demographics of current and potential future users of home time-sharing services, with detailed projections of the expected levels of utilization of informational, transactional and educational services offered by the time-sharing vendors. Noting that CompuServe was recently acquired by H&R Block, the

tax-preparing services company, Newton speculates that Block may have in mind an interactive automated tax-preparation service offering, which could be programmed to minimize the user's taxes, while at the same time alerting the user to the percentage probability of an IRS audit. "Maybe we'll get to the point where Block's computers can outwit the IRS computers," comments Newton.

International Resource Development Inc. is an independent management consulting and mar-

ket research firm, which has been studying the computer time-sharing market for the past nine years. In addition to several dozen multi-client research reports, IRD has undertaken individual client consulting assignments for such firms as General Electric, Boeing Computer Services, AT&T and University Computing. A free description and table of contents for the report (#155), entitled "Consumer Time-Sharing Services," is available from IRD at 30 High Street, Norwalk, CT 06851; (203) 866-6914.

QUBE Subscribers Have Access to Data Banks

Subscribers to Warner Amex Cable Communications Inc.'s two-way interactive QUBE service in Columbus, OH, will soon be able to retrieve information from data banks permitting a variety of consumer services including computer video games, stock market information, personal financial management and other services.

The service will begin this fall with a two-way interactive project by Warner Amex; Atari, Inc., a leading manufacturer of personal computer systems and a subsidiary of Warner Communications Inc.; and CompuServe Incorporated, a leading time sharing computer service company.

Atari is a leader in the home video games industry and the coin-operated games business. CompuServe has provided computer services for more than 10 years to some of the nation's largest business and government agencies. Headquartered in Columbus, OH, CompuServe is a subsidiary of H & R Block, Inc.

A minimum of 100 Atari personal computers will initially be installed in QUBE subscriber homes giving those subscribers access to data banks which are part of the CompuServe service. The service will be available to subscribers from 6 p.m. to 5 a.m. on business days and all day on weekends and holidays.

QUBE households participat-

ing in the project will have access to data which will convert their homes into information centers containing millions of facts from major information providers.

Through a cross-indexed information menu, subscribers will have at their fingertips computer video games, current financial and commodity news and diverse business analysis and money management information from some of the best financial sources

available. Other data services may include:

- Full coverage of sporting events from around the country
- Consumer reports
- Airline and bus information schedules
- Emergency telephone numbers including health procedures and poison antidotes
- Employment listings, training opportunities and the teenage job market.

Preventing Stress-Induced Heart Attacks

Research that could lead to prevention of stress-induced heart attacks is being carried out at the University of Pittsburgh's Western Psychiatric Institute. Using a Digital Equipment Corporation MINC laboratory computer to control and analyze experiments, researchers are exposing volunteers to testing that places them under psychological stress. The test procedure may help to determine which influences in a stressful daily routine could adversely affect the human heart.

MINC is a modular computer system designed for laboratory applications. It incorporates special plug-in interfacing modules that enable a researcher to customize the system for specific experimental applications.

The experimental set-up, de-

signed by J. Richard Jennings, Ph.D., involves volunteers listening to tones of slightly different pitches and acting on the basis of which tone is heard. The transmission rate, or schedule of times the tones are transmitted to the subjects' headphones, is controlled by the MINC system. When volunteers hear a tone, they have to decide whether it is the slightly higher or lower tone and press an appropriate button within a specific time interval. The order of tones is random, under computer control, and the tones are made difficult to hear by including noise in the earphones.

According to Dr. Jennings, the speed and accuracy of the responses are displayed to the subjects so that they can determine the quality of their actions. "We

vary the time interval in which a volunteer must respond so that some responses will be fast and inaccurate and others may be slow. All volunteers want to do well and some report emotional stress when asked to respond very quickly or slowly," he said.

Test results are evaluated to determine alterations in measurements such as rate of heart action and breathing. "We have known that there is a psychological com-

ponent to some diseases," Dr. Jennings said. "The research we're doing is to determine components that may influence heart disease." He added that some of his test volunteers are businessmen who work in high-pressure situations.

"The MINC computer system is the major analytical element for our experimental program. In addition to controlling the experiments, the MINC does major analyses, both in Basic and For-

tran. For some statistical work, we send the data to a DEC system-10 mainframe," Dr. Jennings said.

"Our immediate goal in these experiments has been to begin to understand the relationship between psychological stress and heart disease in certain personality types. It is possible that once this is understood, methods can be developed that will help minimize or prevent coronary disease for such people," he said.

☆☆☆ Announcements ☆☆☆

Computer News

Small Computer News, a new bi-weekly newsletter covering the microcomputer field, is written for the computer hobbyist, manufacturer and retailer. Each issue contains up-to-date information on happenings in the microcomputer business field, a new product previews, convention news and free-lance and career employment opportunities.

Charter subscriptions, including first class postage, are available for \$24.50 per year from Edwards Publications, 78-56 86th Street, Flushing, NY 11385.

Educational Conference in Arizona

In January 1981 The College of Education at Arizona State University, Tempe, AZ, will host a special microcomputer conference designed to introduce educators to the many applications of micros in the classroom.

The goal of the conference is to provide an awareness of microcomputers and their impact on society. In addition, the ways micros are currently being used in education at the elementary and secondary levels, in the fine arts areas, in career and vocational education, and in special education, will be explored.

The conference will be held on the Arizona State University campus, Friday and Saturday,

January 16 and 17, 1981. For further information and registration materials, contact Dr. Gary G. Bitter, Arizona State University, Payne 203, Tempe, AZ 85281.

Erie, PA Apple Club

The Erie Apple Crunchers computer club is made up of 30 Apple and Bell and Howell Apple owners and users. The aim of the group is to exchange programming ideas and concepts.

The club is developing a program library and is willing to exchange original programs with other users groups or individuals. Membership dues is \$7.50 annually. The club hopes to provide a monthly newsletter. For more information contact the Erie Apple Crunchers Computer Club P.O. Box 1575, Erie, PA 16507.

A New Home

The Charles Babbage Institute for the History of Information Processing (CBI) has selected the University of Minnesota as its permanent home. CBI is a nonprofit foundation which promotes research on the history of computers and computation. CBI is currently located in Palo Alto, CA. For more information contact Mr. Paul Armer at (415) 328-0984.

Chicatrug

Chicatrug News, now in its third year of publication, provides monthly articles on items of interest to the TRS-80 user. A one-year subscription of twelve monthly issues is \$12. For a free sample copy, write to E.B.G. & Associates, 203 N. Wabash, Suite 1510, Chicago, IL 60601, (312) 782-9750.

Virginia Hamfest

The Fifth Annual Tidewater Hamfest-Computer Show-Flea Market will be held in the Virginia Beach, Virginia, Arts and Conference Center, October 4 and 5 from 9 AM to 4 PM each day. Featured are ARRL, Traffic, DX, Technical Forums, XYL free bingo and lounge. Admission \$3.50. There will be an advance ticket drawing for Kenwood FM transceiver. Flea market spaces are \$3.00 a day. For tickets and information contact TRC P.O. Box 7101, Portsmouth, VA 23707; include SASE.

Unusual Application?

If you use your computer for an interesting application, why not write up a short (500 or 1000 words) article telling us about it? Send your submission to Random Access, *Personal Computing*, 1050 Commonwealth Ave., Boston, MA 02215.

WE WILL NOT BE UNDERSOLD

16K MEMORY UPGRADE KITS 2 for \$85 **\$45**
for TRS-80*, Apple II, (specify): **Jumpers** \$2.50

PRINTERS

NEC Spinwriter



Letter Quality High Speed Printer

Includes TRS-80* interface software, quick change print fonts, 55 cps, bidirectional, high resolution plotting, graphing, proportional spacing: R.O. **\$2579**

R.O. with Tractor Feed **\$2679** KSR with Tractor Feed **\$2995**

779 CENTRONICS TRACTOR FEED PRINTER **\$969**

Same as Radio Shack line printer I

737 CENTRONICS FRICTION & PIN FEED PRINTER **\$799**

9 x 7 matrix

730 CENTRONICS FRICTION & PIN FEED PRINTER **\$629**

7 x 7 matrix Same as Radio Shack line printer II

P1 CENTRONICS PRINTER **\$269**

Same as Radio Shack quick printer

PAPER TIGER (IP440) **\$939**

Includes 2K buffer and graphics option

TI-810 Faster than Radio Shack line printer III

Parallel and serial w/TRS-80* interface software

with upper and lower case and paper tray **\$1599**

OKIDATA Microline 80 Friction and pin feed **\$559**

Tractor Feed, friction, and pin feed

EATON LRC 7000 + 64 columns, plain paper **\$299**

ANADEx **DP-9500** **\$1359** **DP-8000** **\$825**

DISK OPERATING SYSTEMS

PATCHPAK #4 by Percom Data **\$ 8.95**

CP/M® for Model I, Zenith **\$145** • for Model II, Altos **\$169.00**

NEWDOS Plus 40 track **\$ 99.00**

NEWDOS 80 **\$135.00**

ACCESSORIES

HEAD CLEANING DISKETTE: Cleans drive Read/Write head in 30 seconds. Diskettes absorb loose oxide particles, fingerprints, and other foreign particles that might hinder the performance of the drive head. Lasts at least 3 months with daily use. Specify 5 1/4" or 8" **\$20 ea/\$45 for 3**

FLOPPY SAVER: Protection for center holes of 5 1/4" floppy disks. Only 1 needed per diskette. Kit contains centering post, pressure tool, tough 7-mil mylar reinforcing rings. Installation tools and rings for 25 diskettes. **\$11.95**

Re-orders of rings only **\$ 7.95**

EXTERNAL DATA SEPARATOR: Eliminates data separation problems (crc). Improves reliability. This plug in unit comes fully assembled and tested. **\$29.95**

RS232 **\$84.00**

DISK-DRIVE EXTENDER CABLES: Fits all mini-disk drives. **\$16.95**

SIX (6) PRONG ISOLATOR **\$54.00**

AC FILTER/6 PRONG POWER STRIP **\$39.00**

DISK DRIVE CABLES: 2 drive **\$29.00** 4 drive **\$35.00**

DUST COVERS: TRS-80/Apple **\$ 7.95**

PLASTIC DISKETTE HOLDER **\$ 8.00**

RF MODULATOR: Adapts video to TV **\$35.00**

TRS-80 & OTHER MYSTERIES **\$18.95**

CAT MODEM Originate and answer same as **\$148**

Radio Shack Telephone Interface II

LEEDEX MONITOR Video 100 **\$119**

ZENITH Color Monitor **\$379**

SANYO Model VM 4509 Monitor **\$179**

DISK DRIVES

\$314

40 track, 102K Bytes. Fully assembled and tested. Ready to plug-in and run the moment you receive it. Can be intermixed with each other and Radio Shack drive on same cable. TRS-80* compatible silver enclosure. 90 day warranty. One year on power supply. **External card edge included.**

FOR TRS-80*

CCI-100 5 1/4", 40 Track (102K Bytes) for Model I **\$314**

CCI-280 5 1/4", 80 Track (204K Bytes) for Model I **\$549**

CCI-800 8" Drive for Model II (1/2 Meg Bytes) **\$795**

For Zenith Z89

CCI-189 5 1/4", 40 Track (102K Bytes) add-on drive **\$394**

Z-87 Dual 5 1/4" add-on drive system **\$995**

DISKETTES — Box of 10 (5 1/4") — with plastic library case **\$24**

8" double density for Model II (box of 10) **\$36**

COMPLETE SYSTEMS

ALTOS 64K, DD, SS, 2-Drive, 1MB **\$3995**

TRS-80* Model II-64K **\$3499**

TRS-80* LEVEL II-16K with keypad **\$689**

TRS-80* Expansion Interface **\$249**

APPLE 16K **\$989**

HEWLETT PACKARD HP-85 **\$2999**

ZENITH Z89, 48K all-in-one computer **\$2555**

ZENITH Z19 **\$740**

TELEVIDEO 912B **\$745** 920B **\$769**

ATARI 400 **\$489** **ATARI 800** **\$769**

APF M1000 **\$99** **IM-1** **\$499**

MATTEL INTELLIVISION **\$249**

SOFTWARE FOR THE TRS-80*

Software
w/Manual

INTELLIGENT TERMINAL SYSTEM ST-80-III BY LANCE MIKLUS: Enables a TRS-80* to act as a dial-up terminal on any standard time sharing network. Provides a TRS-80* with control key, ESC Key, Repeat Key, Rub Out Key, Break Key, full upper and lower case support, selectable printer output and program selectable transmission rates **\$139**

CCA-DATA MANAGEMENT SYSTEM: Automate your information processing tasks. You can create a file of customer information; quickly and easily add, delete or update records; search a file; keep a file in order of the value in any field; and print records and labels in any desired sequence or from just a part of a file. Requires 32K TRS-80 and one drive. **\$74.95**

S & M SYSTEMS

INSEQ-80™: Indexed Sequential Access Method (ISAM) for the TRS-80 Model I. A must for anyone writing business programs. Eliminate wasted disk space from direct record processing. Split second access to any record. Access data records instantly via alpha/numeric "key" eg. Part NR, zip code or sequentially in ascending key sequence. Add/modify records in any order. Access up to three files per program — Files

may be spread over multiple disks. Machine language processing from your basic program. Utility program to convert direct files to INSEQ-80 format. **\$49.95**

FULLY INTERACTIVE ACCOUNTING PACKAGE: ISAM (INSEQ-80) based. Includes General Ledger, Accounts Payable, Accounts Receivable and Payroll. System runs "stand alone" or "co-ordinated G/L" at users option. Based on Osborne accounting method. Requires 32K, TRS-80, 2 or 3 drives. N/A CA. **\$89**

General Ledger **\$89**
Accounts Receivable **\$89**
Accounts Payable **\$89**
Payroll **\$89**
Osborne books: Req'd as additional documentation **\$20 ea**

INVENTORY Requires 32K, TRS-80, 1 drive **\$125**

INSORT-80: Callable form BASIC via USR. Sorts "Random" Disk Files. "Disk" to "Disk" sort times — 350 records in 35 secs, 1000 records in 6 minutes, 3500 records in 12 minutes. Machine language processing. Up to 35 sort keys ascending/descending. Utility to build BASIC program. Runs under NEWDOS. **\$49.95**

CP/M BASED SOFTWARE for Zenith, Altos, Radio Shack, Apple

Software
w/Manual

Z-80 SOFTCARD FOR APPLE: Your key to future software expansion. Get the best of both worlds, Apple's 6502 and CP/M Z-80. Plug in the card and get a Z80. Supports Apple language card and all Apple peripherals. Comes with set of three manuals. **\$339**

CCI-TELNET VERSION 5: A communication Package which enables microcomputer users to communicate both with Large Mainframes and other microcomputers. Extensive commands make it useful in many applications where communication between computers is necessary. Powerful terminal mode enabling

user to save all data from a session on disk. Completely CP/M compatible. Multiple communication protocols supported. Able to transfer files in both directions without protocol where the other machine does not support any protocol. Extensive ON-SCREEN help. Source code provided. **\$149**

MICROPRO-WORD-STAR: Menu driven visual word processing system for use with standard terminals. Text formatting performed on screen. Facilities for text pagination, page number, justify, center and underscore. User can print one document while simultaneously editing a second. Edit facilities include global search and replace. Read/Write to other text files, block move, etc. Requires CRT terminal with addressable cursor positioning. **\$399**

DEALER (NATIONAL/INTERNATIONAL) INQUIRIES INVITED

Send for **FREE** Catalogue

The CPU SHOP

TO ORDER CALL TOLL FREE 1-800-343-6522

Massachusetts residents call (617) 242-3361

For detailed technical information, call 617/242-3361

Hours: 10AM-6PM (EST) M-F (Sat. till 5)

*TRS-80 is a Tandy Corporation Trademark

© Digital Research

5 Dexter Row, Dept. PC10M

Charlestown, Massachusetts 02129


Massachusetts residents add

5% sales tax


Quantities on some items are limited



JOYSTICK & EXPANDA-PORT FOR YOUR APPLE II® COMPUTER




EVERY APPLE II® OWNER SHOULD HAVE ONE!



JOYSTICK

\$49.95

The PROGRAMMA JOYSTICK is an input peripheral that attaches to the APPLE II Computer's game I/O Port. The JOYSTICK is a must for the serious game player, and it offers a degree of linearity not currently available with other joysticks. The ease of maneuverability and the availability of the "functional" switches make the PROGRAMMA JOYSTICK a much needed enhancement to any APPLE II Computer System owner. The PROGRAMMA JOYSTICK comes completely assembled and tested.



EXPANDA-PORT \$59.95

The PROGRAMMA EXPANDA-PORT is a multi-port expander for the game I/O port of any APPLE II Computer System. In addition to allowing expansion for up to six devices, the EXPANDA-PORT contains a built-in speaker that replaces the function of the Apple II's speaker. The switch on the EXPANDA-PORT allow for the selection of the specific device desired and for the switching of that device. No unplugging of any device connected to the EXPANDA-PORT is required. The PROGRAMMA EXPANDA PORT comes completely assembled and tested.

The PROGRAMMA JOYSTICK and EXPANDA-PORT are available on a limited basis through your local computer dealer. Apple II is a registered trademark of Apple Computers, Inc.

**PROGRAMMA
INTERNATIONAL, INC.**

3400 Wilshire Blvd.

Los Angeles, CA 90010 (213) 384-0579 • 384-1116 • 384-1117


PROGRAMMA

**Computer
System
Products**

GO FIRST CLASS


½ MByte

TM-100-3 (Single-sided)
Capacity (unformatted):
500K bytes
TPI: 96 or 100
Tracks per side:
80 maximum
Recording density:
5535 BPI
Access time:
• Track to track: 3ms
• Average: 90 ms



1 MByte

TM-100-4 (Double-sided)
Capacity (unformatted):
1,000K bytes
TPI: 96 or 100
Tracks per side:
160 maximum
Recording density:
5877 BPI
Access time:
• Track to track: 3 ms
• Average: 90 ms



At an economy Price

It doesn't cost anymore to go first class when it's a Tandon 5¼" flexible disk drive. The reason is simple. We're the recognized leader in mini-floppy read/write head technology. In fact, our patented, double-sided head design is used by all the other major mini-floppy suppliers. And, it makes no difference if you buy one or one-thousand drives, you'll always get the first class price/performance that's made Tandon first choice among OEMs of word processing, small business systems, and personal computers. Tandon is rapidly becoming the first name in mini-floppies because we offer up to *one megabyte* of storage capacity, the fastest access time, a choice of single or double-sided recording, and 96 or 100 tracks per inch. All with proven reliability at an unbeatable price. Because we are the leaders in head technology, Tandon mini-floppies are designed beginning with the head to assure dependability throughout each drive. With Tandon, going first class is both sensible and economical.

Tandon

9333 Oso Ave.
Chatsworth, California 91311
(213) 993-6644

Heads Above The Rest in Disk Technology

Small Computers Come To The Rescue of Big Business

BY WILLIAM R. PARKS

Big business and large institutions are discovering another side of computing — low-cost personal computers. Yes, the home computer is heading into the big business marketplace. Until recently big business depended on big computers and if there was a need for computer power in a distant department, a terminal was located in that department which would be “on-line” with the big computer.

Of course big computers require expensive hardware and high-paid programmers, and if the application in that distantly located department was relatively small, it was still treated as a major undertaking by the centralized data processing department. A “little” application became a big headache using costly equipment associated with big computer centers and a high budget for programming time and planning. This common experience inhibited many “little” programming projects or applications. If the central computing staff was busy with “big” projects, the smaller applications were delayed further.

Today there is a well defined trend toward decentralizing computer processing functions. At the lowest level it means placing terminals in far off places away from the center for data entry purposes. The next level of development is the recent increased use of minicomputers — smaller than big computers but still quite costly to maintain. At the next level we have a new trend to add still other devices within the computer communication network. Big business is actually adding “home” microcomputers. These “new” microcomputers have various names such as Apple, Pet and TRS-80, which are not so new to you and me, but they are new to the world of big business and I predict that the economics of the situation will force even greater use of them in the future. In other words don't be too surprised if the next time you go

to the bank, you see a manager or teller key into an Apple II.

Use of home microcomputers in big business is a natural evolution from the “dumb” terminal to the “intelligent” terminal. A home computer can act like an intelligent terminal in nearly the

*Economics will force
even greater use of
small computers
in the future.*

same price range as the older popular CRT's with keyboards. Home computers can not only communicate with big computers (as the older CRTs did), but they can also “down-load” information. And even when the main computer is “down,” the little computer sitting on the desk can continue to operate. In fact, some banking institutions recently announced that for certain limited but necessary applications, the stand-alone home microcomputer was better than the big centralized machine from an economic standpoint.

Such applications as figuring interest or answering questions during loan application procedures — where no record keeping is really involved — is best handled by “off-the-shelf” software packages. Inexpensive floppy disks are being used to store canned programs for answering general questions for prospective customers. You don't need an expensive big computer for many applications in industry and business.

You also don't need a big computer to keep track of some small files that a department manager might use such as index cards. However, the same manager might consider it very useful to store such minor information on floppies if a microcomputer terminal were available. He might use the micro a few minutes a day to take care of “small” applications. This is happening now and will continue as big busi-

ness starts buying even more desk-top microcomputers instead of dumb terminals.

There is the story of the manager who used his own home computer to automate a number of functions at work that saved time and money. Top management was so impressed that they bought his home system, paid him for all the software and he had to go out and buy still another system for his home.

As the little computer gets more publicity and home use this tale will be repeated many times in countless offices throughout the world. What a way to get a pay raise! You might be able to do the same thing with your home system. Program it for work functions and then sell the software and the machine to your company. They will really appreciate your talents.

Large institutions such as colleges are also discovering the same kind of situation as described above in the world of big business. Students who use “smart” microcomputer terminals can switch off the big computer for game playing. The cost in savings for expensive big computer time on campus is almost justification alone for never buying dumb terminals anymore.

At one college, students are forbidden from playing games because the central big computer time is simply too expensive. The home computer terminal idea would take care of the needs of the disgruntled students at that campus. Also, the students can copy all their programs on simple floppy disks instead of bulky paper print-outs and the schools are in a position to purchase all the educational software available for class-use. When the student wishes to access a language system that is not available on the micro, he still has the option of switching on-line to the big system where more power is available.

Such developments will greatly enhance home computer hobbyists as candidates for positions in industry, education and business as their very own home systems become part of the networks found in organizations of tomorrow.

Professor Parks is in the Department of Mathematics and Computer Science at Elon College, Elon College, NC.



MAN... HE MAKES HOPE IN HIS OWN IMAGE.

Evolution. The ongoing drama of the growth and development of man. His destiny. His greatest hope. Now the focus of the extraordinary OMNI Special Second Anniversary Issue.

Since the beginning of time, evolution has been occurring because of forces beyond our control or comprehension. Until now. Ours is the dawn of a new era. Man has begun to master the creation of life itself.

Future generations will be genetically engineered to meet the requirements of a changing civilization. Death and disease may vanish. Technology, language, intellect, and society itself will grow unrecognizably different. In the world of tomorrow man will grow ever closer to becoming the ultimate master of his fate.

OMNI, The Magazine of Tomorrow, has assembled a stellar group of distinguished authors, scientists, and philosophers for this landmark look into "The Evolution of Man." This special issue is a celebration of man, the future, and the second anniversary of the magazine devoted to man's future, OMNI.

With its unique combination of scientific insight, multiple-award-winning graphics, provocative essays, and spellbinding fiction, this issue marks the beginning of the third year of the publishing success story that has been called one of the greatest of all time. Embarking eagerly on a new year, OMNI

will continue to evolve and to grow, always daring to soar to the frontiers of human imagination and scientific exploration.

Join us on the journey to the future that we will share. Subscribe now to OMNI, and enjoy a subscription that will begin with OMNI's remarkable Second Anniversary Issue. This is your final chance to have OMNI delivered to your home at the current low rate. Don't hesitate. Tomorrow waits for no one.

OMNI THE SECOND ANNIVERSARY

OMNI Subscription Department
P.O. Box 908, Farmingdale, N.Y. 11737

Send me one year of OMNI (12 issues) at \$6 off the newsstand price. Here's my check ☐ or money order ☐ for \$18.

Name _____
Address _____
City _____ State _____ Zip _____

Print clearly please. Payment must accompany order. Rates for U.S. APO and FPO, Canada and elsewhere add \$6 to the U.S. subscription rate. Allow 6-8 weeks for delivery of first issue. Offer void after April 30, 1981.

OM2PC

Income Statements

— BY W.B. GOLDSMITH, JR. —

There's nothing fascinating about an income statement. In times gone by, the income statement was called a "Profit and Loss" Statement or a "P and L" — and it was boring then, too. Money lenders, however, insist on seeing an income statement when a business owner requests a loan. The Internal Revenue Service has an annual Income Statement habit too. (For single owner businesses it's Schedule C of Form 1040; partnerships use Form 1065; and corporations use IRS Form 1120 to report income.)

The income statement is a summary of the dollars and cents operations for a business. It is a standardized format for reporting the money received and spent by a business where the famous "bottom line" is the profit or loss. Income statements always cover some time period, with the more common time chunks being three months ("Quarterly Statement") and one year ("Annual Statement"). Small businesses can generally satisfy the demands of taxing and regulatory agencies with one annual statement. However, there are no rules that say you can't prepare the statement more often, and I usually prepare monthly statements for my client businesses. Strangely, profits usually increase when a business owner pays attention to the regular Income Statement. (I said the statement is boring, not useless).

I prepare a lot of these boring statements each year. Since my personal computer is the best tool available to

relieve me of boring tasks, I wrote "Income Statement". With this program, the boredom has gone from preparing Income Statements.

"Income Statement" can help your "binary buddy" serve you better if you ever need to prepare income statements. Whether you make up a report for your own business, for someone else's or for your family budget, this program will save you time and trouble. Don't ignore this jewel just because you don't own a business. Smart business owners use their income statements to control and manage business costs — you can do the same thing for your family finances. With a slight change or two in the program, your personal computer can help you lick inflation.

User's Notes

As you can see from the Sample Run, this is an easy program to use. Once you type RUN, the program takes charge of asking for income and expense data. If you are familiar with the IRS's Schedule C, you'll recognize the program output. All of the categories of expense that are used on Schedule C are present in "Income Statement." (Well, almost. I omitted "Jobs Credit" and "WIN" credits because none of my clients with small businesses have employees.) The input prompts list all the possible expense categories. Any category answered with a zero ("0") is dropped from the printout to give you a more readable statement.

Two areas of operation beg a little special attention. The "Business Name" prompt will allow a two line business name entry. Enter the first line, then a comma (","), then the second line. At output time, the second line will be centered below the first. If your business name needs only one line, the program skips the centering and printing routine for the second.

In the "Other Expenses" category, the program has provisions for ten entries. (See the Programming Notes to expand this field.) For each entry, you should type a few-word category title, then a comma (","), and the expense amount. If you have fewer than ten "Other Expenses", just type anything for the last category and a zero ("0") for the amount. The prompting sequence will stop and, at printing time, only the "live" categories will be listed on your Income Statement. Both the two-line business name entry and the "Other Expenses" sequence are illustrated in the Sample Run.

When you've finished data entry, "Income Statement" asks what output device you'd like to use. When you select the output, the program asks you to "Press RETURN to print" to allow you one last chance to energize your system printer and position the paper before the print routine begins. After each copy of your Income Statement is printed, you'll be asked if you want "Another Copy?" A "Yes" will put you in business for another output sequence. (Since my system printer is an aged TTY that produces one copy at a time, I need this feature for multiple copies.)

There it is. Like magic, your personal computer is turning out professional Income Statements.

Programming Notes

There are fewer than 170 lines of code in the Program Listing for "Income Statement". Don't be put off by the number — this is a deceptively powerful routine. You'll be well repaid for the few minutes spent typing these commands into your program memory. The Basic is SWTP 8K Version 2.0. Most other Basic's with string variables and matrix arithmetic capability should handle "Income Statement" readily. I used a couple of shortcuts that might

Mr. Goldsmith, an aerospace engineer, is enrolled to practice before the Internal Revenue Service and is an active member of the National Society of Public Accountants. His previous PC articles include "Rental Income" (July 1980), "Installment Sales" (August 1980) and "Reminder Lists" (September 1980).

Sample Run

BUSINESS NAME? E.D.SAMPLE,RETAIL STORE
STATEMENT DATE? 31 DECEMBER 1980

GROSS RECEIPTS? 25132
RETURNS? 12
BEGINNING INVENTORY? 18512
PURCHASES? 8672
PERSONAL USE WITHDRAWALS? 0
COST OF LABOR? 0
MATERIALS AND SUPPLIES? 12
OTHER COSTS? 0
ENDING INVENTORY? 18103
OTHER INCOME? 133

LIST THE EXPENSES FOR:
ADVERTISING? 1534
AMORTIZATION? 0
BAD DEBTS? 0
BANK CHARGES? 84
CAR/TRUCK EXPENSE? 1522
COMMISSIONS? 0
DEPLETION? 0
DEPRECIATION? 2213
DUES/PUBLICATIONS? 155
EMPLOYEE BENEFITS? 0
FREIGHT? 0
INSURANCE? 289
INTEREST? 0
LAUNDRY/CLEANING? 0
LEGAL/PROFESSIONAL? 250
OFFICE SUPPLIES? 655
PENSION PLANS? 0
POSTAGE? 150
RENT? 1800
REPAIRS? 0
SUPPLIES? 319
TAXES? 586
TELEPHONE? 144
TRAVEL/ENTERTAINMENT? 0
UTILITIES? 137
WAGES? 0

OTHER EXPENSES:
EXPENSE TYPE AMOUNT
? MISCELLANEOUS, 113
? ,0

WHAT PORT FOR OUTPUT? 3
PRESS 'RETURN' TO PRINT?

Sample Income Statement

INCOME STATEMENT

E.D.SAMPLE
RETAIL STORE

PERIOD ENDING 31 DECEMBER 1980

GROSS RECEIPTS		\$ 25132.00
LESS RETURNS AND ALLOWANCES		12.00

BALANCE		
BEGINNING INVENTORY	\$ 18512.00	
PURCHASES	8672.00	
MATERIALS AND SUPPLIES	12.00	

SUBTOTAL	\$ 27196.00	
ENDING INVENTORY	18103.00	

COST OF GOODS SOLD		9093.00

GROSS INCOME		\$ 16027.00
OTHER INCOME		133.00

TOTAL INCOME		\$ 16160.00

EXPENSES		
ADVERTISING	\$ 1534.00	
BANK CHARGES	84.00	
CAR/TRUCK EXPENSE	1522.00	
DEPRECIATION	2213.00	
DUES/PUBLICATIONS	155.00	
INSURANCE	289.00	
LEGAL/PROFESSIONAL	250.00	
OFFICE SUPPLIES	655.00	
POSTAGE	150.00	
RENT	1800.00	
SUPPLIES	319.00	
TAXES	586.00	
TELEPHONE	144.00	
UTILITIES	137.00	
MISCELLANEOUS	113.00	

TOTAL EXPENSES		9951.00

NET PROFIT FOR PERIOD		\$ 6209.00

appear puzzling at first glance, but we'll explore them fully here.

The first fourteen lines of our program (lines 10 through 140) are the title block and definition statements. Line 80 gives our program full control of the output format by defeating an automatic CR-LF sequence in the SWTP Basic. The DIGITS=2 in line 90 specifies that two digits are to be printed after the decimal point for all numerics. Your Basic may have different commands to accomplish these goals, so feed your machine its favorite grammar.

The function definition statements in lines 100 to 130 simplify the TAB arguments used later in the print section. The entire semi-elaborate TAB computations insure that the decimal points line up in the output. Again, your Basic may have a different method for printing right-justified columns of numbers.

Statement 140 dimensions the main matrix variable, E(X), and asks the computer to reserve the appropriate amount of memory. The Basic in my

personal computer defaults all undimensioned matrices to a size of ten. (Anything larger *must* be dimensioned to avoid an error message; anything smaller may be dimensioned to save memory.) Since the "Other Expense" variables, E\$(X) and F(X), use a ten-slot matrix, they are not dimensioned here. If you decide to expand the "Other Expense" category you may need to add dimension information for the expense name and amount variables.

After lines 150 through 180 tell you what program is running, the serious business of "Income Statement" data collecting begins. Lines 200 and 210 allow entry of the business name and the date of the statement (last day of the accounting period reported). Two variables are used in line 200 to permit input of a two-line business name. (See the Sample Run for an example.) One label is used for the statement date, so don't put a comma (" , ") anywhere in the date — the comma is a terminator for a variable.

Gross income and inventory figures are input in lines 240 through 340. Some of the variables are added and some subtracted later when we get to the mathematical part of our statement, so if you decide to leave any of these variables out, retain the proper variable tag.

Expense information is entered in statements 360 to 490. There are two separate collection routines — one for "regular" expenses and one for the "other" business costs. Both use a FOR/NEXT loop structure. For regular expenses, the titles for the expense categories are stored in the DATA statements of lines 2000 to 2080. As each lap through the loop is run, the READ E\$ in line 380 picks up another title. The expense amount entry is stored in the E(X) matrix. For other expenses, we can't read the names of the expenses so provision is made to store these in matrix F(X). Lines 430 and 440 provide an operator cue to the proper entry order. Statement 470

Program Listing

```

0010 REM *****
0020 REM * INCOME STATEMENT *
0030 REM *****
0040 REM * COPYRIGHT 1980 BY: *
0050 REM * W. B. GOLDSMITH, JR. *
0060 REM * LAKEWOOD, CA 90712 *
0070 REM *****
0080 LINE= 0
0090 DIGITS= 2
0100 DEF FNA(X)=(50-LEN(STR$(X)))
0110 DEF FNB(X)=(66-LEN(STR$(X)))
0120 DEF FNC(X)=(64-LEN(STR$(X)))
0130 DEF FND(X)=(48-LEN(STR$(X)))
0140 DIM E(26)
0150 PRINT
0160 PRINT "INCOME STATEMENT"
0170 PRINT
0180 PRINT
0190 REM ** HEADER INFORMATION *****
0200 INPUT "BUSINESS NAME",N$,M$
0210 INPUT "STATEMENT DATE",D$
0220 PRINT
0230 REM ** INCOME INFORMATION *****
0240 INPUT "GROSS RECEIPTS",I(1)
0250 INPUT "RETURNS",I(2)
0260 INPUT "BEGINNING INVENTORY",I(3)
0270 INPUT "PURCHASES",I(4)
0280 INPUT "PERSONAL USE WITHDRAWALS",I(5)
0290 INPUT "COST OF LABOR",I(6)
0300 INPUT "MATERIALS AND SUPPLIES",I(7)
0310 INPUT "OTHER COSTS",I(8)
0320 INPUT "ENDING INVENTORY",I(9)
0330 INPUT "OTHER INCOME",I(10)
0340 PRINT
0350 REM ** COLLECT THE EXPENSES *****
0360 PRINT "LIST THE EXPENSES FOR:"
0370 FOR X=1 TO 26
0380 READ E$
0390 PRINT E$;
0400 INPUT E(X)
0410 NEXT X
0420 PRINT
0430 PRINT "OTHER EXPENSES:"
0440 PRINT TAB(5);"EXPENSE TYPE";TAB(20);"AMOUNT"
0450 FOR X=1 TO 10
0460 INPUT E$(X),F(X)
0470 IF F(X)=0 THEN X=10
0480 NEXT X
0490 PRINT
0500 REM ** SELECT OUTPUT PORT *****
0510 INPUT "WHAT PORT FOR OUTPUT",P
0520 INPUT "PRESS 'RETURN' TO PRINT",Z$
0530 PORT= P
0540 REM ** PRINT THE INCOME STATEMENT *****
0550 PRINT
0560 PRINT TAB(28);"INCOME STATEMENT"
0570 PRINT
0580 PRINT TAB(INT((72-LEN(N$))/2));N$
0590 IF M$="" THEN 610
0600 PRINT TAB(INT((72-LEN(M$))/2));M$
0610 PRINT
0620 PRINT TAB(INT((58-LEN(D$))/2));"PERIOD ENDING
";D$
0630 PRINT
0640 PRINT
0650 PRINT
0660 REM ** RECEIPTS & INVENTORY *****
0670 PRINT "GROSS RECEIPTS";
0680 PRINT TAB(FNC(I(1)));"$ ";I(1)
0690 PRINT "LESS RETURNS AND ALLOWANCES";
0700 PRINT TAB(FNB(I(2)));I(2)
0710 PRINT TAB(56);"-----"
0720 I1=I(1)-I(2)
0730 PRINT "BALANCE";
0740 PRINT TAB(FNC(I1));"$ ";I1
0750 PRINT "BEGINNING INVENTORY";
0760 PRINT TAB(FND(I(3)));"$ ";I(3)
0770 PRINT "PURCHASES";
0780 PRINT TAB(FNA(I(4)));I(4)
0790 IF I(5)=0 THEN 820
0800 PRINT "LESS COST OF PERSONAL WITHDRAWALS";
0810 PRINT TAB(FND(I(5)));$ ";I(5);"
0820 IF I(6)=0 THEN 850
0830 PRINT "COST OF LABOR";
0840 PRINT TAB(FNA(I(6)));I(6)
0850 IF I(7)=0 THEN 880
0860 PRINT "MATERIALS AND SUPPLIES";
0870 PRINT TAB(FNA(I(7)));I(7)
0880 IF I(8)=0 THEN 910
0890 PRINT "OTHER COSTS";
0900 PRINT TAB(FNA(I(8)));I(8)
0910 I2=I(3)+I(4)-I(5)+I(6)+I(7)+I(8)
0920 PRINT TAB(40);"-----"
0930 PRINT "SUBTOTAL";
0940 PRINT TAB(FND(I2));"$ ";I2
0950 PRINT "ENDING INVENTORY";
0960 PRINT TAB(FNA(I(9)));I(9)
0970 PRINT TAB(40);"-----"
0980 I3=I2-I(9)
0990 PRINT "COST OF GOODS SOLD";
1000 PRINT TAB(FNB(I3));I3
1010 PRINT TAB(56);"-----"
1020 I4=I1-I3
1030 IF I(10)=0 THEN 1090
1040 PRINT "GROSS INCOME";
1050 PRINT TAB(FNC(I4));"$ ";I4
1060 PRINT "OTHER INCOME";
1070 PRINT TAB(FNB(I(10)));I(10)
1080 PRINT TAB(56);"-----"
1090 I=I4+I(10)
1100 PRINT "TOTAL INCOME";
1110 PRINT TAB(FNC(I));"$ ";I
1120 PRINT
1130 PRINT TAB(5);"EXPENSES"
1140 REM ** EXPENSES *****
1150 RESTORE : REM ** RESET THE DATA POINTER *****
1160 Z=0: REM ** SET FLAG FOR "$" PRINTING *****
1170 E=0
1180 FOR X=1 TO 26
1190 READ E$
1200 IF E(X)=0 THEN 1280
1210 E=E+E(X)
1220 PRINT E$;
1230 IF Z>0 THEN 1270
1240 PRINT TAB(FND(E(X)));"$ ";E(X)
1250 Z=Z+1
1260 GOTO 1280
1270 PRINT TAB(FNA(E(X)));E(X)
1280 NEXT X
1290 FOR X=1 TO 10
1300 E=E+F(X)
1310 IF F(X)=0 THEN 1340
1320 PRINT E$(X);
1330 PRINT TAB(FNA(F(X)));F(X)
1340 NEXT X
1350 PRINT TAB(40);"-----"
1360 PRINT "TOTAL EXPENSES";
1370 PRINT TAB(FNB(E));E
1380 PRINT TAB(56);"-----"
1390 B=1-E
1400 IF ABS(B)=B THEN 1530
1410 B=ABS(B)
1420 PRINT
1430 PRINT "NET LOSS FOR PERIOD";
1440 PRINT TAB(FNC(B));"$ (";B;")"
1450 PRINT TAB(56);"-----"
1460 PRINT CHR$(12): REM ** FORM FEED TO TTY *****
1490 PORT= 1
1500 INPUT "ANOTHER COPY",Z$
1510 IF LEFT$(Z$,1)="" THEN 520
1520 END
1530 PRINT "NET PROFIT FOR PERIOD";
1540 PRINT TAB(FNC(B));"$ ";B
1550 GOTO 1450
2000 DATA "ADVERTISING","AMORTIZATION","BAD DEBTS"
2010 DATA "BANK CHARGES","CAR/TRUCK EXPENSE","COMMISS
IONS"
2020 DATA "DEPLETION","DEPRECIATION","DUES/PUBLICATIO
NS"
2030 DATA "EMPLOYEE BENEFITS","FREIGHT","INSURANCE"
2040 DATA "INTEREST","LAUNDRY/CLEANING","LEGAL/PROFES
SIONAL"
2050 DATA "OFFICE SUPPLIES","PENSION PLANS","POSTAGE"
2060 DATA "RENT","REPAIRS","SUPPLIES"
2070 DATA "TAXES","TELEPHONE","TRAVEL/ENTERTAINMENT"
2080 DATA "UTILITIES","WAGES"

```


provides for early termination of the FOR/NEXT loop when you run out of expenses before the program runs out of NEXTs. To increase the possible number of categories, change the FOR X=1 TO 10 to accommodate the number of expenses you expect and redimension E\$(X) and F(X) as mentioned.

Lines 500 to 530 allow run-time selection of the output device and the "one-more-chance" to energize the printer. If your printer and your control terminal are the same, you can delete these lines with no ill effects on "Income Statement."

Lines 540 and 650 enclose the routine that provides the header for your output statement. The TAB functions in 580, 600 and 620 center the messages on my 72-column TTY. If your printer has a different column count, you'll want to change these. You may also want to change the functions defined in 100 to 130 to provide a more balanced looking statement. Statement 590 guides the program flow around the print of the second line in the business name if there is no second line. If you don't mind an extra line space or two on your statement you could delete 590.

Printing and calculation of the receipts and inventory data is interspersed from line 660 to 1120. The arithmetic is pretty straightforward here. Since I wanted all income section variables to carry an "I" tag, things may be a little confusing. As you trace through this area, remember that "I(1)" is a different item than "I1". The functions we defined in the program preamble are used in the TABs for the first time here. Use of the functions really cuts down the time and error opportunities of keypunching.

Expenses are calculated and printed next. The RESTORE of line 1150 resets the Basic data pointer so we can use the list of expense names in line 2000. to 2080 again. Line 1160 carries a reset for a flag that causes the "\$" to be printed only before the first numerical entry in the column. 1170 initializes "E" which will be used to collect the expense total. The FOR/NEXT of lines 1180 to 1280 does the work of printing the non-zero expense categories and amounts. Statement 1200 takes care of suppressing those expenses titles with zero costs entered. The first time that any expense is printed, Z=0 and line 1240 will cause the "\$" to precede the cost amount. Line 1250 increments Z to insure that the next time through the loop 1270 handles the printing chores. It takes a few extra commands just to put that dollar sign in its proper place

once. The extra trouble is repaid by the professional appearance given to your income statement by that touch. Line 1210 is used to collect the total expenses in variable "E".

Other expenses are printed in the same column by 1290 to 1340. Again, a FOR/NEXT cycles through the matrix variables. Line 1300 continues to amass expense totals and 1310 lets our program suppress the zeroes.

The "B" (for Bottom Line) in line 1390 is our profit or loss number. If the business shows a profit for the period, line 1400 sends program execution to the "NEXT PROFIT FOR PERIOD" printing command. If we had a loss, lines 1410 through 1440 take care of tagging and printing. The "B=ABS(B)" of line 1410 gets rid of the minus sign attached to the loss. Accountants are used to seeing losses enclosed by brackets or parentheses (because carbon paper doesn't know whether you're writing with a red pen or a black one — and a minus sign could be a "dash" or flyspeck). The printing statement in 1440 takes care of the brackets for our business loss.

CHR\$(12) in statement 1460 provides a form feed to my TTY to ready the printer for another statement. Check your printer's instructions to verify that it will recognize one of these before trying to print it. (If yours is a really off-beat printer CHR\$(12) might be a self-destruct signal.) PORT=1 in line 1490 is another command for SWTP systems. The control terminal is located at Port #1 and by returning control we can have the "Another Copy?" question printed on the video terminal instead of the client's income statement. You may wish to change THEN 520 in statement 1510 to THEN 510 to allow selection of different output devices on each output run. (You could let the first print sequence display on your video terminal, for example, to check that data entry was complete before printing.)

Whether you prepare income statements for your own business, for your family or as a business, "Income Statement" can take the routine work out of your task. It will provide a uniform format for your accounting statements that will help brand your product "professional." You can customize the program to add a signature block at the bottom of the page, a letterhead at the top or a different mix of expenses in the middle. If this program does no more than take some of the mystery out of the business bookkeeping jargon, it's worth adding to your program library. □

! SOUND EFFECTS !

GUNSHOTS! PHASERS!
MUSIC! "OUTER SPACE
NOISES" AND MUCH MORE...

with

THE **ads**
NOISEMAKER ©
S-100 BUS

and

NOISEMAKER II ©
APPLE II BUS™

BOARDS USE THE
GI AY 3-8910 TO PRODUCE
SOUND EFFECTS UNDER
SOFTWARE CONTROL

- On board audio amp
- Breadboard area with +5, gnd
- Tone generators, noise source
- Envelope generator, I/O ports

FULL MANUAL INCLUDES:

Construction notes, software examples, full notes on AY 3-8910 schematic, parts list, etc. P.C. board soldermasked, gold contacts, parts silkscreen

NEW FEATURES!!!!

noisemaker (S-100 Bus)

Now, TWO on board audio amps for stereo, and on board wait state logic for 4MHz systems

ATTENTION APPLE II™ USERS!

Assembled & tested noisemaker II now available at \$79.95! plus \$1.50 shipping & handling

noisemaker P.C. board & manual \$34.95 + 50¢ shipping

noisemaker II P.C. board & manual \$34.95 + 50¢ shipping

Please specify **which** version when ordering.

Illinois residents add sales tax
*Apple is trademark of Apple Computer, Inc.

Write for details on the new ADS sound effects interpreter, the "Sound Writer"

ads

Ackerman Digital Systems, Inc.

110 N. York Rd., Suite 208
Elmhurst, Ill. 60126 (312) 530-8992

CIRCLE 15

Computer-Assisted Grading

BY REGINALD D. GATES

No matter how test grades are assigned, someone will be unhappy. One problem teachers face is that there are two completely different approaches to determining the grades for an exam. Grades are either based on performance against an absolute standard (90% or above is an A) or by relative performance within a group (the three highest scores will be As). If the teacher uses the "absolute" approach, the fairness of the standard is always in question. If the "relative" approach is chosen, an excellent grade may be awarded for mediocre performance in a sub-normal class.

Most teachers would like to use a combination of the two approaches but find the computations involved in the relative or "curve" method both time-consuming and boring. Here's where your computer can be of great help. Once the test scores are entered, the computer can quickly do the statistical calculations and suggest grades based on both approaches.

This grading program was developed to assist a teacher in determining letter grades for a set of papers. Three basic assumptions underly the program's design. First, both absolute performance and relative performance need to be considered. Second, the process of assigning grades is actually an iterative process. That is, the teacher will try various "cut-off limits" to obtain a good grade distribution. Third, the teacher should have the final say in what the grades will be. A good grade distribution is one that satisfies the teacher, not one that meets some abstract mathematical test.

The program begins by gathering some title information, the class size and the number of questions on the test. Next, the students' scores are input. As each score is entered, it is edited and an "absolute" grade determined immediately. When a score of zero is entered, you are asked if all scores have been input. If so, the program provides you with the opportunity to review and revise the entries. Once you are satisfied that the scores are correct, the program calculates the mean and standard deviation for the input data and assigns

grades as follows (see also Figure 1):

- Any grade $\geq$ (mean + 2 standard deviations) = A
- Any grade $\geq$ (mean + 1 standard deviation) = B
- Any grade $\geq$ (mean - 1 standard deviation) = C
- Any grade $\geq$ (mean - 2 standard deviations) = D
- Any grade $<$ (mean - 2 standard deviations) = F

Now the iterative process begins. You are shown a graph displaying the distribution of scores on a percentage right basis from 100% to 35%. In the

upper right corner of the graph the number of students receiving each grade under both approaches is shown. In the lower right hand corner is displayed the "cut-off limits" used in both approaches.

Now review the graphs and displays. The program asks if you are ready to assign grades or if you wish to change the limits. If you elect to change the cut-off points for the grades, the program obtains the new data, recalculates the grades and redisplay the graph.

Once you are happy with the distribution of grades, the program cycles




Figure 1

Assume we graph the number of students achieving a given score versus the scores themselves. If we have a perfectly designed test and an absolutely normal class, the resulting graph will be the "bell-shaped" curve above. This figure can be completely described with only two mathematical values, the mean and the standard deviation.

The mean for a set of scores is simply the average. The standard deviation is a measure of the dispersion of scores about the mean. It tells us how the scores are distributed with respect to the average. The standard deviation is calculated as follows:

$$SD = \sqrt{\frac{\sum(x-m)^2}{n}}$$

SD = Standard Deviation

x = score

m = mean

n = number of scores

Σ = "the sum of"

It can be shown mathematically that 67% of the area under the curve is within plus or minus one SD of the mean and that 94% is within plus or minus two SDs. If we use these points as the dividing lines for our grading, then 3% of the students will fail and 3% will get As.

through the scores as input. The score is displayed along with the suggested grade for each entry. The program waits after each display so the grade may be written on the test papers.

This program does not replace the teacher or the teacher's judgment. It does relieve some of the tedious work so additional time is available for the more important aspects of teaching.

Program Notes

The program is written in Digital Group Maxi-Basic 2.0. Where possible, I've avoided commands unique to this implementation of Basic. However, the following comments may be helpful.

- The pound sign (#) is used as an abbreviation for PRINT.

- %3I;T9 means "print the field T9 in a formatted manner as a three-digit integer".

- The maximum class size is currently set at fifty but may be revised as desired.

- The program uses the function SORT to compute the square root.

- Almost all calculations are rounded to an integer result. □

Program Listing

```

10 REM ***** GRADE1          BY K. D. GATES *****
20 REM *****          VER 1.0
30 GOSUB 1000 : REM INIT
40 GOSUB 2000 : REM GET SCORES
50 GOSUB 3000 : REM ADJ AND CALCULATE
60 REM ***** LOOP UNTIL USER HAPPY WITH GRADES
70 GOSUB 4000 : REM CALC REL GRADES
80 GOSUB 5000 : REM PRT GRAPH
90 INPUT "DO YOU WISH TO CHANGE LIMITS (Y/N) ",Q$
100 IF Q$="Y" THEN GOSUB 6000 : GOTO 60
110 GOSUB 7000 : REM PRT GRADES
120 #"" : #"... GOODBYE ..";FREE(0)
199 END
400 REM SUBR TO TEST A NUM IN L1
405 REM L2=LOWER LIMIT,L3=UPPER LIM, AND NUM MUST
    BE INTEGER
410 REM L4 SET TO 1 IF ERROR
415 IF L1<>INT(L1) THEN L4=1 : GOTO 480
420 IF L1<L2 THEN L4=2 : GOTO 480
430 IF L1>L3 THEN L4=3 : GOTO 480
440 L4=0 : GOTO 499
480 #"... ERR ";
482 IF L4=1 THEN # " NOT AN INTEGER"
483 IF L4=2 THEN # " LESS THAN ";L2
484 IF L4=3 THEN # " LARGER THAN ";L3
485 L4=1
499 RETURN
1000 REM INITIALIZE, ETC
1010 DIM N3(5),N4(5)
1020 DIM G$(5) : G$="ABCDEF"
1030 DIM G3$(50),G4$(50)
1040 DIM B$(50),A$(50)
1050 DIM T$(25)
1055 DIM Q$(1)
1060 G3$=" " : G4$=" "
1070 B$=" " : A$="*"
1080 T$=" "
1090 FOR I=1 TO 6
1100 G3$=G3$+G3$ : G4$=G4$+G4$
1110 B$=B$+B$ : A$=A$+A$
1120 T$=T$+T$
1130 NEXT I
1140 DIM I1(15),S3(50)
1150 DIM P3(50)
1200 FOR I=1 TO 16 : #"" : NEXT I
1210 # "===== "
1220 # "          GRADE1"
1230 # "===== "
1240 FOR I=1 TO 8 : #"" : NEXT I
1250 # "... PLEASE SUPPLY CLASS TITLE ";
1260 INPUT T$
1270 #""
1280 # "... PLEASE GIVE THE MAXIMUM POSSIBLE SCORE
    FOR THE TEST";
1290 INPUT N2
1300 L1=N2 : L2=1 : L3=9999 : GOSUB 400
1310 # "...          MAXIMUM NUMBER OF SCORES = 50"
1320 #""
1330 REM SET PERCENT LIMITS 90=A, 80=B, 70=C, ETC
1340 P1(1)=90 : P1(2)=80 : P1(3)=70
1350 P1(4)=60 : P1(5)=50
1399 RETURN
2000 REM GET SCORES FROM USER
2010 # " ... PLEASE INPUT SCORES AS NUMBER RIGHT "
    : #""
2020 L2=0 : L3=2

```

```

2030 E1=0
2035 N1=N1+1
2040 REM *** LOOP UNTIL END FLAG IS ON
2050 # " PAPER NO ";N1;" SCORE ";
2060 INPUT L1
2070 GOSUB 400
2080 IF L4=1 THEN 2050
2090 IF L1=0 THEN GOSUB 2200 ELSE GOSUB 2400
2100 IF E1=0 THEN N1=N1+1 : GOTO 2040
2110 # "...;N1;" SCORES INPUT"
2199 RETURN
2200 REM TEST FOR END OF SCORES
2205 #""
2210 INPUT "ALL SCORES ENTERED (Y/N)",Q$
2220 IF Q$="Y" THEN E1=1 : N1=N1-1 : GOTO 2299
2230 GOSUB 2400 : REM STORE 0 SCORE
2299 RETURN
2400 REM FOUND A GOOD SCORE ,NOW TO STORE IT
2410 S3(N1)=L1
2420 T9=INT(100*(L1/N2))
2430 P3(N1)=T9
2435 T8=0
2440 FOR I=5 TO 1 STEP -1
2450 IF T9>=P1(I) THEN T8=I
2460 NEXT I
2465 IF T8=0 THEN T8=5
2470 G3$(N1,N1)=G$(T8,T8) : REM LETTER GRADE FOR
    PER
2490 # " - PER ";%3I;T9;" = GRADE ";G$(T8,T8)
2495 N3(T8)=N3(T8)+1
2499 RETURN
3000 REM ADJUST SCORES IF DESIRED AND CALC MEAN,
    SD
3010 #"" : INPUT "DO YOU WISH TO REVIEW THE
    SCORES (Y/N)",Q$
3020 IF Q$="Y" THEN GOSUB 3600
3030 REM CALC SCORE PER INTERVAL, TOTAL SCORE
3035 T9=0
3040 FOR I=1 TO N1
3050 T1=T1+S3(I)
3060 T9=21-INT(P3(I)/5)
3070 IF T9>15 THEN T9=15
3080 I1(T9)=I1(T9)+1
3090 NEXT I
3100 REM CALC MEAN,SD AND LIMITS FOR SCORES
3110 T9=0
3120 A1=INT((T1/N1)+.5)
3130 FOR I=1 TO N1
3140 T9=(S3(I)-A1)*(S3(I)-A1) + T9
3150 NEXT I
3160 A2=INT(SQRT(T9/N1)+.5)
3170 L5(1)=A1+2*A2
3180 L5(2)=A1+1*A2
3190 L5(3)=A1-A2
3200 L5(4)=A1-2*A2
3210 L5(5)=0
3220 FOR I=1 TO 5
3230 P4(I)=INT(100*(L5(I)/N2)) : NEXT I
3299 RETURN
3600 FOR X1=1 TO N1
3610 # "PAPER ";%3I;X1;" SCORE ";%3I;S3(X1);
3620 # " - IS THIS RIGHT (Y/N) "; : INPUT Q$
3625 IF Q$="Y" THEN 3680
3630 # " CORRECT SCORE " : INPUT L1
3640 L2=0 : L3=N2 : GOSUB 400
3650 IF L4=1 THEN 3630
3660 N9=N1 : N1=X1 : GOSUB 2400
3670 N1=N9
3680 NEXT X1

```

continued


```

3699 RETURN
4000 REM CALC CURVE GRADES BASED ON L5 LIMITS
4020 FOR X1=1 TO N1
4030   GOSUB 4400
4040   G4$(X1,X1)=G$(T9,T9)
4050   N4(T9)=N4(T9)+1
4060   NEXT X1
4099 RETURN
4400 T9=0
4410 FOR I=5 TO 1 STEP -1
4420   IF S3(X1)>=L5(I) THEN T9=I
4430   NEXT I
4440 IF T9=0 THEN T9=5
4499 RETURN
5000 FOR X1=1 TO 15
5010   GOSUB 5100
5020   GOSUB 5200
5030   GOSUB 5500
5040   #""
5050   NEXT X1
5099 RETURN
5100 REM PRT LINE HEADING
5110 IF X1=1 THEN #""100"; : GOTO 5199
5120 #"%3I;(100-5*(X1-1));
5199 #""; : RETURN
5200 REM PRT ASTERISKS BASED ON INTERVAL COUNT
5210 T9=50-I1(X1)
5220 IF I1(X1)>0 THEN #A$(1,I1(X1));
5230 IF T9>0 THEN #B$(1,T9);
5240 #"";
5299 RETURN
5500 REM PRT RIGHT HAND PORTION
5510 IF X1=1 THEN #"" ABS REL"; : GOTO 5599
5520 IF X1=7 THEN #"" LIM LIM"; : GOTO 5599
5525 IF X1=13 THEN #"" NO ";%3I;N1; : GOTO 5599
5526 IF X1=14 THEN #"" SD ";%3I;INT(100*(A2/N2))
; : GOTO 5599
5527 IF X1=15 THEN #"" AVG ";%3I;INT(100*(A1/N2))
; : GOTO 5599
5530 IF X1>7 THEN GOSUB 5700 : GOTO 5599
5540 REM PRT TOP PORTION
5550 T8=X1-1
5560 #G$(T8,T8);%3I;N3(T8);
5570 #"";%3I;N4(T8);
5599 RETURN
5700 REM PRT BOTTOM PORTION
5710 T8=X1-7
5720 #G$(T8,T8);
5730 #"%3I;P1(T8);"";
5740 #"%3I;P4(T8);
5799 RETURN
6000 REM CHANGE REL GRADING LIMITS
6010 #""
6020 FOR I=1 TO 5
6030 #"" GRADE ";G$(I,I);" OLD LIMIT ";
6040 #"%3I;P4(I);
6050 #"" - NEW LIMIT ";
6060 INPUT L1
6070 IF I>1 THEN L3=L5(I-1) ELSE L3=100
6080 GOSUB 400
6090 IF L4=1 THEN 6050
6100 P4(I)=L1
6120 L5(I)=INT((N2*(L1/100))+.5)
6130 NEXT I
6140 REM RESET NO OF GRADES FOR REL
6150 FOR I=1 TO 5
6160   N4(I)=0 : NEXT I
6199 RETURN
6300 P4(I)=L1
6310 L5(I)=INT((N2*(L1/100))+.5)
6399 RETURN
7000 #"" : #""
7010 FOR X1=1 TO N1
7020 #""NO ";%3I;X1;
7030 #"" SCORE ";%3I;S3(X1);
7040 #"" PER ";%3I;P3(X1);
7050 #"";
7060 #""SUGGESTED GRADE (ABS) ";G3$(X1,X1);
7070 #"" (REL) ";G4$(X1,X1)
7080 #""
7090 INPUT "HIT CR WHEN READY ",Q$
7100 NEXT X1
7199 RETURN
READY

```

Sample Run

```

=====
GRADE1
=====

.. PLEASE SUPPLY CLASS TITLE ?TEST CLASS 1

.. PLEASE GIVE THE MAXIMUM POSSIBLE SCORE FOR
THE TEST?100

.. MAXIMUM NUMBER OF SCORES = 50

.. PLEASE INPUT SCORES AS NUMBER RIGHT

PAPER NO 1 SCORE ?70 - PER 70 = GRADE C
PAPER NO 2 SCORE ?78 - PER 78 = GRADE C
PAPER NO 3 SCORE ?95 - PER 95 = GRADE A
PAPER NO 4 SCORE ?87 - PER 87 = GRADE B
PAPER NO 5 SCORE ?44 - PER 44 = GRADE F
PAPER NO 6 SCORE ?67 - PER 67 = GRADE D
PAPER NO 7 SCORE ?72 - PER 72 = GRADE C
PAPER NO 8 SCORE ?60 - PER 60 = GRADE D
PAPER NO 9 SCORE ?97 - PER 97 = GRADE A
PAPER NO 10 SCORE ?75 - PER 75 = GRADE C
PAPER NO 11 SCORE ?88 - PER 88 = GRADE B
PAPER NO 12 SCORE ?55 - PER 55 = GRADE F
PAPER NO 13 SCORE ?71 - PER 71 = GRADE C
PAPER NO 14 SCORE ?83 - PER 83 = GRADE B
PAPER NO 15 SCORE ?66 - PER 66 = GRADE D

~~~~~

PAPER NO 25 SCORE ?71 - PER 71 = GRADE C
PAPER NO 26 SCORE ?52 - PER 52 = GRADE F
PAPER NO 27 SCORE ?82 - PER 82 = GRADE B
PAPER NO 28 SCORE ?73 - PER 73 = GRADE C
PAPER NO 29 SCORE ?90 - PER 90 = GRADE A
PAPER NO 30 SCORE ?74 - PER 74 = GRADE C
PAPER NO 31 SCORE ?0
ALL SCORES ENTERED (Y/N)Y
.. 30 SCORES INPUT

```

```

DO YOU WISH TO REVIEW THE SCORES (Y/N)N
100
95 ** A 5 0
90 *** B 6 6
85 ** C 11 19
80 **** D 4 4
75 **** F 4 1
70 **** LIM LIM
65 *** A 90 101
60 * B 80 88
55 ** C 70 62
50 * D 60 49
45 F 50 0
40 * NO 30
35 SD 13
30 AVG 75

```

DO YOU WISH TO CHANGE LIMITS (Y/N) Y

```


GRADE A OLD LIMIT 101 - NEW LIMIT ?95
GRADE B OLD LIMIT 88 - NEW LIMIT ?85
GRADE C OLD LIMIT 62 - NEW LIMIT ?70
GRADE D OLD LIMIT 49 - NEW LIMIT ?55
GRADE F OLD LIMIT 0 - NEW LIMIT ?50
100
95 ** A 5 2
90 *** B 6 5
85 ** C 11 15
80 **** D 4 6
75 **** F 4 2
70 **** LIM LIM
65 *** A 90 95
60 * B 80 85
55 ** C 70 70
50 * D 60 55
45 F 50 50
40 * NO 30
35 SD 13
30 AVG 75

```

DO YOU WISH TO CHANGE LIMITS (Y/N) N

By Netronics

ASCII/BAUDOT,
STAND ALONE



Computer Terminal **COMPLETE FOR ONLY \$149⁹⁵**

The Netronics ASCII/BAUDOT Computer Terminal Kit is a microprocessor-controlled, stand alone keyboard/terminal requiring no computer memory or software. It allows the use of either a 64 or 32 character by 16 line professional display format with selectable baud rate, RS232-C or 20 ma. output, full cursor control and 75 ohm composite video output.

The keyboard follows the standard typewriter configuration and generates the entire 128 character ASCII upper/lower case set with 96 printable characters. Features include onboard regulators, selectable parity, shift lock key, alpha lock jumper, a drive capability of one TTY load, and the ability to mate directly with almost any computer, including the new Explorer/85 and ELF products by Netronics.

The Computer Terminal requires no I/O mapping and includes 1k of memory, character generator, 2 key rollover, processor controlled cursor control, parallel ASCII/BAUDOT to serial conversion and serial to video processing—fully crystal controlled for superb accuracy. PC boards are the highest quality glass epoxy for the ultimate in reliability and long life.

VIDEO DISPLAY SPECIFICATIONS

The heart of the Netronics Computer Terminal is the microprocessor-controlled Netronics Video Display Board (VID) which allows the terminal to utilize either a parallel ASCII or BAUDOT signal source. The VID converts the parallel data to serial data which is then formatted to either RS232-C or 20 ma. current loop output, which can be connected to the serial I/O on your computer or other interface, i.e., Modem.

When connected to a computer, the computer must echo the character received. This data is received by the VID which processes the information, converting to data to video suitable to be displayed on a TV set (using an RF modulator) or on a video monitor. The VID generates the cursor, horizontal and vertical sync pulses and performs the housekeeping relative to which character and where it is to be displayed on the screen.

Video Output: 1.5 P/P into 75 ohm (EIA RS-170) • **Baud Rate:** 110 and 300 ASCII • **Outputs:** RS232-C or 20 ma. current loop • **ASCII Character Set:** 128 printable characters—

0123456789:;<=>?@ABCDEFGHIJKLMNOPQRSTUVWXYZ[\]^_`abcdefghijklmnopqrstuvwxyz{|}~

BAUDOT Character Set: A B C D E F G H I J K L M N O P Q R S T U V W X Y Z - ? : * 3 \$ # () . , 9 0 1 4 5 7 ; 2 / 6 8 • **Cursor Modes:** Home, Backspace, Horizontal Tab, Line Feed, Vertical Tab, Carriage Return. Two special cursor sequences are provided for absolute and relative X-Y cursor addressing • **Cursor Control:** Erase, End of Line, Erase of Screen, Form Feed, Delete • **Monitor Operation:** 50 or 60Hz (jumper selectable).

Continental U.S.A. Credit Card Buyers Outside Connecticut

CALL TOLL FREE 800-243-7428

To Order From Connecticut Or For Technical Assistance, Etc. Call (203) 354-9375

Netronics R&D Ltd, Dept. PC10
333 Litchfield Rd, New Milford, CT 06776

Please send the items checked below—

- ☐ Netronics Stand Alone ASCII Keyboard/Computer Terminal Kit, \$149.95 plus \$3.00 postage & handling.
- ☐ Deluxe Steel Cabinet for Netronics Keyboard/Terminal In Blue/Black Finish, \$19.95 plus \$2.50 postage and handling.
- ☐ Video Display Board Kit alone (less keyboard), \$89.95 plus \$3 postage & handling.
- ☐ 12" Video Monitor (10 MHz bandwidth) fully assembled and tested, \$139.95 plus \$5 postage and handling.
- ☐ RF Modulator Kit (to use your TV set for a monitor), \$8.95 postpaid.
- ☐ 5 amp Power Supply Kit In Deluxe Steel Cabinet (±8VDC @ 5 amps, plus 6-8 VAC), \$39.95 plus \$2 postage & handling.

Total Enclosed (Conn. res. add sales tax) \$ _____

By—

- ☐ Personal Check ☐ Cashiers Check/Money Order
- ☐ Visa ☐ Master Charge (Bank # _____)

Acct. # _____

Signature _____ Exp. Date _____

Print

Name _____

Address _____

City _____

State _____

Zip _____

☐ Send Me More Information

NO 1	SCORE 70	PER 70	SUGGESTED GRADE (ABS) C (REL) C
HIT CR WHEN READY			
NO 2	SCORE 78	PER 78	SUGGESTED GRADE (ABS) C (REL) C
HIT CR WHEN READY			
NO 3	SCORE 95	PER 95	SUGGESTED GRADE (ABS) A (REL) A
HIT CR WHEN READY			
NO 4	SCORE 87	PER 87	SUGGESTED GRADE (ABS) B (REL) B
HIT CR WHEN READY			
NO 5	SCORE 44	PER 44	SUGGESTED GRADE (ABS) F (REL) F
HIT CR WHEN READY			
NO 6	SCORE 67	PER 67	SUGGESTED GRADE (ABS) D (REL) D
HIT CR WHEN READY			
NO 7	SCORE 72	PER 72	SUGGESTED GRADE (ABS) C (REL) C
HIT CR WHEN READY			
NO 8	SCORE 60	PER 60	SUGGESTED GRADE (ABS) D (REL) D
HIT CR WHEN READY			
NO 9	SCORE 97	PER 97	SUGGESTED GRADE (ABS) A (REL) A
HIT CR WHEN READY			
NO 10	SCORE 75	PER 75	SUGGESTED GRADE (ABS) C (REL) C
HIT CR WHEN READY			
NO 11	SCORE 88	PER 88	SUGGESTED GRADE (ABS) B (REL) B
HIT CR WHEN READY			
NO 12	SCORE 55	PER 55	SUGGESTED GRADE (ABS) F (REL) D
HIT CR WHEN READY			
NO 13	SCORE 71	PER 71	SUGGESTED GRADE (ABS) C (REL) C
HIT CR WHEN READY			
NO 14	SCORE 83	PER 83	SUGGESTED GRADE (ABS) B (REL) C
HIT CR WHEN READY			
NO 15	SCORE 66	PER 66	SUGGESTED GRADE (ABS) D (REL) D



HIT CR WHEN READY			
NO 21	SCORE 74	PER 74	SUGGESTED GRADE (ABS) C (REL) C
HIT CR WHEN READY			
NO 22	SCORE 69	PER 69	SUGGESTED GRADE (ABS) D (REL) D
HIT CR WHEN READY			
NO 23	SCORE 59	PER 59	SUGGESTED GRADE (ABS) F (REL) D
HIT CR WHEN READY			
NO 24	SCORE 81	PER 81	SUGGESTED GRADE (ABS) B (REL) C
HIT CR WHEN READY			
NO 25	SCORE 71	PER 71	SUGGESTED GRADE (ABS) C (REL) C
HIT CR WHEN READY			
NO 26	SCORE 52	PER 52	SUGGESTED GRADE (ABS) F (REL) F
HIT CR WHEN READY			
NO 27	SCORE 82	PER 82	SUGGESTED GRADE (ABS) B (REL) C
HIT CR WHEN READY			
NO 28	SCORE 73	PER 73	SUGGESTED GRADE (ABS) C (REL) C
HIT CR WHEN READY			
NO 29	SCORE 91	PER 91	SUGGESTED GRADE (ABS) A (REL) B
HIT CR WHEN READY			
NO 30	SCORE 74	PER 74	SUGGESTED GRADE (ABS) C (REL) C
HIT CR WHEN READY			
.. GOODBYE .. 4311			
READY			

CIRCLE 16

Radio Shack Announces Three New Computers

—BY KEN MAZUR—

Three entirely new computer systems were recently announced by Radio Shack, the largest single seller of personal computers, expanding the company's line of TRS-80 Model I and Model II systems. The new units are a Model III, a TRS-80 Pocket Computer and a TRS-80 Color Computer.

Most powerful of the three is the Model III, featuring a 65-key keyboard, 12-inch monitor, power supply and integral housing for two optional disk drives.

The unit will be offered in a number of configurations, with a 4K Level I Basic system selling for \$699. A 16K version with Model III (not Level III) Basic will be priced at \$999; it features upper and lower case, plus a real-time clock for performing control functions. The computer is expandable to a 32K business system that includes two double-density, 40-track disk drives. The business system is in turn expandable to 48K (\$119 for 16K RAM upgrade) with four disks (two are external to the system). The business system retails for \$2495.

The Model III has a dual-speed cassette interface that operates at either 500 or 1500 baud and the unit is compatible for the most part with Model I software. Other features include an expanded character set in the Model III Basic, keyboard control screen printing that allows you to print the video display to hard copy, repeating keys and a video that produces crisp characters.

The system has both a parallel interface and RS-232C serial interface. The RS-232C is included in the business system version of the unit but may be purchased for the other configurations for an additional \$24.95.

Although the Model III can be purchased with no drives or two drives, a system can be upgraded for use with one disk unit at a cost of \$849, which includes the controller.

Available for the new system is Personal Software's VisiCalc, selling for \$99.95 on disk.

At the other end of the product line (in physical size) is the new TRS-80 Pocket Computer. In a full-page advertisement in the *Wall Street Journal*, Radio Shack touted its small machine by stating, "We've added a TRS-80 Pocket Computer that is a sensational 'first' on the market. Our experts say its Basic language makes it easier to program and more versatile than a programmable calculator, and we feel this TRS-80 newcomer makes the pre-today programmable calculator (cf. TI, HP, ours, etc.) about as state-of-the-art as a celluloid collar. A portable, pocketable miracle with an entry level price of \$249."



The Pocket Computer, less than 7 inches long and weighing 6 ounces, contains 11K ROM and 1.9K non-volatile RAM. It is reputed to be able to do many of the smaller jobs that the TRS-80 Model I can do. In Pocket Computer Basic you get 10-digit accuracy, 15 arithmetic functions, 24 commands and editing. Basic resides in 7K of the ROM with the remaining 4K devoted to a monitor that features an editor and debug capabilities, according to a Radio Shack representative. Program statements, which are keyed in in normal fashion, are stored in compressed format in the unit to conserve programming space.

The small machine operates in four modes: Program Mode, Run Mode, Define Mode and Reserve Mode. In Program Mode, you enter your Basic program or LIST a program resident into the machine. A cursor moves across the display and enables you to edit your program. The Run Mode operates like that of the larger members of the Radio Shack computer family and is used to RUN a program.

Using the Define Mode, you can access any given portion of a program by using a technique of labeling. In the technique, you can label sections of a program (or label an entire program when you have more than one in the unit) by use of special label keys. The process is similar to the GOTO statement in Basic programming.

The Reserve Mode lets you set aside a portion of memory in which you can place subroutines that may be common to several related programs. The subroutines can be accessed from Basic. The subroutines remain in the memory (as do your Basic programs) even when the machine is turned off and are cleared from memory with the NEW command.

More than one program can be stored in memory simultaneously through use of the CLOAD command. If a second

program (or more) is too large to fit into memory already holding one or more programs, the Pocket Computer will display an error message; resident programs will not be affected.

The Pocket Computer video display is a 5×7 dot-matrix LCD readout that shows 24 characters at a time. Cursor control allows scrolling for program lines that take over 24 characters. The additional characters are contained in an 80-character buffer that has a manual playback feature. The unit cannot PRINT over 24 characters. Graphics are not supported.

External program storage can be achieved through an optional cassette interface that provides entry of Radio Shack's library of software or storage of user-programmed material. The cassette interface consists of a plastic-like frame that cradles the computer. The computer is connected to the frame; and the frame, in turn, is attached to a cassette recorder. For tape storage, you may use either a standard cassette recorder similar to that used by the TRS-80 Model I or you may purchase a Miniset Recorder that is about the size of a book ($1\frac{5}{16}'' \times 6\frac{3}{16}'' \times 4\frac{9}{16}''$). The interface will retail for \$49 and the Miniset Recorder will cost \$79.95.

Power for the various components of the system comes from batteries. The computer uses four camera-type mercury batteries with a rated life expectancy of 300 hours. The cassette interface requires three AA batteries and the Miniset Recorder needs four AA batteries.

Software packages for the new machine include Civil Engineering (\$24.95), an aviation package (\$24.95), Math Drill (\$14.95), a games package (\$14.95), Business Statistics (\$19.95), Business Finance (\$19.95), Personal Finance (\$19.95) and Real Estate (\$24.95).

Radio Shack also enters the world of color capability with its TRS-80 Color Computer. The unit features instant-load Program Paks (ROM cartridges) that enable you to instantly program the system for a variety of educational and recreational purposes.

The new color system (which has a 6809E microprocessor) comes in several configurations, with prices starting at \$399. The entry level machine has a 53-key keyboard, 4K RAM, 8K ROM color Basic, an RS-232C expansion port, and a built-in connection to any television. For an additional \$119 the machine can be upgraded internally to 16K RAM and another \$99 will outfit the machine with 16K ROM extended color Basic. The 16K extended color Basic version as a package sells for \$599.

For video output, the system may be attached to any television set (color or black and white) or may be used with Radio Shack's color TV as the monitor. The Radio Shack 13" color TV retails separately for \$399.

Under normal operation the video display shows 16 lines by 32 characters. In color mode, resolution ranges from 32×64 with eight colors to 192×256 with one foreground color and one background color. A company representative said even higher resolution is possible under assembly language programming.

Peripherals for the system consist of a cassette recorder that is available immediately. Disk drives, a printer and a modem are to be released soon. Joystick controls are priced at \$25.

Radio Shack already has eight Program Paks: Chess, Quasar (a space game), Pinball, Football, Checkers, Personal Finance, Math Bingo and Music. The prices for the pre-packaged software range from \$30 to \$40 each. □

FASTER THAN A SPEEDING TYPIST...

Is it safe to walk the keyboard of your TRS-80 at night? Do you look for Syntax Errors down every dark subroutine? Well, look in your mailbox—It's a bill, it's an ad, it's **CLOAD MAN!** Faster than keying in hardcopy, more fun than an accounts-receivable package, ready to run in a single load...

When mild mannered Clyde Cload (star cassette tape duplicator at the **MONTHLY CLOAD**) dons his cape, the evil Typo-Bugs cringe in terror. This mighty Man of Iron Oxide swoops down on your TRS-80 by First Class Mail every month with super, ready-to-load programs for your (and your computer's) education and enjoyment.

Join in the battle against the Finger-Cramps, Edit Modes, and Typo-Bugs. Let **CLOAD MAN** come to your computer's aid by getting a subscription to **CLOAD MAGAZINE**.

PRICES

1 year subscription.....	\$42.00
6 month subscription	\$23.00
Single copies.....	\$4.50
Anthology-volume 1.....	\$10.00
Anthology-volume 2.....	\$15.00

The Fine Print:

Overseas rates slightly higher—please write for them.

Back issues available—ask for our list.*

TRS-80 is a trademark of Tandy Corporation.


California residents add 6% to single copies and anthologies.

Programs are for Level II 16K and occasionally for 48K disks.

*24 Level I back issues also available.

Mastercharge/Visa Welcome Also Cash & Gold.

© Copyright **CLOAD MAGAZINE** 1980




CLOAD
MAGAZINE inc.

P.O. Box 1267 • Goleta, CA 93017
(805) 964-2761

Word Search

BY MIKE FISCHER



You've just sat down at your computer to do some serious work (after all, the Federation *needs* you to track down the Klingons) when your children come in. Of course, they want to play with the computer too.

"Just one game," you tell them. But usually that one game is either too long or too difficult or it doesn't really satisfy them.

This program is your answer. It uses little computer time but generates a game that should keep your children busy and away from the computer for some time. The program develops and prints a word search puzzle on your printer.

For those of you who don't have children addicted to this game, a word search is a two-dimensional array of seemingly random letters. Hidden among the letters are words in a straight line — either up, down, across, back or in one of the four diagonal directions. Accompanying the array is a list of words hidden in it.

This program, written in Applesoft Floating Point Basic on an Apple II with DOS 3.2, uses about 6K for program storage and an additional amount of RAM for storing variables and strings. A 40 × 40 search will run on an 48K Apple II with Applesoft in ROM and DOS booted.

With a few minor changes (indicated in the discussion of the program lines) the program should run on any system using Microsoft Basic. Systems using a Basic which doesn't have the LEFT\$, MID\$ and RIGHT\$ functions will have to make adjustments in lines 520, 530, 540, 1340, 1350 and 1360.

Systems that require dimensions for the length of a string (as opposed to the number of strings in an array) should also modify line 1060. If your system does not allow string arrays then you will have to extensively rewrite and limit the program to make it work.

How to Use the Program

Enter the coding and run. On an Apple II, the program first asks you for the peripheral slot in which your printer is located. Next the program asks for the width of your printer, the width and

Sample Run 1

```
WORD SEARCH
COPYRIGHT (C) 1980
BY
MIKE FISCHER
PRINTS A WORD SEARCH
SPACE TO CONTINUE... 'ESC' TO END
PRINTER SLOT NUMBER IS: 1
MAXIMUM PRINTER WIDTH IS: 63
HOW MANY LETTERS WIDE SHOULD THE SEARCH BE? 25
HOW MANY LETTERS LONG SHOULD THE SEARCH BE? 25
WHAT PERCENT OF THE LETTERS OF THE
SEARCH SHOULD BE WORDS? 20
ENTER WORD: MICROCOMPUTER
ENTER WORD: BAUD
ENTER WORD: INTERFACE
ENTER WORD: BYTE
ENTER WORD: RAM
ENTER WORD: ROM
ENTER WORD: PROGRAM
ENTER WORD: BASIC
ENTER WORD: SERIAL
ENTER WORD: MODEM
ENTER WORD: MINIFLOPPY
ENTER WORD: PASCAL
ENTER WORD: ACCUMULATOR
ENTER WORD: REGISTER
ENTER WORD: APPLE
ENTER WORD: STRING
ENTER WORD: VARIABLE
ENTER WORD: DIMENSION
ENTER WORD: PRINT
THAT'S ENOUGH WORDS.
PLEASE WAIT WHILE I WORK.
```

```
TURN ON PRINTER.
PRESS ANY KEY WHEN READY.
```

Illustration by Jacky Brill

Sample Run 1 continued

Word Search

IDWQEYTKSQGWYNLBHHZUNZNQL
 XLPTMKHKQZRBTEMCAXVIXREW
 WBAQTSAAIGICUXPMHMEMDZHUS
 ENSYDRLECDGJCDDXIDL MZXKI
 BWCUEJXVANDRBDHCHZCCRTQ
 ROAMCOULTTUEGCRYERKPSPCNB
 POLKBMXMMUTMNPDRSOIWEILTY
 MWIICWAMNHIHPOUAQCAZSXIRT
 ALEPKXAGFRDOZQPKTOZAJAMPE
 TUXLAWAKTKLDARNXSMBVUEMUW
 LFMVUPORSKFQZORKEGPHOLMNEG
 NSKZCPLCIWIGEGRFAUWALLSNR
 JBCRDOANHDORGBIAWJTGXEKILT
 TLMKQGIFKAIFAUBJBEXLQFJRI
 ZEQFHMCSMSYLAQRBRYOAZRX
 GLBLJFWETENYVUGUGAEPRAUR
 LUWATXTEIMCMCDZKIDYIOMAE
 QGNEAURHGNLAWERXEXEZXEPC
 ICADIAJNHLGNATIZIWNXEFISX
 JROTALUMUCCAZOYLQAGYSSLFHR
 UNOISNEMIDJOGWPCBRTICGOW
 HIZKROXYELYSKRSKIKXIWARKVE
 NBNANOWUULIMUZZJDBLBOMNPF
 ZCNDMMWGVJXRTLLDOTTLEZMMFV
 FHRKINTERFACERMZASJZXFAVP

Words

MICROCOMPUTER
 BAUD
 INTERFACE
 BYTE
 RAM
 ROM
 PROGRAM
 BASIC
 SERIAL
 MODEM
 MINIFLOPPY
 PASCAL
 ACCUMULATOR
 REGISTER
 APPLE
 STRING
 VARIABLE
 DIMENSION
 PRINT

Answer

.....
 ..P.....
 ..A.....M..M.....
 ..S..R.....O...I.....
 ..C.O.....D...C.....T.
 ..AM.....EG.Y..R...CNB
 ..L.....MN.P...O...I.IY
I.P...C..S..RT
 ..E.....R.O..P..O.A...PE
 ...L...T.L..R..SMB.....
P..S.F..OR.E.P.....
P..I..GE.R..U.....
AN..RG.I...T..E....
I..AI.A...BE.L.....
M..MS.L...A.RB...R.
T.....U..A...A..
E.....D..I...M..
R.....R.....
A.....
 ..ROTALUMUCCA.V.....
 ..NOISNEMID.....

INTERFACE.....

Sample Run 2

Word Search

KAVXZHQKRJDKCCMXECRE
 LZKABKVLBEYUHRNXWMNO
 KJNZFHGWXMAEILEFMGYU
 BASICVPJXWOKDOBFECKO
 PFORTRANEUUIIZCTMKNVZ
 OUPBYHJRGONXKLLKCKX
 YSSYLOBOCMTBDWAMP SIL
 YAITWFSUTLESKKCBSEGV
 MUKYUHSMMPRUKCSRYPAU
 LVIDXRHRDSFGERATUTTF
 KFFNOIEHSXAGYUPIMFEA
 DWPNDTFHJBCJB NRFOITS
 LGVZUECPPREXOJURREYS
 KNXPIKBWZEJCALTN DUJE
 TRMOCOMUWTMR RHAWUMDM
 ROZIUJUMGN AZDASHNJKB
 CXGNXGNVMIRXZWEHR SCL
 ERJCFXVTKRMYADHGIULE
 IQWLG YIMUPPAOAEDYIIR
 DLFYLNWZUYKMMHIIWGBS

Words

BYTE
 RAM
 ROM
 COMPUTER
 INTERFACE
 DISK
 MODEM
 KEYBOARD
 PRINTER
 CRT
 BASIC
 PASCAL
 LISP
 FORTH
 FORTRAN
 COBOL
 ASSEMBLER
 DEBUG

Answer

.....

 BASIC.....
 .FORTRAN..I.....
N...L.....
LOBOC.T...A.PSIL
E...CB....
R.K.S.Y...
R..F.E.A..T..
E...A.Y.P.MFEA
DT....C.B...O..S
UE...RE.O..RR..S
 ...P..B..E..A.T...E
 T.M...U.TM.RH...M
 RO.....GNA.D..M..KB
 C.....IR...E..S..L
R...D..I..E
P..O..D...R
M.....

Figure 1

```

472 IF ASC (MID$ (A$,A,1)) = M(R,C) THEN 480
474 A = L : NEXT A : GOTO 400

550 M(R,C) = ASC (MID$ (A$,A,1)) : ON X GOSUB 300,
310, 320, 330, 340, 350, 360, 370

1330 IF M(R,C) > 0 THEN 1370

```

Figure 2

```

1040 IF SW > 9 AND SL > 9 AND SW < = PW/2 THEN
1060

1050 PRINT "DIMENSIONS MUST BE AT LEAST 10 AND" :
PRINT "WIDTH MUST BE LESS THAN "; INT (PW/2) + 1 : GOTO
1010

1420 HTAB (PW-SW*2)/2 + 1 : PRINT M$(A) : PRINT
1480 FOR A = 1 TO SL : HTAB (PW-SW*2)/2 + 1
1411 A$ = M$(A) : M$(A) = ""
1412 FOR Y = 1 TO LEN (A$)
1413 M$(A) = M$(A) + MID$ (A$,Y,1) + " "
1414 NEXT Y
1415 M$(A) = LEFT$ (M$(A),LEN (M$(A))-1)
1481 A$ = N$(A) : N$(A) = ""
1482 FOR Y = 1 TO LEN (A$)
1483 N$(A) = N$(A) + MID$ (A$,Y,1) + " "
1484 NEXT Y
1485 N$(A) = LEFT$ (N$(A),LEN (N$(A))-1)
1486 PRINT N$(A) : PRINT : NEXT A

```

length of the search (in number of letters), and the percentage of the search that should contain words.

The search must be at least 10 letters wide and 10 letters long and no wider than your maximum printer width. The maximum percentage of words the search can contain is 25%. This rather arbitrary limit was chosen so that the computer would not run too long in trying to fit all the words into a search. You can modify line 1070 to permit a higher percentage.

The program next asks you to enter words to be placed in the search. You can input the words in any order. The

longest word does not have to be given first.

After each word is entered, the program tells you if the word is too long to fit or if the maximum percentage has been reached. It then asks you to wait and goes to work putting the words in the search.

When all the words have been placed in the search (a 20 × 20 search with 15% words averages two minutes running time), the computer prompts you to turn on your printer. It then prints the search, the words in the search, and the answer.

The finished search is designed to be

centered on the printer page. Thus, if your screen display is not the same width as your printer the search may be off center or broken up on your screen display.

How the Program Works

Line 10 resets the Apple screen to normal. It should be modified or deleted by non-Apple users.

Line 20 clears the screen (HOME; TRS-80 users should use CLS) and sets up a title page display in lines 5000 to 5090. The format for the title page is that used by the San Francisco Apple Core. The GET command in line 5060, similar to the INKEY\$ command in TRS-80 Level II Basic, permits entry of any single character without hitting Return. CHR\$(27) in line 5070 is ASCII "Escape" on the Apple II.

Lines 30 to 40 are only for Apples with printer interface cards in one of the peripheral slots. Others should delete these lines and modify lines 1390 and 1490 to call whatever printer driver routine their system uses.

Line 50 skips over the subroutines to the beginning of the program. The subroutines are placed near the start of the program for increased execution speed.

(The program uses several nested FOR...NEXT loops. For ease of following the coding I have not eliminated the variable name for the NEXT statements, although this would also speed up the program.)

Line 1000 clears the screen and gets the maximum printer width. The "D\$=" command sets up a control character for use with Apple II DOS and should be deleted by non-Apple II DOS users. If you don't want printer portability, line 1000 can be changed to assign PW a value equal to your maximum printer width.

Lines 1010 to 1080 get the various search dimensions, check them for validity, and dimension the arrays used. (See variable listing in lines 5100 to 5610 of the program.)

Lines 1100 to 1150 get the words for the search, check that they aren't too long, and let you know when the computer has enough words for the array.

Lines 1160-1210 initialize the numeric checking array and the search string array.

Lines 1220 to 1280 place each word in the search array, starting with the largest word and working down to the smallest. The subroutine called by line 1260 starts by selecting at random one of eight directions for the word (line

400) and a random starting point (lines 420 to 430). It next checks that the starting point will leave enough room for the direction it has selected (lines 440 and 100 to 290).

The program then saves the starting row and column (line 450) and checks that the word won't overwrite part of another word already entered in the array (lines 460 to 490 and 300 to 370). The word is then entered into the array in lines 500 to 570.

Lines 1290 to 1370 save a copy of the search array with just the words entered into it as an answer, and place random letters in the blank spaces in the other array.

Line 1380 clears the screen and prompts you to turn on the printer. The POKE command clears the keyboard strobe on the Apple. Without the POKE, if you pressed a key after entering the last word (line 1150), the computer would use that key as C\$ and continue right through to line 1390 without waiting for you. Non-Apple users should delete or modify the POKE and GET commands.

Line 1390 is the output to printer routine for Apple DOS with a printer card in a peripheral slot. Modify as needed for your printer driver routines.

Lines 1400 to 1430 print the search. The HTAB commands in lines 1400 and 1420 center the printing. If your computer does not recognize HTAB, or if your printer does not respond to HTAB, then substitute PRINT TAB(...) for HTAB and delete the "+1" from each calculation from these lines and lines 1440 to 1480.

Lines 1440 to 1450 print the words in the search and lines 1460 to 1480 print the answer.

Modifications

Two modifications can be made to the program. The first permits two words to share the same letters in the search. To do this add lines 472 and 474 and change lines 550 and 1330 as shown in Figure 1.

The second modification spreads out the printing of the array at a sacrifice of 1/2 of the maximum width of the array. However the final printed product is far easier to use. To make this change modify lines 1040, 1050, 1420, and 1480 and add lines 1411 to 1415 and 1481 to 1486 as shown in Figure 2. □

Mr. Fischer is an attorney and computer hobbyist from California. He is a member of the San Francisco Apple Core and the Apple Puget Sound Program Library Exchange.

Program Listing

```

10 POKE 16298,0: TEXT
20 HOME : GOSUB 5000
30 HOME : INPUT "PRINTER SLOT NUMBER IS: "PS
40 IF PS > 7 OR PS < 1 OR PS < > INT (PS)
    THEN PRINT "PRINT SLOT MUST BE A WHOLE
        NUMBER": PRINT "BETWEEN 1 AND 7.": FOR
        A = 1 TO 1000: NEXT A: GOTO 30
50 GOTO 1000
100 IF R + L > SL THEN 400
110 IF C + L > SW THEN 400
120 GOTO 450
130 IF R - L < 1 THEN 400
140 IF C - L < 1 THEN 400
150 GOTO 450
160 IF R + L > SL THEN 400
170 IF C - L < 1 THEN 400
180 GOTO 450
190 IF R - L < 1 THEN 400
200 IF C + L > SW THEN 400
210 GOTO 450
220 IF R + L > SL THEN 400
230 GOTO 450
240 IF R - L < 1 THEN 400
250 GOTO 450
260 IF C + L > SW THEN 400
270 GOTO 450
280 IF C - L < 1 THEN 400
290 GOTO 450
300 R = R + 1: C = C + 1: RETURN
310 R = R - 1: C = C - 1: RETURN
320 R = R + 1: C = C - 1: RETURN
330 R = R - 1: C = C + 1: RETURN
340 R = R + 1: RETURN
350 R = R - 1: RETURN
360 C = C + 1: RETURN
370 C = C - 1: RETURN
400 X = INT (8 * RND (1) + 1)
410 L = LEN (A$)
420 R = INT (SL * RND (1) + 1)
430 C = INT (SW * RND (1) + 1)
440 ON X GOTO 100,130,160,190,220,240,260,280
450 RS = R: CS = C
460 FOR A = 1 TO L
470 IF M(R,C) = 1 THEN A = L: NEXT A: GOTO 400
480 ON X GOSUB 300,310,320,330,340,350,360,370
490 NEXT A
500 R = RS: C = CS
510 FOR A = 1 TO L
520 IF C < 2 THEN M$(R) = MID$ (A$,A,1) +
    RIGHT$ (M$(R),SW - 1): GOTO 550
530 IF C = SW THEN M$(R) = LEFT$ (M$(R),SW -
    1) + MID$ (A$,A,1): GOTO 550
540 M$(R) = LEFT$ (M$(R),C - 1) + MID$ (A$,
    A,1) + RIGHT$ (M$(R),SW - C)
550 M(R,C) = 1: ON X GOSUB 300,310,320,330,340,
    ,350,360,370
560 NEXT A
570 RETURN
1000 HOME : D$ = CHR$ (13) + CHR$ (4): INPUT
    "MAXIMUM PRINTER WIDTH IS: "PW
1010 INPUT "HOW MANY LETTERS WIDE SHOULD THE
    SEARCH BE? "SW
1020 INPUT "HOW MANY LETTERS LONG SHOULD THE
    SEARCH BE? "SL
1030 MS = SW: IF SL > MS THEN MS = SL
1040 IF SW > 9 AND SL > 9 AND SW < = PW THEN
    1060
1050 PRINT "DIMENSIONS MUST BE AT LEAST 10 AND
    ": PRINT "WIDTH MUST BE LESS THAN "PW +
    1: GOTO 1010

```


Program Listing continued

```

1060 DIM M$(SL,SW): DIM M$(SL): DIM A$(MS * 2): DIM N$(SL)
1070 PRINT "WHAT PERCENT OF THE LETTERS OF THE": INPUT
"SEARCH SHOULD BE WORDS? "PC: IF PC > 25 THEN PRINT
"NO MORE THAN 25%": GOTO 1070
1080 PC = SW * SL * PC / 100
1090 Q = 1: TL = 0: WL = 0
1100 INPUT "ENTER WORD: "A$(Q)
1110 IF LEN (A$(Q)) > MS THEN PRINT "WORD MUST HAVE "
MS;" OR FEWER LETTERS.": GOTO 1100
1120 IF LEN (A$(Q)) > WL THEN WL = LEN (A$(Q))
1130 TL = TL + LEN (A$(Q))
1140 IF PC > TL THEN Q = Q + 1: GOTO 1100
1150 PRINT "THAT'S ENOUGH WORDS.": PRINT "PLEASE WAIT W
HILE I WORK."
1160 FOR B = 1 TO SL
1170 FOR C = 1 TO SW
1180 M(B,C) = 0
1190 M$(B) = M$(B) + "."
1200 NEXT C
1210 NEXT B
1220 FOR G = WL TO 1 STEP - 1
1230 FOR B = 1 TO Q
1240 IF LEN (A$(B)) < > G THEN 1270
1250 A$ = A$(B)
1260 GOSUB 400
1270 NEXT B
1280 NEXT G
1290 FOR R = 1 TO SL
1300 N$(R) = M$(R)
1310 FOR C = 1 TO SW
1320 LT = INT (26 * RND (1)) + 65
1330 IF M(R,C) = 1 THEN 1370
1340 IF C < 2 THEN M$(R) = CHR$ (LT) + RIGHT$ (M$(R),
SW - 1): GOTO 1370
1350 IF C = SW THEN M$(R) = LEFT$ (M$(R),SW - 1) + CHR$
(LT): GOTO 1370
1360 M$(R) = LEFT$ (M$(R),C - 1) + CHR$ (LT) + RIGHT$
(M$(R),SW - C)
1370 NEXT C: NEXT R
1380 HOME: POKE - 16368,0: PRINT "TURN ON PRINTER.": PRINT
"PRESS ANY KEY WHEN READY.": GET C$
1390 PRINT D$;"PR#";PS
1400 HTAB (PW - 11) / 2 + 1: PRINT "WORD SEARCH": HTAB
(PW - 11) / 2 + 1: PRINT "-----": PRINT: PRINT
1410 FOR A = 1 TO SL
1420 HTAB (PW - SW) / 2 + 1: PRINT M$(A)
1430 NEXT A
1440 PRINT: PRINT: PRINT: HTAB (PW - 5) / 2 + 1: PRINT
"WORDS": HTAB (PW - 5) / 2 + 1: PRINT "-----": PRINT
;

5430 REM TO BE WORDS
5440 REM PS-SLOT NUMBER OF
5450 REM PRINTER INTERFACE
5460 REM PW-WIDTH OF PRINTER
5470 REM LINE
5480 REM Q-NUMBER OF WORDS IN
5490 REM SEARCH
5500 REM R-ROW NUMBER
5510 REM RS-ROW NUMBER SAVER
5520 REM SL-WORD SEARCH LENGTH
5530 REM SW-WORD SEARCH WIDTH
5540 REM TL-TOTAL NUMBER OF
5550 REM LETTERS IN WORDS
5560 REM WL-LENGTH OF LONGEST
5570 REM WORD IN SEARCH
5580 REM X-INDICATOR OF WHICH
5590 REM DIRECTION WORD IS
5600 REM BEING ENTERED INTO
5610 REM ARRAY
5700 REM *****
5710 REM * LINE DOCUMENTATION *
5720 REM *****
5730 REM 10-RESET SWITCHES TO
5740 REM NORMAL
5750 REM 100-CHECK THAT INITIAL
5760 REM ROW AND COLUMN
5770 REM WON'T FORCE WORD
5780 REM OFF ARRAY
5790 REM 300-UPDATE ROW AND
5800 REM COLUMN FOR ENTRY
5810 REM NEXT LETTER
5820 REM 400-DETERMINE STARTING
5830 REM ROW AND COLUMN AND
5840 REM DIRECTION OF WORD
5850 REM WORD PLACEMENT
5860 REM 450-CHECK IF WORD
5870 REM LOCATION CONFLICTS
5880 REM WITH AN ALREADY
5890 REM ENTERED WORD
5900 REM 510-PLACE WORD IN
5910 REM SEARCH
5920 REM 1000-OBTAIN SEARCH AND
5930 REM SYSTEM PARAMETERS
5940 REM 1090-ENTER WORDS AND
5950 REM STOP WHEN ENOUGH
5960 REM 1160-INITIALIZE ARRAYS
5970 REM 1220-ENTER EACH WORD
5980 REM IN ARRAYS
5990 REM 1290-FILL BLANKS WITH
6000 REM RANDOM LETTERS
6010 REM 1380-PRINT SEARCH
6020 REM 1440-PRINT WORDS IN
6030 REM SEARCH
6040 REM 1460-PRINT ANSWER
6050 REM 5000-STANDARD OPENING
6060 REM CONVENTIONS OF

```



```

1450 FOR A = 1 TO Q: HTAB (PW - SW) / 2 + 1: PRINT A$(A
): NEXT A
1460 PRINT : PRINT : PRINT : FOR A = 1 TO PW: PRINT "*"
$: NEXT A
1470 PRINT : PRINT : HTAB (PW - 6) / 2 + 1: PRINT "ANSW
ER": PRINT : FOR A = 1 TO PW: PRINT "*"$: NEXT A: PRINT


1480 FOR A = 1 TO SL: HTAB (PW - SW) / 2 + 1: PRINT N$(
A): NEXT A
1490 PRINT D$;"PR#0"
1500 END
5000 UTAB 4: HTAB 14: PRINT "WORD SEARCH"
5010 UTAB 6: HTAB 11: PRINT "COPYRIGHT (C) 1980"
5020 UTAB 8: HTAB 19: PRINT "BY"
5030 UTAB 10: HTAB 14: PRINT "MIKE FISCHER"
5040 UTAB 14: HTAB 10: PRINT "PRINTS A WORD SEARCH"
5050 UTAB 22: PRINT "SPACE TO CONTINUE...'ESC' TO END"
5060 UTAB 23: HTAB 20: GET A$
5070 IF A$ = CHR$ (27) THEN HOME : UTAB 20: HTAB 12: PRINT
"*** THE END ***": END
5080 IF A$ = CHR$ (32) THEN RETURN
5090 GOTO 5060
5100 REM *****
5110 REM * VARIABLES USED *
5120 REM *****
5130 REM
5140 REM A-GENERAL COUNTER
5150 REM A$-WORD BEING ENTERED
5160 REM INTO SEARCH
5170 REM A$(*)-WORD ARRAY
5180 REM B-GENERAL COUNTER
5190 REM C-COLUMN NUMBER
5200 REM C$-CONTINUE STRING
5210 REM CONTROLLER
5220 REM CS-COLUMN NUMBER SAVER
5230 REM D$-DISC CONTROL SYMBOL
5240 REM G-GENERAL COUNTER
5250 REM L-LENGTH OF WORD BEING
5260 REM ENTERED INTO SEARCH
5270 REM LT-RANDOM LETTER
5280 REM SELECTOR
5290 REM M$(*)-ARRAY HOLDING
5300 REM ROWS OF WORD
5310 REM SEARCH
5320 REM M(*,*)-NUMBER ARRAY
5330 REM SHOWING USED
5340 REM SPACES IN WORD
5350 REM SEARCH
5360 REM MS-MAXIMUM SIZE OF
5370 REM EITHER WORD SEARCH
5380 REM DIMENSION
5390 REM N$(*)-ARRAY HOLDING
5400 REM ROWS OF WORD
5410 REM SEARCH ANSWER
5420 REM PC-PERCENT OF SEARCH

```

```

6070 REM S.F. APPLE CORE
6080 REM 5100-DOCUMENTATION OF
6090 REM VARIABLES
6100 REM 5700-DOCUMENTATION OF
6110 REM LINES
6900 REM ***** NOTE *****
6910 REM ** ALL LINES FROM **
6920 REM ** 5100-6970 ARE **
6930 REM ** DOCUMENTATION **
6940 REM ** AND CAN BE **
6950 REM ** DELETED IF **
6960 REM ** DESIRED. **
6970 REM
7000 REM *****
7010 REM *
7020 REM WORD SEARCH *
7030 REM *
7040 REM COPYRIGHT 1980 *
7050 REM *
7060 REM BY MIKE FISCHER *
7070 REM *
7080 REM MARCH 3, 1980 *
7090 REM *
7100 REM (415) 933-4435 *
7110 REM *
7120 REM *****

```



Pricing Your Product

for a Two-Step Distribution Channel

BY IRA S. GERSON

Most manufactured goods as well as many agricultural products are sold through a two-step channel, often referred to as the orthodox or customary channel for moving consumer goods. This program lets you develop a pricing structure based on quantity price breaks and account for the various gross margins required by the retailer, wholesaler and manufacturer.

Manufacturers of consumer goods will find this program useful in formulating their quantity pricing structure. With a printer, manufacturers can use it to generate the final price sheet.

This program is not directly applicable to retailers or manufacturers who are in a one-step distribution channel. (See my article "Generating A Price List," for a one-step channel in the February 1980 issue of *Personal Computing*.) However, these manufacturers can use it to analyze the costs and margins associated with the two-step distribution form. Therefore, the wholesaler as middleman and the manufacturer requiring two middlemen will benefit most directly from this program.

The equipment used included a TRS-80 with 4K RAM and Level I Basic Language. The program should be easily adapted to other machines.

This program reduces the time required to generate price sheet structure for any number of products and price breaks due to multiple quantity discounts. With some modifications, the program could be used to generate the actual price sheets.

The program could also analyze various price structures given this type of distribution channel, to determine the feasibility of entering an existing market with a new or modified product. The program can aid in the review of price reductions/increases if the market price (List Price) does not allow desired margins because of decreasing/increasing costs in the distribution channel or at the point of manufacture. Here's an example of analyzing price structures from a manufacturing point of view:

Given: (A) Must achieve corporate goal of 40% GM for an annual production run of 5000 units that have a standard cost of \$249.00/Unit. (B) Market research and analysis indicates that \$1000/Unit is the target price for the end user.

Solve: Determine the pricing structure to yield the above goals.

Assumptions: (A) You have 10 distributors to whom the following allocation has been estimated.

1st Distributor (Wholesaler)	2500 Units/yr.
2nd Distributor	1500 Units/yr.
3rd Distributor	500 Units/yr.
4th thru 10th Distributor	500 Units/yr.
(10 to 100 units each)	5000

Mr. Gerson has formed a consulting/software firm as a result of his research work in microcomputer business applications.

(B) The distributor buying the largest volume is given 35% off dealer net.

(C) The larger dealers are looking for 40% off list.

Based on the above data you might input the following figures into the program.

1. Maximum % Off List	40
2. Dealer Discount/Break	3
3. Maximum % Off Dealer Net	35
4. Wholesaler Discount/Break	3
5. Minimum Mfg. GM (%)	40
6. Number of Price Breaks	4

From the display the following calculations can be made.

Sales

2500 × \$415 =	\$1,037,500
1500 × \$456 =	\$ 684,000
500 × \$499 =	\$ 249,500
500 × \$543 =	\$ 271,500
5000	\$2,242,500

Cost

\$249 × 5000 =	\$1,245,000
GM =	\$997,500 = 44%

Therefore, you can adopt this structure or refine it further by reducing the minimum MFG GM to 36% or increasing the number of price breaks or selectively altering any of the breaks to yield an overall GM level of 40%.

The program consists of two main sections and includes a menu for added flexibility. The opening (lines 10 to 20) creates the mechanics for the menu.

The first section (lines 22 to 96) develops the "marketing approach" which requires the user to input the list price and the various margins required by the channel participants.

Lines 70 to 84 in the first section contain the three basic formulas necessary to derive the Dealer's Net (D), the Wholesaler's Net (W), and the Manufacturer's Cost (C).

The first formula to determine the dealer's net is:

$$D = P(1 - A/100)$$

where P is the List Price and A = % Off List for the Dealer. In the example given:

$$D = \$49.95(1 - .30) = \$34.96$$

The second formula to determine the wholesaler's net is:

$$W = D(1 - B/100)$$

where D is taken from the previous calculation and B = % Off List for the Wholesaler. In the example given:

$$W = \$34.96(1 - .18) = \$28.67$$

The third formula to determine the cost is:

$$C = P(1 - X/100)(1 - Y/100)(1 - H/100)$$

where P is the List Price, X and Y are the maximum % off list for the Dealer and Wholesaler, and H is the minimum gross margin selected for the manufacturer. In the example given:

$$C = \$49.95(1 - .45)(1 - .38)(1 - .30) = \$11.92$$

The second section (lines 98 to 174) develops the "manu-



Puts sophisticated business strategies at the fingertips of all TRS-80 Level II owners! **FINPLAN: A Financial Planning Program for Small Businesses** is the most complete financial planning program available.

Here's why . . . **Developed by an expert:** The author, Robert Montgomery, is president of a management consulting firm and a recognized authority on new product planning. **Easy to use:** Data can be entered from normal balance sheet statements. Within seconds, **FINPLAN** will provide financial projections for up to 5 years. **Versatility:** Are you thinking about modernizing equipment, expanding into a new product line, or starting a new business from scratch? Will your plans run you out of business, out of cash, or on to the Fortune 500 list? **FINPLAN** will answer these and other financial questions before you invest a dime. **Extensive documentation:** You don't have to be a financial wizard to use **FINPLAN** because it comes with 80 pages of documentation.

Presented in a step-by-step format, the documentation is a great learning tool for those who need it or a dynamic applications tool for getting the most out of **FINPLAN**. And, **FINPLAN** is reasonably priced. #05103, TRS-80 Level II cassette, \$69.95; #05108, TRS-80 Level II Disk, \$74.95.

**Available at your
local computer store!**

or Call Toll Free, 24 hours a day,
(1-800-827-3777, ext. 302)* TO CHARGE
YOUR ORDER TO Master-Charge or Visa!
Minimum order is \$10.00; Customer pays
postage and handling.

*From Missouri, call 1-800-892-7655, ext. 302

Hayden Book Company, Inc.

50 Essex Street
Rochelle Park NJ 07662

facturing approach" which requires the user to input the manufacturing cost instead of the list price as above.

Lines 146 to 154 in the second section contain similar equations to the three above but have been modified so that cost can be the given parameter as opposed to the given parameter of list price used in the marketing approach.

The formula to determine the Dealer's Net is:

$D = (C(1 - A/100))/((1 - X/100)(1 - Y/100)(1 - H/100))$
where C is the cost, X and Y are the maximum % off list for the Dealer and Wholesaler, and H is the minimum gross margin selected for the Manufacturer. In the example given:
 $D = \$11.92 \times (1 - .30)/(1 - .45)(1 - .38)(1 - .30) = \34.96

The formula to determine the Wholesaler Net, $W = D \times (1 - B/100)$, is the same as that used in the marketing approach.

The formula to determine the List Price is:

$$P = C/((1 - X/100)(1 - Y/100)(1 - H/100))$$

where C is the given cost and X, Y and H are described above. In the example given:

$$P = \$11.92/(1 - .45)(1 - .38)(1 - .30) = \$49.94$$

There are several other items that are associated with a pricing schedule but have not been included here for the sake of simplicity. They are cumulative quantity discounts, co-operative advertising allowances and cash discounts.

This program can assist in the analysis of the following programs:

1. New Product Introductions
2. Channel Impact As a Result of Price or Cost Reductions/Increases
3. Gross Margin Analysis
4. Product Volume Mix

□

Given: You are a manufacturer or wholesaler who wishes to supply a product which could command a list price of \$49.95 per unit in the market place. There are six price breaks (i.e. 1-12 units, 13-36 units, 37-72 units, 73-144 units, 145-180 units, & over 180 units) and you input the distribution discounts as follows:

Maximum (%) off list	45
Dealer discount per break (%)	3
Maximum (%) off wholesale net	38
Wholesaler discount per break (%)	4
Minimum manufacturing GM (%)	30
Number of quantity price breaks	6

Sample Run

The following should appear on the CRT:

MODEL DESP	LIST PRICE \$	ORDER QUANT UNITS	DLR NET \$	% OFF LIST	ORDER QUANT UNITS	WHOLSLE NET \$	% OFF LIST	MFG COST \$	% GM
*	49.95	*	34.96	30	*	28.67	18	11.92	58
	49.95		33.47	33		26.11	22	11.92	54
	49.95		31.97	36		23.66	26	11.92	50
	49.95		30.47	39		21.33	30	11.92	44
	49.95		28.97	42		19.12	34	11.92	38
	49.95		27.47	45		17.03	38	11.92	30

TYPE ANY LETTER TO SEE MENU?

If "Manufacturing Approach" is chosen with a cost input of \$11.92, a price of \$49.94 will be generated assuming all the other inputs are the same.

* These columns have been left blank so the user can fill in the appropriate information per his requirements.

Program Listing

2 REM* THIS PROGRAM CALCULATES DEALER NET, DEALER GM (% OFF LIST), WHOLESALE NET, WHOLESALE GM (% OFF LIST), MANUFACTURING COST AS A FUNCTION OF DISTRIBUTION CHANNEL COSTS, GIVEN THE DESIRED FACTORY GROSS MARGIN FOR A 2 STEP DISTRIBUTION CHANNEL*

```

5 CLS
10 PRINT "ENTER REQUEST"
12 PRINT "----1. MARKETING APPROACH"
14 PRINT "----2. MANUFACTURING COST APPROACH"
16 PRINT "----3. END OF RUN"
18 PRINT: INPUT "SELECTION"; R
19 CLS
20 ON R GOTO 22, 98, 174
22 PRINT "MARKETING APPROACH"
24 INPUT "LIST PRICE"; P
26 INPUT "MAXIMUM (%) OFF LIST"; X
28 INPUT "DEALER DISCOUNT PER BREAK (%)" ; M
30 INPUT "MAXIMUM (%) OFF WHOLESALE NET"; Y
32 INPUT "WHOLESALE DISCOUNT PER BREAK (%)" ; T
34 INPUT "MINIMUM MANUFACTURING GM (%)" ; H
36 INPUT "NUMBER OF QUANTITY PRICE BREAKS"; Q
37 CLS: FOR N=1TO63: PRINTTAB(N); "-";: NEXT N
44 PRINT "MODEL"; TAB(7); "LIST"; TAB(14); "ORDER"; TAB(21); "DLR"; TAB(27); "%";
46 PRINTTAB(31); "ORDER"; TAB(38); "WHOLSLE "; TAB(48); "%"; TAB(53); "MFG"
48 PRINT "DESP"; TAB(7); "PRICE"; TAB(14); "QUANT"; TAB(21); "NET";
50 PRINTTAB(26); "OFF"; TAB(31); "QUANT"; TAB(40); "NET"; TAB(47); "OFF";
52 PRINTTAB(52); "COST"; TAB(58); "%GM"
54 PRINTTAB(8); "$"; TAB(14); "UNITS"; TAB(21); "$"; TAB(25); "LIST";
56 PRINTTAB(31); "UNITS"; TAB(40); "$"; TAB(47); "LIST"; TAB(54); "$"
58 FOR N=1TO63: PRINTTAB(N); "-";: NEXT N
64 A=X-(M*(Q-1)): B=Y-(T*(Q-1))
66 IF A>X THEN 95
68 IF B>Y THEN 95
70 D=P*(1-A/100)
72 D=D+.005: D=INT(D*100)/100
74 W=D*(1-B/100)
76 W=W+.005: W=INT(W*100)/100
78 C=P*(1-X/100) * (1-Y/100) * (1-H/100)
80 C=C+.005: C=INT(C*100)/100
82 G=(W-C)/W*100
84 G=G+.5: G=INT(G)
86 PRINTTAB(7); P; TAB(20); D; TAB(26); A; TAB(37); W; TAB(46); B;
88 PRINTTAB(51); C; TAB(56); G
90 A=A+M: B=B+T
94 GOTO 66
95 INPUT "TYPE ANY LETTER TO SEE MENU"; A$: CLS
96 GOTO 10
98 PRINT "MANUFACTURING APPROACH"
100 INPUT "COST"; C
102 INPUT "MAXIMUM (%) OFF LIST"; X
104 INPUT "DEALER DISCOUNT PER BREAK (%)" ; M
106 INPUT "MAXIMUM (%) OFF WHOLESALE NET"; Y
108 INPUT "WHOLESALE DISCOUNT PER BREAK (%)" ; T
110 INPUT "MINIMUM MANUFACTURING GM (%)" ; H
112 INPUT "NUMBER OF QUANTITY PRICE BREAKS"; Q
113 CLS
114 FOR N=1TO63: PRINTTAB(N); "-";: NEXT N
120 PRINT "MODEL"; TAB(7); "LIST"; TAB(14); "ORDER"; TAB(21); "DLR"; TAB(27); "%";
122 PRINTTAB(31); "ORDER"; TAB(38); "WHOLSLE "; TAB(48); "%"; TAB(53); "MFG"
124 PRINT "DESP"; TAB(7); "PRICE"; TAB(14); "QUANT"; TAB(21); "NET";
126 PRINTTAB(26); "OFF"; TAB(31); "QUANT"; TAB(40); "NET"; TAB(47); "OFF";
128 PRINTTAB(52); "COST"; TAB(58); "%GM"
130 PRINTTAB(8); "$"; TAB(14); "UNITS"; TAB(21); "$"; TAB(25); "LIST";
132 PRINTTAB(31); "UNITS"; TAB(40); "$"; TAB(47); "LIST"; TAB(54); "$"
134 FOR N=1TO63: PRINTTAB(N); "-";: NEXT N
140 A=X-(M*(Q-1)): B=Y-(T*(Q-1))
142 IF A>X THEN 171
144 IF B>Y THEN 171
146 D=(C*(1-A/100))/((1-X/100) * (1-Y/100) * (1-H/100))
148 D=D+.005: D=INT(D*100)/100
150 W=D*(1-B/100)
152 W=W+.005: W=INT(W*100)/100
154 P=C/((1-X/100) * (1-Y/100) * (1-H/100))
156 P=P+.005: P=INT(P*100)/100
158 G=(W-C)/W*100
160 G=G+.5: G=INT(G)
162 PRINTTAB(5); P; TAB(17); D; TAB(25); A; TAB(37); W; TAB(46); B;
164 PRINTTAB(51); C; TAB(56); G
166 A=A+M: B=B+T
170 GOTO 142
171 INPUT "TYPE ANY LETTER TO SEE MENU"; A$: CLS
172 GOTO 10
174 END

```

TERMINALS FROM TRANSNET

OUTRIGHT PURCHASE OR FULL OWNERSHIP
UNDER OUR 24 MONTH 100% EQUITY RENTAL PLAN

DESCRIPTION	PURCHASE PRICE	*PER MO. 24 MOS.
LA36 DECwriter II	\$1,695	.. \$90
LA34 DECwriter IV	1,095	.. 59
LA34 DECwriter IV Forms Ctrl.	1,295	.. 69
LA120 DECwriter III KSR	2,495	.. 140
LA180 DECprinter I	2,095	.. 117
VT100 CRT DECscope	1,895	.. 101
VT132 CRT DECscope	2,295	.. 122
DT80/1 DATAMEDIA CRT	1,995	.. 106
T1745 Portable Terminal	1,595	.. 85
T1765 Bubble Mem. Term.	2,595	.. 146
T1810 RO Printer	1,895	.. 101
T1820 KSR Printer	2,195	.. 117
T1825 KSR Printer	1,595	.. 85
ADM3A CRT Terminal	875	.. 47
ADM31 CRT Terminal	1,450	.. 78
ADM42 CRT Terminal	2,195	.. 117
QUME Letter Quality KSR	3,295	.. 176
QUME Letter Quality RO	2,895	.. 155
HAZELTINE 1420 CRT	945	.. 51
HAZELTINE 1500 CRT	1,195	.. 64
HAZELTINE 1552 CRT	1,295	.. 69
Hewlett-Packard 2621A CRT	1,495	.. 80
Hewlett-Packard 2621P CRT	2,650	.. 142

*FULL OWNERSHIP AFTER 24 MONTHS

12 MONTH FULL OWNERSHIP, 36 MONTH LEASE
AND RENTAL PLANS AVAILABLE ON ABOVE AND
OTHER EQUIPMENT

MOST EQUIPMENT AND OPTIONS
IN STOCK FOR IMMEDIATE SHIPMENT



TRANSNET
CORPORATION
201-688-7800
TWX 710-985-5485

1945 ROUTE 22, UNION, N.J. 07083

CIRCLE 19

... WordMagic II ...

Powerful, Versatile ...
Word Processing for the TRS-80*
Model II (64K).

WordMagic II features:

- Total TRSDOS* compatibility
- Automatic WRAPAROUND — no need to hit ENTER key on Text Entry
- Automatic MARGINATION
- Print Formatting — Automatic Pagination, Vertical Margins, Page Numbering & Line Numbering
- Creates Mail List, Labels, Personalized Form Letters
- Full Edit Commands — Global Substitution, Insertion, Find, etc.
- Automatic Generation of a Table of Contents
- Smooth Right, Centering, Left Justify
- Memory Buffer
- Documents up to Diskette Size
- Easy to Use Command Structure
- Complete User's Manual
- Indentation
- Variable Form Lengths

Complete package (Diskette and manual) \$195. Manual only \$20.

(Calif. residents please add 6% Sales Tax)

CalData Systems • P.O. Box 178446
San Diego, CA 92117
(714) 272-2661

*TRS-80 trademark of Tandy, Corp.

CIRCLE 20

Using Moving Averages to Track Stock Prices

—BY E.D. SHAFER—

Anyone looking at the chart of the Dow Jones Industrial Average in the *Wall Street Journal* each weekday can spot low points recurring at relatively uniform time periods. (See, for example, Chart 1.) These lows correspond to the daily cycles to which the Dow responds. Looking further at a chart with weekly prices (Chart 2), you can see other lows, only this time they occur weeks instead of days apart. If you know the frequencies of the most dominant of these cycles and are able to identify when they last occurred, you can determine when the cycles should repeat.

Some of the more prominent cycles you can use for trading in the stock market are: 54 month, 18 month, 6 month, 3 month and 7 week. The 54 month cycle has been evident for several decades. It was especially obvious in 1962, 1966, 1970 and 1974. It was not so obvious in 1978 but a low did occur in March 1978 which has not been exceeded. This cycle conforms with the well known bull-bear cycle that market buffs speak of so much.

Moving Averages and What They Do

A moving average is a statistical tool for smoothing data. It is calculated by summing a number of items in a series and dividing by the number of items summed. For example, if you wanted to calculate a moving average of seven items in a



series of 10 items, you would add the first seven items and divide by seven to get the first average. You would then drop the first item in the series and add the eighth to the previous total and again divide by seven. This would give the second average. For the third average you would drop the second item and add the ninth. Thus, you'd be moving the average along the number series until you ran out of data.

If a moving average is calculated with a span that equals one of the market cycles such as the three month cycle (13 weeks), the average will reduce to zero any fluctuation in price due to the 13 week cycle and will at the same time suppress all smaller cycle influences significantly. What would be revealed is the effect of the sum of all larger cycles present in the market prices. A moving average with a span of 13, when plotted on a price chart of the Dow Jones Industrial Average, will reveal the influence of the six month plus 18 month plus 54 month plus any other cycles between or greater than these.

Another valuable feature of a moving average is that it cuts right through the middle of the price action of the next larger cycle than the one for which it is calculated. Thus, a 13 week moving average will cut through the prices affected by the 26 week (six month) cycle when it is plotted properly.

Keep in mind that each average that you calculate is a number that represents the central point of a time series. If you calculate a moving average with a span of 13 weeks, each calculation represents a typical price for the 13 week period and should be plotted at the middle of that time period (seven weeks back). When plotted in this manner the line that is formed will be found to bisect the data.

Mr. Shafer is a research analyst with the state of California. He authors a weekly newspaper column, "Winning on Wall Street," in which he discusses methods of successfully investing in the stock market and using cycle analysis to improve timing.



THE ORIGINAL MAGAZINE FOR OWNERS OF THE TRS-80™* MICROCOMPUTER

SOFTWARE
FOR TRS-80™
OWNERS

H & E COMPUTRONICS INC.

MONTHLY
NEWSMAGAZINE
FOR TRS-80™
OWNERS

MONTHLY NEWSMAGAZINE Practical Support For Model I & II

- PRACTICAL APPLICATIONS
- BUSINESS
- GAMBLING • GAMES
- EDUCATION
- PERSONAL FINANCE
- BEGINNER'S CORNER
- NEW PRODUCTS
- SOFTWARE EXCHANGE
- MARKET PLACE
- QUESTIONS AND ANSWERS
- PROGRAM PRINTOUTS
- AND MORE

PROGRAMS AND ARTICLES PUBLISHED IN OUR FIRST 12 ISSUES INCLUDE THE FOLLOWING:

- A COMPLETE INCOME TAX PROGRAM (LONG AND SHORT FORM)
- INVENTORY CONTROL
- STOCK MARKET ANALYSIS
- WORD PROCESSING PROGRAM (FOR DISK OR CASSETTE)
- LOWER CASE MODIFICATION FOR YOUR VIDEO MONITOR OR PRINTER
- PAYROLL (FEDERAL TAX WITHHOLDING PROGRAM)
- EXTEND 16-DIGIT ACCURACY TO TRS-80™ FUNCTIONS (SUCH AS SQUARE ROOTS AND TRIGONOMETRIC FUNCTIONS)
- NEW DISK DRIVES FOR YOUR TRS-80™
- PRINTER OPTIONS AVAILABLE FOR YOUR TRS-80™
- A HORSE SELECTION SYSTEM***ARITHMETIC TEACHER
- COMPLETE MAILING LIST PROGRAMS (BOTH FOR DISK OR CASSETTE SEQUENTIAL AND RANDOM ACCESS)
- RANDOM SAMPLING***BAR GRAPH
- CHECKBOOK MAINTENANCE PROGRAM
- LEVEL II UPDATES***LEVEL II INDEX
- CREDIT CARD INFORMATION STORAGE FILE
- BEGINNER'S GUIDE TO MACHINE LANGUAGE AND ASSEMBLY LANGUAGE
- LINE RENUMBERING
- AND CASSETTE TIPS, PROGRAM HINTS, LATEST PRODUCTS COMING SOON (GENERAL LEDGER, ACCOUNTS PAYABLE AND RECEIVABLE, FORTRAN-80, FINANCIAL APPLICATIONS PACKAGE, PROGRAMS FOR HOMEOWNERS, MERGE TWO PROGRAMS, STATISTICAL AND MATHEMATICAL PROGRAMS (BOTH ELEMENTARY AND ADVANCED) ... AND

FREE

WORD PROCESSING PROGRAM (Cassette or Disk) For writing letters, text, mailing lists, etc., with each new subscriptions or renewal.



LEVEL II RAM TEST (Cassette or Disk) Checks random access memory to ensure that all memory locations are working properly.

DATA MANAGEMENT SYSTEM (Cassette or Disk) Complete file management for your TRS-80™

CLEANUP (Cassette or Disk) Fast action Maze Game

ADVENTURE (Cassette or Disk) Adventure #0 by Scott Adams (From Adventureland International)

FREE

* TRS-80™ IS A TRADEMARK OF TANDY CORP.

SEND FOR OUR NEW 48 PAGE SOFTWARE CATALOG (INCLUDING LISTINGS OF HUNDREDS OF TRS-80™ PROGRAMS AVAILABLE ON CASSETTE AND DISKETTE). \$2.00 OR FREE WITH EACH SUBSCRIPTIONS OR SAMPLE ISSUE.

H & E COMPUTRONICS

MATHEMATICAL APPLICATIONS SERVICE™

50 N. PASCACK ROAD
SPRING VALLEY, NEW YORK 10977

ONE YEAR SUBSCRIPTION \$24

TWO YEAR SUBSCRIPTION \$48

SAMPLE OF LATEST ISSUE \$ 4

START MY SUBSCRIPTION WITH ISSUE

(#1 - July 1978 • #7 - January 1979 • #12 - June 1979 • #18 - January 1980)

NEW SUBSCRIPTION RENEWAL



**24 HOUR
ORDER
LINE**
(914) 425-1535



**NEW TOLL-FREE
ORDER LINE**
(OUTSIDE OF N.Y. STATE)
(800) 431-2818

**NEW!!!
MOD-II NEWSLETTER
\$12/year (or 12 issues)**

CREDIT CARD NUMBER _____ EXP. DATE _____

SIGNATURE _____

NAME _____

ADDRESS _____ CITY _____ STATE _____ ZIP _____

*** ADD \$6/YEAR (CANADA, MEXICO) - ADD \$12/YEAR AIR MAIL - OUTSIDE OF U.S.A., CANADA & MEXICO ***

See Us at the National Small Computer Show, Booth 4200, Oct. 30-Nov. 1, NY Coliseum

CIRCLE 21

Using the TRS-80

Before I bought my TRS-80 Level II, 16K computer I had to calculate moving averages using a hand-held calculator. If I were to be concerned with just one cycle and only with the recent past the old hand-held "four-banger" would do just fine. However, I am a market advisor and researcher and need the capability to look at stocks, commodities, options and indices both currently and historically.

My problem at the time I purchased the TRS-80 was that I didn't know how to program a computer and no tailor-made programs existed. So, I had to learn to program in Basic and then to debug my programs. This took some time but eventually I worked out a satisfactory program to calculate four basic moving averages — seven week, 13 week, 21 week and 39 week — which would reveal the most important market cycles and display them on the screen or print them out on my Radio Shack Quickprinter a year at a time.

Simplified Moving Average Calculations

In recent years, a process called "exponential smoothing" has become popular as a substitute for the traditional method of calculating moving averages. While the method I described previously is simple, it requires the use of several memory cells to keep track of all the data being calculated. Exponential smoothing requires holding only the smoothing factor, the previously calculated average and the latest data item.

Here's the algorithm for exponential moving averages:

Smoothing Factor = $2/(p + 1)$

p = the span of the moving average

New Average = Previous Average + (Smoothing Factor × (Latest Data - Previous Average))

The smoothing factor is determined by the span of the mov-

ing average you are interested in. For example, if you want to calculate a 39 week moving average to see the effect of the 18 month and 54 month cycles on market prices, the smoothing factor would be $.05 (2/(39 + 1) = 2/40 = 1/20 = .05)$.

To start the process you would use the first data item as the previous average and calculate the second average (the second data item minus the first data item) as multiplied by the smoothing factor. The product would then be added to the first data item.

Using 800 as the first item, 820 as the second, 830 as the third item, and .05 as the smoothing factor the results would be:

ITEM #	VALUE	MA39	EXPLANATION
1	800	800	
2	820	801	$800 + .05 (820 - 800) = 800 + .05 (20) = 800 + 1 = 801$
3	830	802*	$801 + .05 (830 - 801) = 801 + 1.45 = 802.45$

* Rounded to the nearest integer

Moving Average Program

Line 5 clears 100 memory cells to allow the use of STRING\$ in line 150, which calls for 63 dashes. The computer clears only 50 cells on start-up. Also on this line variables E, I, L, N, P, X and Y have been defined as integers.

Line 10 arrays A(), B(), C(), D(), V() have been dimensioned to 53 to account for the years which contain 53 weeks of data. Line 20 allows for averages to be calculated for less than a year. Line 30 is an error trap.

Line 60 initializes the first "averages" equal to the first value. This is necessary for the first treatment of the data but

Program Listing

```

1 'EXPONENTIAL MOVING AVG. PROGRAM
2 'BY E. D. SHAFER, RANCHO CORDOVA CA.
3 ' MARCH 1, 1980
5 CLEAR100:DEFINT E,I,L,N,P,X,Y:L=53
10 DIM A(L),B(L),C(L),D(L),V(L)
20 INPUT"HOW MANY ENTRIES(3-53)";E
30 IF E<3 OR E>53 THEN 20
40 INPUT"ENTER YEAR";Y
50 INPUT"ENTER FIRST VALUE";V(1):CLS
60 A(1)=V(1):B(1)=V(1):
   C(1)=V(1):D(1)=V(1)
62 INPUT"IS THIS RUN ONGOING(Y/N)";B$
64 IF LEFT$(B$,1)="Y" GOSUB 500
70 FOR N=2 TO E:P=(N-1)
80 INPUT"ENTER NEXT VALUE";V(N):CLS
90 A(N)=INT(A(P)+.25*(V(N)-A(P))+.5)
100 B(N)=INT(B(P)+.14*(V(N)-B(P))+.5)
110 C(N)=INT(C(P)+.09*(V(N)-C(P))+.5)
120 D(N)=INT(D(P)+.05*(V(N)-D(P))+.5)
130 NEXT:PRINT TAB(30)Y
140 PRINT TAB(0)"WEEK";TAB(13)"VALUE";
   TAB(26)"MA-7";TAB(38)"MA13";
   TAB(49)"MA21";TAB(59)"MA39"
150 PRINT STRING$(63,"-"):X=1
160 FOR I=X TO X+11
170 PRINT TAB(1)I;TAB(13)V(I);
   TAB(26)A(I);TAB(38)B(I);
   TAB(49)C(I);TAB(59)D(I);

```

```

180 IF I=E THEN 210
185 NEXT
190 INPUT"PRESS ENTER TO CONTINUE";Z
200 X=X+12:CLS:GOTO 160
210 PRINT:INPUT"PRINT RESULTS(Y/N)";A$
220 IF LEFT$(A$,1)="Y" THEN 240
230 END
240 LPRINT CHR$(31):LPRINT TAB(6)Y
250 LPRINT CHR$(30):LPRINT CHR$(15)
260 LPRINT TAB(0)"WEEK";TAB(6)"VALUE";
   TAB(13)"MA-7";TAB(19)"MA13";
   TAB(25)"MA21";TAB(31)"MA39"
270 LPRINT CHR$(14)
280 FOR I=1 TO E
290 LPRINT TAB(1)I;TAB(7)V(I);
   TAB(13)A(I);TAB(19)B(I);
   TAB(25)C(I);TAB(31)D(I);
300 NEXT:END
500 PRINT"TO CONTINUE WITH A NEW YEAR"
510 PRINT"ENTER THE LAST AVERAGES FOR MA-7"
520 PRINT"MA13, MA21, AND MA39"
530 PRINT"FROM PREVIOUS YEAR"
540 INPUT"ENTER LAST MA-7";A(0):CLS
550 INPUT"ENTER LAST MA13";B(0):CLS
560 INPUT"ENTER LAST MA21";C(0):CLS
570 INPUT"ENTER LAST MA39";D(0):CLS
580 A(1)=INT(A(0)+.25*(V(1)-A(0))+.5)
590 B(1)=INT(B(0)+.14*(V(1)-B(0))+.5)
600 C(1)=INT(C(0)+.09*(V(1)-C(0))+.5)
610 D(1)=INT(D(0)+.05*(V(1)-D(0))+.5)
620 RETURN

```


will not be used for ongoing calculations beyond the first year. It will take as many calculations as the span of the moving average before the "correct" average will be derived. For example, a span of 39 will require 39 calculations before the proper moving average will result. When you rerun the program for a subsequent year you don't want to throw away data in this fashion so I have inserted lines 62 and 64 to avoid this problem. Lines 62 and 64 set up a subroutine to allow the last averages from the previous run to be input.

Lines 70 through 130 provide a loop for inputting the data and calculating the four moving averages as the data are input. Lines 130 through 150 set up table headings. Lines 160 through 185 provide a loop to print to the screen 12 lines of data.

Line 190 stops the screen scroll until data have been transcribed. Pressing "Enter" sets up the process again for the next 12 lines of data, and so forth, at line 200.

Line 180 escapes the loop when all the data have been calculated and calls for a decision to print results or to end the program. At this point the remainder of the program can be eliminated if you don't have a printer. For those with a line printer, modifications may be needed in the program to account for different types of commands. I have a Radio Shack Quickprinter and the program is coded to use that printer's requirements.

Line 240 sets the size of type to 20 characters per line (CHR\$(31)) and prints the year in that size. Line 250 resets the type size to 40 characters per line (CHR\$(30)) and sets up an underline feature (CHR\$(15)).

Line 260 prints the headings for the table and underlines them. Line 270 turns off the underline feature (CHR\$(14)). Lines 280 through 300 print out all the data using a FOR/NEXT loop. Lines 500 through 620 contain the subroutine for continuing calculations beyond the first year.

Be sure, when plotting these moving averages, to move each average back one half span on the charts. The seven week average should be plotted at the fourth week back; the 13 week average, seven weeks back; the 21 week average, 11 weeks back; and the 39 week average, 20 weeks back. When this is done you'll notice that the average bisects the prices according to the cycles it is revealing.

I suggest you plot only one average span per chart and then create an upper and lower channel boundary to the price display by plotting lines vertically equidistant from the average which encompass the highs and lows. You will thus have a channel within which the prices have historically fluctuated and within which they should continue to move in the near future.

Anyone who would like to discuss either the program or the moving average analytical techniques in further detail can write to me c/o *Personal Computing*, 1050 Commonwealth Ave., Boston, MA 02215. □

Sample Run

1980					
WEEK	VALUE	MA-7	MA13	MA21	MA39
1	826	832	834	838	841
2	847	836	836	839	841
3	868	844	840	842	842
4	875	852	845	845	844
5	881	859	850	848	846
6	884	865	855	851	848
7	897	873	861	855	850
8	874	873	863	857	851
9	861	870	863	857	852

MARK GORDON COMPUTERS

DIVISION OF MARK GORDON ASSOCIATES
15 KENWOOD ST., CAMBRIDGE, MASSACHUSETTS 02139
(617) 491-7505

SORT-80

Produced exclusively for Mark Gordon Computers by SBSG

TRS-80* disk files may be sorted and merged using SORT-80, the general purpose, machine language, sort program. Written in assembly language for the Z-80 microprocessor, it can:

- Sort files one disk in length
- Sort Direct Access, Sequential Access and Basic Sequential Access files
- Reblock and print records
- Recontrol files from disk
- Be executed from DOS
- Be inserted in the job stream
- Allow parameter specification
 - input/output file specification
 - input/output record size
 - lower/upper record limit
 - print contents of output file
 - input/output file key specifiers

The minimum requirement is a 32K TRS-80* Level II computer with one disk drive or a single drive Model II computer. It will operate on 35, 40 and 77 track drives, and has been tested on TRSDOS 2.1, 2.2, 2.3, NEWDOS 2.1, 3.0, and VTOS 3.0.1. It is compatible with most machine language printer drivers. Sort time is fast: for example, a 32K file will sort in approximately 40 seconds. **\$59.**

InfoBox is the easiest-to-use information manager available for the TRS-80*. It's ideal for keeping track of notes to yourself, phone numbers, birthdays, inventories, bibliographies, computer programs, music tapes, and much more. This fast assembly language program lets you enter free-format data, variable length items and lets you look up items by specifying a string of characters or words that you want to find. You can also edit and delete items. Items entered into InfoBox can be written to and read from cassette and disk files. All or selected items can be printed on a parallel or serial printer. InfoBox occupies 3K. Specify cassette or disk version. Special introductory price **\$24.95** until June 15; **\$29.95** after.

VISA



*TRS-80 is a Tandy Corp., Trademark

How to write for Personal Computing

You've written the programs we want to publish. You — the *Personal Computing* readers — are using your computers in businesses, homes, offices and schools. Other readers, just as software-hungry as you, are eager to try out your programs, your applications and your techniques. So why not share what you've done by submitting an article to *PC*?

It's easier than you might think. Remember: we're more interested in practical programs and useful applications than in fancy prose. And our editorial staff stands ready to help with any problems you encounter in writing your article; just give us a call at (617) 232-5470.

Here are some handy guidelines to help you get started.

First, decide what kind of article you want to write. Do you have a *business program* that will help an executive, salesman, doctor, lawyer or shopkeeper function more efficiently? Think about how businesses can benefit from microcomputers — not only in the obvious areas of inventory, accounting and payroll, but in all departments and levels right up to the president's desk. Financial and marketing analysis, time management, planning, material handling, product design and cost accounting are areas ripe for creative programming.

How do you use your computer for *home and personal applications* in your living room, kitchen, study or den? Again, think beyond the obvious areas of checkbook balancing and budgeting (though these areas are far from exhausted) to other applications. Hobbies, home management, household inventory, gardening and landscaping, personal income and expense analysis, personal mailing lists and word processing are just a few ideas to spark your imagination.

What *education programs* have you written for children, adults, professionals, businessmen and teachers? Computers can not only teach children basic subjects such as spelling, math, geography, economics, civics, grammar, literature and science, but can help adults review or sharpen skills in these areas as well. How else can computers function in or out of the classroom to aid learning? To help teachers and administrators?

Are you proficient in some programming technique or special computer area you could explain in

a *tutorial article*? How do you save time, money, computer memory or frustration when programming or using your computer? Others can benefit from the same techniques you use.

Computer games, history, humor and fiction are other areas rich in article and story ideas.

Your second step is to write the text of the article. Remember, readers aren't familiar with your program. So explain in detail what the program does and how it does it. Include here the overall structure of your program as well as any special algorithms or routines you've used. Give suggestions for modifying or expanding the program for other applications, other businesses or other situations.

Third, prepare your supporting documentation. Include at least a program listing and one or two sample runs, and add program notes to explain any special commands used or other special features of your program. Use charts, diagrams, figures and photos if they help explain your program and its use.


Finally, mail your manuscript. Address it to: Don Wood, Managing Editor, *Personal Computing Magazine*, 1050 Commonwealth Ave., Boston, MA 02215.

A few suggestions: All submissions should be original, typed (*not* all CAPS), double-spaced and neat. Please include your name and address on the first page of the article and enclose a self-addressed, stamped envelope for return of material.

Since we photograph program listings and sample runs exactly as you send them to us for publication in the magazine, please be sure you use a fresh ribbon for computer printouts. If you don't have a printer, you can type your listings single spaced; but again, be sure you use a new ribbon. (If your program relies heavily on graphics, you can photograph sample runs from your CRT. But take care to avoid distortion due to the curve of the screen.)

Feel free to call us if you have any questions or want to discuss specific ideas. We can give you feedback and suggest appropriate slants and approaches.

We're always looking for fresh, original ideas. While these guidelines will help you in preparing material for *Personal Computing*, don't assume we don't want your idea just because it's not mentioned here. Let us and our readers know what *you're* doing with your computer.



Problem Solving and Computers

BY DAVID LUBAR

Problem solving and computers? While this seems like a connection that is too obvious to mention, there are times when users overlook the problem-solving potential of their micros. Consider the following situation: In the middle of writing a program, you encounter a snag which sends you to the manuals in search of information. The answer might not be there, or it might be so well buried in a footnote that your quest begins to resemble a snark hunt. There is an easier approach. Let the computer provide the solution.

This article covers two topics; getting the computer to solve problems about itself, and solving the problem of how to get the computer to solve problems about itself. (If you made it through that, the rest is easy.)

First, a simple example using a FOR/NEXT loop.

```
100 FOR I=1 TO 10
110 IF MID$(X$,I,1)="P" THEN 140
130 NEXT I
140 SCORE=I*5
```

Here, if P is found, the value of I at that point is used to assign a value to the variable SCORE. But what if P isn't found? Will the value of I be 10 or 11? (You might already know the answer to this; I said it was simple.)

Rather than search the manuals, you can get the answer with a short program. What would the program be like? First, it would contain a loop, since that is the function being investigated. And there would be a line which prints the value of the loop variable after the loop is finished. This would do the job:

```
10 FOR I=1 TO 10
20 NEXT I
30 PRINT I
```

After one RUN, you have the answer. To develop an overall approach to problem solving, we'll look at a number of questions and their solutions. The problems can be divided into two types:

1. What will the computer do with this data?
2. What will happen when the computer performs these commands?

In most cases, the approach will be to set up the situation under question along with lines to print the required information.

Problem: To change the sign of a variable, do you have to multiply the variable by -1?

You know that $X = -1 * X$ will change the sign of X. Will $X = -X$ do the same job? A short program sets up the situation and prints the result.

```
10 X=5
20 X=-X
30 PRINT X
```

This program will provide the answer. What if X starts out with a negative value? If you don't know the answer, use the above approach to find out.

When more than one variable is involved, the process is basically the same. The only difference is that

more output is needed. In such cases, the output should be organized in an understandable manner. The following example demonstrates this point.

Problem: How accurate is your computer?

You probably know a bunch of specifics such as the length of floating point numbers in your system. But, in a practical application, what sort of accuracy can you expect? A quick way to test pocket calculators is to take the square root of a number, and then square the result. Will the value lost going one way be regained going the other way? And will the magnitude of the number make any difference?

The squared square-root test can be applied to a computer. Again, the first step is to set up the function you want to investigate. Since many values will be checked, a loop would come in handy. Setting up the function in a loop, we get:

```
10 FOR I=2 TO 1000: REM THE END VALUE DEPENDS
ON YOUR PATIENCE AND CURIOSITY.
20 X=(SQR(I)^2
```

Now, the data has to be produced in a meaningful way. We want to see each number, and see the result of squaring its square root. Columns can usually be used to give a readable output.

So the numbers won't fly by, add a delay loop. And, to further increase readability, you can add a blank line between printouts.

```
40 FOR J=1 TO 200: NEXT J: PRINT
50 NEXT I
```

Using this program, you can find out how your machine treats this calculation, and see whether large numbers are handled in a different manner.

The above program can be refined slightly. Since numbers which are perfect squares will obviously return integers in the above function, the data could be confusing. To remove such numbers, add the line:

```
15 IF SQR(I)=INT(SQR(I)) THEN 50
```

If your test program deals with several variables, you might want to add lines such as: 100 PRINT "X=";X or 100 PRINT "THE VALUE OF THE INITIAL VARIABLE IS ";X.

One more idea: If the test program uses a number of variables, and each variable will be tested for several values, time can be saved by using "constants." The pseudo-constants will be used to give values to the test variables. For example:

```
10 A=5: B=7
20 X=(A*B)/A + (A*B)/B
```

To test different values, just change the first line. To stray from the topic for a moment, it should be mentioned that this technique is a great time saver when you are developing a program. Say, for example, you are trying to format printout. Rather than having a number of lines with the statement TAB (7), and changing all these lines whenever you want to try a

different setting, just use TAB (T). In this way, different TAB settings can be investigated merely by changing the value of T. (Note to Apple users: In a large lores graphics program, use COLOR=A, COLOR=B, and so on. This simplifies the process of finding the right color combination.)

Let's look at some problems that don't involve data. What happens if a program ends in a subroutine? For example:

```
10 GOSUB 100
```

```
100 REM REST OF PROGRAM IS HERE
```

Call the first subroutine A. Now, A can also contain GOSUBs, which, on RETURN, will give control back to A. But if the number of GOSUBs in A equals the number of RETURNS, the program will end without going back to the original GOSUB. If such a program is RUN more than once, will the lack of that final RETURN cause the program counter to overflow, or cause some sort of error message?

The best way to find out is with a short program.

```
10 GOSUB 20
```

```
20 PRINT "A": REM USE A PRINTOUT TO
```

```
SEE WHEN THE PROGRAM REACHES THIS POINT
```

RUN this a number of times. Or, if your Basic allows, add 30 RUN. Then sit back for a while and see if an error occurs.

What will your machine do if it expects a numerical input but gets a letter, or vice versa? What happens if a loop variable is given a new value inside the loop? Don't go to the manual. Find out from the computer.

Problem: When is a line really lost?

If you type 100, followed by a return, any former

line 100 will no longer LIST. But has the line been removed from memory? In this case, a simple program won't provide the answer. But a simple technique will.

Start with nothing in memory (turn the power off for a few seconds). Enter a line with a single statement, such as: 10 PRINT "TEST".

After this, enter the monitor. (If your machine doesn't allow access to the monitor, use a loop that PRINTs a series of PEEKs.) Somewhere right below HIMEM will be a series of numbers representing the line of Basic (it should stand out since it will be surrounded by nothing but 00s or FFs.) Write this series down. Now, go back to Basic and erase the line by typing its number followed by a return. Check the monitor again. Are the original numbers still there? If not, the line is really gone. If the numbers are still there, or are there with some small changes, then the line isn't lost. Some actions will definitely erase lines (turning off the power is one example), other actions just change the pointers to a line or alter some of the data in the line. Try the above technique with NEW, DEL, and any other commands you can think of. Then see if the line is really lost.

Since there are a large number of ways in which commands and data can be combined, and a limit to the amount of documentation that a vendor can provide, questions are bound to arise for which the answers aren't readily available. But, by setting up the right kind of program, you can find the answers. The solution might provide you with a new shortcut or trick to add to your Basic repertoire. Don't let your computer lie idle while you search through manuals. □

Personal Computing

For Your Home and Business

If you're not afraid to do it yourself with a personal computer, this is the magazine for you. We show you how to use a computer to solve all the above problems quickly and have fun doing it, not how to build or repair a computer.

Each month, our informative, easy-to-read articles bring you ready-to-use application programs; just type them in and tell your computer to run. In addition, we feature tutorial articles showing you how to plan and write your own programs, using professional methods and the latest programming techniques.

**Save 42% on home delivery of
Personal Computing and get The
Best of Personal Computing, Vol. 1
(\$7.50 value) for one dollar.
Introductory Combination Offer
\$15 for both.**

- ☐ 12 months of **Personal Computing**\$14.00
☐ **Best of Personal Computing, Vol. 1**\$7.50
☐ Combination offer of 12 months of **Personal Computing**
and **The Best of Personal Computing, Vol. 1**\$15.00

(Please print or type)

Name _____

Address _____

City _____ State _____ Zip _____

Check enclosed or charge my:

☐ Master Charge ☐ Visa

Account #

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Signature _____

Card Expiration date _____


--	--	--	--	--	--

Master Charge only:

last four digits above date

PC10

Mail to: PERSONAL COMPUTING, 1050 Commonwealth Ave., Boston, MA 02215



SIGH!
CUMBERSOME
DIFFICULT TO USE
BOMBS MY PROGRAMS
NEED MORE CONTROL
COST TOO MUCH

**Perk up your TRS-80
—with—
Level IV DOS 4.1
—and—
Level IV Basic (C)
—by—
Vernon B. Hester**

ONE PRICE INCLUDES:

35, 40, 77, or 80 Tracks
Full Utilities Package
Multi-Auto Function
Uses Less RAM Memory!

Compatible with all commonly used operative systems!

Get all the "Bells & Whistles
without the glitches & problems!

Only **\$119⁹⁵**

Limited Time Introductory Offer

\$89⁹⁵

TRS-80 & New DOS 80 are trademarks of Tandy & Apparatus Co's.

LEVEL IV PRODUCTS, INC.

32238 Schoolcraft Road, Suite F4 • Livonia, MI 48154
313-525-6200 Outside Michigan call 1-800-521-3305

Please add \$2.50 for shipping and handling.
COD add another \$1.25 plus 25% deposit;
balance certified check or cash.

*Dealers Orders Welcome
Open Tues. thru Sat. 11-7 E.S.T.*

Cash in on the Power of Pascal

—BY SAM GAYLORD—

Are there a few "old" (1964 and earlier) U.S. silver coins stashed somewhere around your house? Maybe in a Mason jar or piggy bank? If so, you are likelier a little richer than you suppose. Recent spot market prices for silver have topped out above what gold was selling for just a few years ago. As a result, many U.S. coins, when sold for their meltable silver content, yield surprisingly high returns compared to their nominal face value. Even a 1963 dime will bring you up to \$1.43 in melt value when silver is \$20 an ounce. And silver recently has been up around the \$40 mark!

Silvercoin, a program in the elegantly structured UCSD Pascal language, nicely demonstrates Pascal's computing power and syntax and, in addition, can help you mine the gold in them thar silver coins!

This program deals with the "melt value" of the coins entered as data. It does not deal with the numismatic value of interest to coin collectors. (You will find an excellent program on "Coin Collecting" by Charles D. Sternberg in the October 1979 issue of *Personal Computing*.) Silvercoin is based on the official weights of silver content published in the 1980 guide of the American Numismatic Association.

To run the program, first gather your coins in a stack — only those coins of 1964 and earlier vintage (of any denom-

ination), half-dollars minted between 1965 and 1970 inclusive, and silver dollars of any date. On a worksheet list the coins, each by face value and date. The order does not matter. For instance you might have eight coins and list them as follows:

10	1963
25	1959
50	1967
50	1960
100	1971
5	1948
10	1963
25	1961

Note that silver dollars are entered as "100". In this manner list the entire collection of coins whose melt value you wish to have computed. Now you are ready to turn the job over to your microcomputer.

With your computer on and Pascal up and running, press "X" in the command mode and when the screen displays "Execute what?" type "Silvercoin" and then simply interact with your computer according to the program prompts that will be displayed. The initialization procedure (routine) asks whether you want hard copy or not; a "yes" reply will provide you a printout of results (see Sample Runs). Next you will be asked the total number of coins being run, and the current spot silver price. The latter can be found in the financial pages of your local newspaper or by phoning your bank or brokerage office.

Next you will be asked to list the coins as described earlier, first being reminded that the program is "valid only if coins of 1964 and earlier vintage, unless half-dollars between 1965-70 or dollars of whatever date."

Now Pascal goes to work and, no matter how few coins you have, you are subject to a rather pleasant discovery — that inflation works two ways!

If you are a relative newcomer to Pascal, a study of the source text in the Program Listing can be enlightening. My own computer is the Apple II Plus with language card (48K bytes of RAM on board) and is interfaced to a Trendcom 100 scratch printer which I use primarily for listing programs and for debugging. Pascal encourages the division of lengthy, complex computing tasks into compact subroutine blocks (procedures and functions). In this program I used six procedures, each performing a specific task. Note, too, that Pascal lends itself to the use of mnemonic names and identifiers. "Listdata," "Accumulate," "Addfacevalue," and "Summarize" are examples in my program. The main program invokes these procedures as subroutines; the procedure calls utilizing the procedure names. This makes it easier for other programmers to follow the thread of the text.

Try this Pascal program on your own computer; discover the riches in this sophisticated computer language. What's more, discover the riches hidden in that coin bank or Mason Jar! □

Sample Run

COIN	DATE	OZ. SILVER	MELTVALUE
DIME	1962	0.072	3.82
QUARTER	1956	0.191	8.05
DOLLAR	1975	0.308	12.99
HALFDOLLAR	1968	0.149	6.29
HALFDOLLAR	1944	0.356	15.03
QUARTER	1953	0.191	8.05
TOTALS		1.266	53.42

NOTE: SILVER AT \$ 42.19 PER OZ.
\$ 2.60 TOTAL FACEVALUE

COIN	DATE	OZ. SILVER	MELTVALUE
NICKEL	1972	MINIMUM	NONE
DIME	1944	0.072	2.37
DOLLAR	1978	0.308	10.22
HALFDOLLAR	1967	0.149	4.95
HALFDOLLAR	1944	0.356	11.81
HALFDOLLAR	1962	0.356	11.81
QUARTER	1946	0.191	6.33
TOTALS		1.432	47.49

NOTE: SILVER AT \$ 33.17 PER OZ.
\$ 2.90 TOTAL FACEVALUE

Program Listing

```
(*$S+*)
PROGRAM COINSILVER,
VAR COIN:ARRAY[1..100]
    OF RECORD
        DENOMINATION:10..100;
        DATE:1900..1980;
        MELTVALUE:REAL;
        SILVERWEIGHT:REAL
    END;
SILVERPRICE,TOTALVALUE,
WEIGHTTOTAL,FACEVALUES:REAL;
K,TOTALCOINS:1..100;
P:TEXT; S:STRING;

PROCEDURE INITIALIZE;
VAR REPLY:STRING;
BEGIN
    WRITELN;
    WRITE('WANT HARD COPY? ');
    READ(REPLY);
    IF REPLY='YES' THEN
        REWRITE(P,'PRINTER:');
    ELSE REWRITE(P,'CONSOLE:');
    WRITELN;
    WRITE('TOTAL NUMBER OF COINS? ');
    READ(TOTALCOINS);
    WRITE('CURRENT SILVER PRICE? ');
    READ(SILVERPRICE);
    WRITELN;
    WRITELN('VALID ONLY IF COINS OF 19
64');
    WRITELN('AND EARLIER VINTAGE, UNLE
SS');
    WRITELN('HALFDOLLARS BETWEEN 1965-
70');
    WRITELN('OR DOLLARS OF WHATEVER DA
TE');
    WRITELN;
    WRITELN('ENTER DENOMINATION (IN CE
NTS)');
    WRITELN('FOLLOWED BY MINT DATE');
    K:=1;TOTALVALUE:=0;
    WEIGHTTOTAL:=0;FACEVALUES:=0
END;

PROCEDURE ACCUMULATE(SWT,MVL:REAL);
BEGIN
    WEIGHTTOTAL:=WEIGHTTOTAL+SWT;
    TOTALVALUE:=TOTALVALUE+MVL
END;

PROCEDURE ADDFACEVALUE(D:INTEGER);
BEGIN
    FACEVALUES:=FACEVALUES+D
END;

PROCEDURE SUMMARIZE;
BEGIN
    WRITELN(P,'-----
-----');
    WRITELN(P,'TOTALS',WEIGHTTOTAL:20:
3,
    TOTALVALUE:12:2);
    WRITELN(P);WRITELN(P);WRITELN(P);
    WRITELN(P,' NOTE: SILVER AT $',S
ILVERPRICE:1:2,' PER OZ. ');
    WRITE(P,' $',FACEVALUES/10
0:1:2,' TOTAL FACEVALUE');
    WRITELN(P)
END;

PROCEDURE HEADING;
BEGIN
    PAGE(OUTPUT);WRITELN;
    WRITELN;WRITELN(P);
    WRITELN(P,'COIN          DATE  OZ.S
ILVER  MELTVALUE');
    WRITELN(P,'-----
-----');
END;
```

```
PROCEDURE COINNAME;

PROCEDURE LISTDATA;
BEGIN
    WITH COIN[K] DO
    BEGIN
        WRITE(P,S);
        WRITE(P,DATE:17-LENGTH(S));
        IF SILVERWEIGHT=0 THEN
            WRITE(P,'MINIMUM':10)
        ELSE WRITE(P,SILVERWEIGHT:9:3)

        IF MELTVALUE=0 THEN
            WRITELN(P,'NONE':11)
        ELSE WRITELN(P,MELTVALUE:12:2)
    END
END;

BEGIN
    K:=1;
    REPEAT
        WITH COIN[K] DO
        CASE DENOMINATION OF
            100:BEGIN S:='DOLLAR';
                LISTDATA END;
            50:BEGIN S:='HALFDOLLAR';
                LISTDATA END;
            25:BEGIN S:='QUARTER';
                LISTDATA END;
            10:BEGIN S:='DIME';
                LISTDATA END;
            5:BEGIN S:='NICKEL';
                LISTDATA END
        END;
        K:=K+1
    UNTIL (K>TOTALCOINS) OR (K>100)
END;

BEGIN
    INITIALIZE;
    REPEAT
        WRITE('--> ');
        WITH COIN[K] DO
        BEGIN
            READLN(DENOMINATION,DATE);
            ADDFACEVALUE(DENOMINATION);
            CASE DENOMINATION OF
                5:BEGIN
                    IF (DATE>=1942)AND(DATE<=1945
) THEN
                        SILVERWEIGHT:=5.538E-2
                    ELSE SILVERWEIGHT:=0
                END;
                10:SILVERWEIGHT:=7.154E-2;
                25:SILVERWEIGHT:=1.907E-1;
                50:IF DATE<=1935 THEN
                    SILVERWEIGHT:=7.623E-1
                ELSE IF (DATE>1935)AND(DATE<
1965) THEN
                    SILVERWEIGHT:=3.5615E-1
                ELSE IF (DATE>1964)AND(DAT
E<1971) THEN
                    SILVERWEIGHT:=1.492E-1;
                100:SILVERWEIGHT:=3.08E-1
            END; (*CASE*)
            MELTVALUE:=SILVERWEIGHT*SILVERPRIC
E;
            ACCUMULATE(SILVERWEIGHT,MELTVALUE)
        END; (*WITH*)
        K:=K+1
    UNTIL (K>TOTALCOINS)OR(K>100);
    HEADING;
    COINNAME;
    SUMMARIZE
END.
```


A COMP?TER SPEL?ING EXERCISE?

— BY JEREMY C. JONES —

Stimulate interest in spelling by putting the spelling practice into the form of a word recognition game. While this program is designed primarily for children learning to spell, it can be easily modified to be more challenging with harder words and more missing letters.

Designed to run on standard Basic as much as possible, the program has been running on both Ohio Scientific ROM and disk-based computer systems.

The exercise starts by selecting a word from a word list. This word is then displayed with a randomly chosen

letter missing. The computer asks you for the missing letter. After three tries, the system advances to the next randomly chosen word.

Scoring is very easy to add by putting counters in the right answer section and in the new word generation section. Scores may be used to add difficulty feedback for the student. This may be done by (1) selecting shorter or longer words depending on the person's score, (2) having the DATA file of words consist of increasingly difficult words from the beginning to the end of the file. In either case, the purpose is

motivation. It's clear that too easy a spelling quiz is boring, and that too hard a quiz is frustrating. By adjusting the difficulty, you can stay between too hard and too easy and avoid a boring and frustrating exercise. □

Jeremy Jones is Program Advisor to the Computer Science Program at Chaminade University of Honolulu, and also owns and manages an Ohio Scientific computer store. He is a flight instructor, retired professional trombonist and has graduate degrees in mathematics and physics.

Sample Run

COM?UTER

WHAT'S THE MISSING LETTER ?P

YOU'RE RIGHT!

P?RSON

WHAT'S THE MISSING LETTER ?A

LET'S TRY IT AGAIN

WHAT'S THE MISSING LETTER ?E

YOU'RE RIGHT!

OW?

WHAT'S THE MISSING LETTER ?E

LET'S TRY IT AGAIN

WHAT'S THE MISSING LETTER ?N

LET'S TRY IT AGAIN

WHAT'S THE MISSING LETTER ?S

THIS ONE IS PRETTY HARD


LET'S TRY ANOTHER ONE. OK?

ARITH?ETIC

WHAT'S THE MISSING LETTER ?M

YOU'RE RIGHT!

Program Listing



```
10 REM-- SPELLING QUIZ
20 REM JEREMY JONES 11-28-79
30 REM 808-732-5246
40 REM COMPUTER SCIENCE PROGRAM
50 REM CHAMINADE UNIVERSITY
60 REM HONOLULU, HAWAII 96816
70 MG = 2 : REM SET MAXIMUM NUMBER OF TRIES PERMITTED
80 DEF FNR(X) = INT(1+RND(1)*X)
90 REM GENERATES RANDOM INTEGERS
100 REM FROM 1 THROUGH X TO BE USED FOR
110 REM SELECTING WORDS AND LETTERS
120 REM RANDOMLY. NOTE: SOME BASICS REPLACE
130 REM RND(1) WITH RND(0) AND BEGIN WITH
140 REM THE KEYWORD RANDOMIZE
150 REM-- COUNT WORDS IN LIST
160 N = 0 : REM CLEAR COUNTER FOR COUNTING
170 READ D$: REM GET NEXT SPELLING WORD
180 : IF D$="EOF" THEN 210 : REM EXIT WITH COUNT WHEN DONE
```


Continued

Illustrated by Donni Richman

Program Listing

(continued)

```
190 : N = N + 1 : REM COUNT EACH WORD IN THE DATA FILE
200 GOTO 170 : REM GO COUNT THE NEXT SPELLING WORD
210 RESTORE : REM REQUIRED FOR REREADING THE WORD FILE
220 FOR I = 1 TO FNR(N) : REM GET RANDOM WORD
230 : READ W$ : REM READ DOWN THROUGH FILE TO GET WORD
240 NEXT I
250 LW = LEN(W$) : REM FIND LENGTH OF SPELLING WORD
260 RL = FNR(LW) : REM PICK RANDOM LETTER FROM WORD
270 L$ = MID$(W$,RL,1) : REM PICK OUT MISSING LETTER FROM WORD
280 REM-- DISPLAY WORD WITH MISSING LETTER
290 NG = 0 : REM PREPARE TO COUNT NUMBER OF GUESSES
300 FOR I = 1 TO LW : REM SCAN THROUGH THE WORD
310 : C$ = MID$(W$,I,1) : REM PICK OUT EACH LETTER FROM WORD
320 : IF I = RL THEN C$ = "?" : REM REPLACE ONE LETTER WITH ?
330 : PRINT C$;
340 NEXT I
350 PRINT: PRINT: PRINT : REM THREE LINE FEEDS
360 PRINT " WHAT'S THE MISSING LETTER ";
370 INPUT G$ : REM GET THE PERSON'S GUESS
380 NG = NG + 1 : REM COUNT NUMBER OF GUESSES
390 REM SCORE KEEPING COUNTERS COULD BE INSERTED IN THIS SECTION
400 IF G$ = L$ THEN PRINT:PRINT " YOU'RE RIGHT! ": GOTO 480
410 IF NG > MG THEN 440 : REM TOO MANY TRIES = TOO HARD
420 PRINT: PRINT"LET'S TRY IT AGAIN ": PRINT
430 GOTO 360 : REM LET THE PERSON TRY AGAIN
440 REM--- OUT OF TRIES SECTION
450 PRINT: PRINT
460 PRINT"THIS ONE IS PRETTY HARD."
470 PRINT" LET'S TRY ANOTHER ONE. OK?": PRINT: PRINT
480 REM--- GO TRY ANOTHER SPELLING WORD SECTION
490 GOTO 210
500 REM ----- INSERT YOUR OWN WORD LIST HERE -----
510 DATA APE, ELEPHANT, COMPUTER, SCHOOL, OWL
520 DATA THINK, HOME, RAIN, WRITE, TELEPHONE
530 DATA ONLY, MATHEMATICS, ARITHMETIC, CLASS
540 DATA CLOWN, MACDONALDS, HAMBURGER, SHAKE
550 DATA FOOD, ANIMAL, PERSON, SPAGHETTI, NOODLE
600 DATA EOF : REM --- EOF MARKS THE END OF OUR SPELLING FILE
```



Share Your Home Programs

How do *you* use your computer at home? Family finances? Budgets? Meal planning? Entertainment? Teaching the kids? Word processing? Home security? Investment planning? Helping with your *other* hobby?

Our readers are as software-hungry as you. So why not share the home applications programs you've developed? Send us an article describing your application and the program you wrote to implement it. Be sure to include a program listing and sample run.

Remember, readers aren't familiar with your program. So explain in detail what the program does and how it does it. Include here the overall structure of your program as well as any special algorithms or routines you've used. Give suggestions for modifying or expanding the program for other applications or other situations.

All submissions should be original, typed (not all CAPS), double-spaced and neat. Include your name and address on the first page of the article and enclose a self-addressed, stamped envelope for return of material. Also, please use a fresh ribbon on your printer for program listings and sample runs.


Feel free to call us at (617) 232-5470 if you have any questions or want to discuss specific article ideas.

Mail your manuscript to:

Don Wood, Managing Editor
Personal Computing
1050 Commonwealth Ave.
Boston, MA 02215

Alice In Wonderland

BY HUGO T. JACKSON



Having worked on large mainframe machines for many years, I admit I was quite smug in my condemnation of computer games, which I thought were a rather sad application of human intellect. But give purists their own computers to play with and I'll guarantee one of the first ten programs they'll write will be a game. At least that's the way it was with me, except that this game was the second program I wrote. So much for strength of character!

"Alice in Wonderland" was inspired by the February 1978 cover of *Personal Computing*, which called to mind the trials and tribulations Alice experienced in her quest to find home after falling down the rabbit hole. On reflection, I realized the scenario was aptly suited to computer adaptation.

Though I was very anxious to remain faithful to the book, I had at the time only 4K of memory to work with so it became necessary to limit the game's complexity. If you have more memory at your disposal, I urge you to develop and implement the suggestions at the end of this article for expansion of the basic game.

The object of the game is for you (in the role of Alice) to find the Rabbit before finding the Queen. Four additional factors will hinder your finding the Rabbit, but I'll tell you about them later.

The "playing board" (see Figure 1) can best be described as a large, six-sided polygon which is subdivided into a number of equilateral triangles. At each angle and at each intersection is a room. The rooms are numbered from one to nineteen, and each room is connected by tunnels to the other rooms. Alice moves from room to room, finding out as she goes whether any of the other game characters are behind one of the doors available. By logic or by chance, Alice must choose the path which will lead her to the Rabbit.

The four characters in "Alice in Wonderland" are the Rabbit, the Queen, the Mad Hatter and, of course, Alice. The placement and subsequent movement of the individual pieces are as follows.

The Mad Hatter is one of the complications I spoke of earlier. He is randomly in one of the nineteen rooms at the beginning of the game. Upon com-

pletion of every turn, he is randomly relocated but will never be placed in the same room with Alice or the Queen. If Alice enters the room the Mad Hatter presently occupies every piece will be randomly repositioned on the board (including Alice). The purpose of the Mad Hatter is to destroy any logical constructions you may have made with respect to the location of the Queen or the Rabbit. *Warning:* The Mad Hatter could well be sharing a square with the

*"I've often seen
a cat without a
grin . . . but a
grin without a
cat?" — Alice*

Rabbit. You do not win the game if you enter the Rabbit's room when the Mad Hatter is there as well. While the computer will tell you that the rabbit was there, all the pieces will be relocated. Should you ever encounter this situation, try to control the urge to put your fist through the video monitor.

The Queen is placed in one of the nineteen rooms at the beginning of the game. She will remain there unless Alice meets with the Mad Hatter, in which case she will be relocated. Should Alice meet with the Queen, you lose the game.

The Rabbit is placed and relocated according to the same criteria as the Queen. If Alice finds the Rabbit, you've demonstrated your superior capacity for higher level logic by having won the game.

Alice is placed in one of the nineteen rooms at the beginning of the game. From that point, however, you choose the path Alice will take. From the doors displayed, the computer will ask you to choose one. This procedure will continue, with Alice going from room to room until you encounter one of the other characters.

At this point, you may wonder how much skill is required for winning the game. Rest assured that it's not as easy as it appears — for in addition to the Mad Hatter there's another complication to diminish your chances of success.

If you've read *Alice in Wonderland*, you may recall that the doors through which she travelled were of different sizes. As it was in the book so it is in this game. At the beginning of each game the computer determines whether Alice is to be large or small. If she is small, she cannot pass through a large door and similarly if she is large she is unable to pass through a small door.

Lest you feel that the introduction of this underhanded aspect of the game now makes it too difficult, you are provided with three "eat me's" and three "drink me's" at the beginning of the game. As in the book, a "drink me" will make Alice small if she is large, and an "eat me" will make her large if she is small. The computer will automatically decrement the correct counter when you pass through a door that is not compatible with her current physical size.

Warning: Should you use up all your "eat me's" or "drink me's", you can only pass through those doors which are the same size as Alice. As the door sizes are randomly determined before each turn, you could well be presented with doors which are all of the same size. If this happens after you have used up all your food and are unable to pass through any of the doors because of your present size, the game is stalemated and ends. While this is not as bad as running into the Queen, it may indicate that a new strategy is required.

This program was originally written on a TRS-80 with Level I Basic and 4K of RAM. Since that time, however, I've upgraded my machine to Level II. The Program Listing shows the Level II program. Level I owners will need to delete the DIMENSION statement and replace the logical AND and OR operators with Level I's "*" and "+". If you have only 4K of RAM, you'll need to use all the Level I command contrac-




Figure 1: The "playing board" showing all nineteen rooms and the connecting corridors. I have found the game to be a lot more interesting if it is played without the benefit of this "map."

Hugo Jackson is a freelance writer and forms analyst with the Canadian federal government. He is currently working on an instruction manual that will serve as a basic introduction to Z-80 Assembler language.




Figure 2: You're down the rabbit hole and at the moment you have six doors from which to choose. As you are "small," the decision to enter doors 4 or 5 will result in you having to take an "EAT ME" in order to pass through these large doors.




Figure 3: Later in the game, you have already hit the Mad Hatter and barely escaped being caught by the Queen. You have used an "EAT ME" and a "DRINK ME" and you now have only two of each left. There are three doors and one leads to the Rabbit.



Figure 4: Congratulations! You were right. The Rabbit was indeed hiding behind door number 1. You win the game...but was it skill or luck? How can you be sure? Perhaps you will think twice before you jump down the rabbit hole again!

tions to get the whole program to fit in your machine. As the program is fairly straightforward, owners of other computers should experience little difficulty in adapting this game to their own machine.

In developing this program, as with others I have tackled, I was faced with the choice of making the program either more intricate or more interactive. As I favor interaction, which is quite costly in terms of memory, I was unable to incorporate all the subtleties I would have liked. So I invite fellow programmers with more memory at their disposal to implement the following additions to "Alice In Wonderland":

Cheshire Cat: I envision the Cheshire Cat's role as one of a red herring: If

Alice is in a room with a door that leads to the Cheshire Cat, you will be told that the Rabbit is near. How frustrating when, confident of success, you open the door only to find the Cheshire Cat. This might be a good place for rearrangement of the pieces.

Tweedledee and Tweedledum: They are placed together in the same room and upon meeting them Alice may ask either (but not both) one question: "Is the Rabbit in Room No. ???" The question will be answered by a "yes" or "no." To make it more intriguing, try programming them so that one twin tells the truth and the other always lies. This would be randomly determined at the start of each game. After Alice has left the twins, they should be randomly

relocated on the board. To complicate matters even more, Tweedledee and Tweedledum should be unable to differentiate between the Rabbit and the Cheshire Cat. Remember, even if Alice is able to determine the Rabbit's position from Tweedledee and Tweedledum, she still must reach the Rabbit and there's still the Mad Hatter to contend with.

Those are just two suggestions as to how you might improve or expand the game. If you have more memory than you know what to do with (unlikely), a quick review of Lewis Carroll's book should provide you with a lot more ideas on how to make "Alice in Wonderland" even more interesting and challenging. □

Program Listing

```

100 REM*****
110 REM
120 REM          ALICE IN WONDERLAND
130 REM
140 REM          BY HUGO T. JACKSON
150 REM
160 REM*****
170 REM
180 REM  ASSIGNMENT OF VARIABLES:
190 REM
200 REM  D = CURRENT POSITION OF ALICE
210 REM  L = INPUT VALUE FOR ALICE'S MOVE
220 REM  A = RABBIT'S POSITION
230 REM  B = QUEEN'S POSITION
240 REM  C = MAD HATTER'S POSITION
250 REM
260 REM*****
270 /
280 /
1000 DIMA(100)
1010 FORX=1TO192
1020 PRINT "ALICE IN WONDERLAND:";
1030 NEXTX
1040 FORX=1TO1000:NEXTX
1050 FORX=1TO16:PRINT:NEXTX
1060 PRINT@463,"AND IT'S DOWN
    THE RABBIT HOLE WE GO"
1070 FORX=1TO2000:NEXTX

```

```

1080 FORX=1TO16:PRINT:NEXTX
1090 CLS
1100 E=3
1110 F=3
1120 P=0
1130 K=RND(2)
1140 IFK=1PRINT@469,"ALICE, WE'RE SO SMALL!"
1150 IFK=2PRINT@469,"ALICE, WE'RE ENORMOUS!"
1160 FORX=1TO1000:NEXTX
1170 REM*** PLAYER ***
1180 D=RND(19)
1190 L=D
1200 REM*** RABBIT ***
1210 A=RND(19)
1220 IFA=DGOTO1210
1230 REM*** QUEEN ***
1240 B=RND(19)
1250 IF(B=D)+(B=A)GOTO1240
1260 REM*** MAD HATTER ***
1270 C=RND(19)
1280 IF(C=D)+(C=B)GOTO1270
1290 CLS
1300 PRINT@466,"NOW WHERE DOES THIS LEAD TO?"
1310 FORG=1TO500:NEXTG
1320 REM***CLEAR ARRAY***
1330 FORG=1TO19
1340 A(G)=0
1350 NEXTG
1360 REM*** DOORS & SIZE ***
1370 J=0
1380 RESTORE

```

continued


```

1390 FORG=1T0103
1400 READH
1410 IFH=100<>LNEXTG
1420 READH
1430 IFH>100GOTO1470
1440 J=J+1
1450 A(H)=RND(2)
1460 GOTO1420
1470 REM***PRINT THE DOORS***
1480 CLS
1490 Z=(128-(21*J))/2
1500 W=Z/2+196
1510 FORG=1T019
1520 IFA(G)=0GOTO1790
1530 IFA(G)=1GOTO1660
1540 PRINT@W,G;
1550 FORV=7T027
1560 SET(2+Z,V)
1570 SET(21+Z,V)
1580 NEXTV
1590 FORX=2+ZT021+Z
1600 SET(X,6)
1610 SET(X,17)
1620 SET(X,27)
1630 NEXTX
1640 SET(Z+17,20)
1650 GOTO1770
1660 PRINT@W+192,G;
1670 FORV=17T027
1680 SET(7+Z,V)
1690 SET(16+Z,V)
1700 NEXTV
1710 FORX=8+ZT016+Z
1720 SET(X,17)
1730 SET(X,21)
1740 SET(X,27)
1750 NEXTX
1760 SET(X-2,23)
1770 Z=Z+21
1780 W=W+10.5
1790 NEXTG
1800 REM***WHO IS CLOSE***
1810 FORG=1T019
1820 IFA(G)=0GOTO1860
1830 IFG=APRINT@662,"THE RABBIT IS CLOSE"
1840 IFG=BPRINT@727,"THE QUEEN IS NEAR"
1850 IFG=CPRINT@788,"THE MAD HATTER IS NEARBY"
1860 NEXTG
1870 REM*****SHOW THE COUNT*****
1880 PRINT@0,"EAT ME TO GROW: "
1890 PRINT@16,F
1900 PRINT@36,"DRINK ME TO SHRINK: "
1910 PRINT@56,E
1920 IF K=1 PRINT@81,"ALICE, WE'RE SO SMALL";
1930 IF K=2 PRINT@81,"ALICE, WE'RE ENORMOUS";
1940 REM***INPUT THE TURN***
1950 PRINT@832," "
1960 PRINT@896," "
1970 PRINT@960," ";
1980 PRINT@831," ";
1990 INPUT"ALICE, WHICH DOOR SHOULD
WE GO THROUGH";L
2000 IFINT(L)=LGOTO2040
2010 PRINT@832,"ALICE, THIS IS HARDLY
THE TIME FOR JOKES"
2020 FORG=1T02000:NEXTG
2030 GOTO1950
2040 IF(L<1)+(L>19)GOTO2010
2050 IFA(L)<>0GOTO2100
2060 PRINT@832,"BUT ALICE, THERE'S NO DOOR
LEADING TO THERE!"
2070 FORG=1T02000
2080 NEXTG
2090 GOTO1950
2100 IFA(L)=KGOTO2480
2110 IFK=2GOTO2300
2120 IFF<>0GOTO2260
2130 FORG=1T019
2140 IFA(G)=1GOTO2220
2150 NEXTG
2160 CLS
2170 PRINT@340,"I GUESS THAT'S IT FOR US!"
2180 PRINT@403,"ALL THE DOORS ARE ENORMOUS,"
2190 PRINT@473,"AND WE'RE TINY"
2200 PRINT@529,"AND WE'RE ALL OUT OF EAT ME'S"
2210 GOTO2710
2220 PRINT@832,"WE'RE OUT
OF EAT ME'S ALICE,
WE CAN'T GO THERE"
2230 FORG=1T01000
2240 NEXTG
2250 GOTO1950
2260 F=F-1
2270 K=2
2280 P=1
2290 GOTO2480
2300 IFE<>0GOTO2440
2310 FORG=1T019
2320 IFA(G)=2GOTO2400
2330 NEXTG
2340 CLS
2350 PRINT@413,"THAT'S IT"
2360 PRINT@469,"ALL THE DOORS ARE TINY"
2370 PRINT@538,"WE'RE SO BIG"
2380 PRINT@591,"AND WE'VE FINISHED OFF
THE DRINK ME"
2390 GOTO2710
2400 PRINT@832,"THERE'S NO DRINK ME LEFT,
WE CAN'T GO THERE"
2410 FORG=1T01000
2420 NEXTG
2430 GOTO1950
2440 E=E-1
2450 K=1
2460 P=1
2470 GOTO2480
2480 IFL<>0GOTO2530
2490 CLS
2500 PRINT@405,"CURTAINS FOR US ALICE!"
2510 PRINT@473,"IT'S THE QUEEN!"
2520 GOTO2710
2530 IFL<>0GOTO2610
2540 CLS
2550 PRINT@403,"OH NO, IT'S THE MAD HATTER!"
2560 IFL<>0GOTO2580
2570 PRINT@463,"AND ALICE, THE RABBIT WAS
THERE!!!"
2580 FORG=1T01000
2590 NEXTG
2600 GOTO1170
2610 IFL<>0GOTO2660
2620 CLS
2630 PRINT@407,"WE'RE SAVED ALICE!"
2640 PRINT@469,"YOU FOUND THE RABBIT!!"
2650 GOTO2710
2660 D=L
2670 IFF<>1GOTO2700
2680 P=0
2690 GOTO1230
2700 GOTO1260
2710 FORX=1T04000:NEXTX
2720 CLS
2730 PRINT:PRINT:PRINT:PRINT:PRINT:PRINT:PRINT
2740 INPUT" WOULD YOU LIKE TO PLAY
AGAIN";A#
2750 CLS
2760 IF A#="YES" OR A#="Y" GOTO 1060
2770 CLS
2780 PRINT@473,"BE SEEING YOU!"
2790 PRINT:PRINT:PRINT:PRINT:PRINT
2800 DATA101,2,3,5,6
2810 DATA102,1,4,5
2820 DATA103,1,6,7
2830 DATA104,2,5,8,9
2840 DATA105,1,2,4,6,9,10
2850 DATA106,1,3,5,7,10,11
2860 DATA107,3,6,11,12
2870 DATA108,4,9,13
2880 DATA109,4,5,8,10,13,14
2890 DATA110,5,6,9,11,14,15
2900 DATA111,6,7,10,12,15,16
2910 DATA112,7,11,16
2920 DATA113,8,9,14,17
2930 DATA114,9,10,13,15,17,19
2940 DATA115,10,11,14,16,18,19
2950 DATA116,11,12,15,18
2960 DATA117,13,14,19
2970 DATA118,15,16,19
2980 DATA119,14,15,17,18
2990 DATA200




```

continued

Modems

Your Link to the World

BY KEN MAZUR



Hello? Hello? Mainframe, are you there?

When you use your microcomputer system to "talk" to other micros or mainframe machines over standard telephone lines, you have to get involved with a piece of equipment known as a "modem." With a modem, you can change your micro from an isolated unit to one that can link its capabilities to other machines of a similar nature or even tie into mainframe units located hundreds of miles away.

To link into the two most prominent, consumer oriented microcomputer networks (CompuServe Information Service and The Source; for a detailed explanation of networking see the September issue of *Personal Computing*), your modem must have the following characteristics: it must be capable of transmitting data at up to 300 bits per second (often referred to as 300 baud); it should be a full duplex model (CIS can handle a half duplex unit but full duplex is recommended by the firm); it must be able to operate in an originate mode; and it must be compatible with the Bell 103 modem. You also need a serial interface.

For a person shopping for a modem, modem terminology might be confusing. To resolve some of the confusion, let's cover the basic principles of

modems first and then discuss characteristics that may vary from unit to unit.

A modem serves two basic functions: it converts the digital signals used by your microcomputer (or terminal) into a form that can be transmitted over standard telephone lines; and it takes signals coming over a phone line and converts the signals into a form that your computer will recognize. The process of conversion is called modulation while the decoding process is known as demodulation — hence *modulator/demodulator* or *modem*.

The need for a device to translate signals arises from the differences between the signals a microcomputer uses and the signals of a standard, voice-grade telephone line. Your computer recognizes signals called pulses or square waves (see Figure 1). A pulse is there or it isn't; there's no in between. Your telephone line, on the other hand, is designed to carry analog signals which are represented by means of continuously variable physical quantities. To illustrate, a digital signal may have a "high" represent a 1 (or a "yes" or an "on") and a "low" represent a 0 (or a "no" or an "off"). Those are the only two distinctions a digital signal can make. An analog signal not only has highs and lows, but can take on values in between as well.

The basis of an analog signal is a continuously cycling voltage known as a carrier signal. For any given communications line, the volume (amplitude) and tone or pitch (frequency) of the carrier signal is constant. A carrier signal conveys no information by itself, but by altering one of the characteristics (amplitude or frequency) of the signal, information can be transmitted over the lines. Altering these characteristics to convey information is known as modulation. In short, you're modifying the signal.

There are three commonly used techniques of modulation (see Figure 2): amplitude modulation (you vary the "volume" of the carrier signal so that one volume represents a digital 1 and another indicates a 0); frequency modulation (you have the frequency of the carrier signal represent a digital 1 while an increased frequency denotes a 0); and phase modulation (you alter the rhythm of the carrier signal). Of the three techniques, frequency modulation is most commonly used for modems that transmit at 300 bits per second (bps) or less. In the frequency modulation technique called frequency shift keying, you can increase the frequency of the carrier signal to represent a digital 0 and let the original frequency

Modem Glossary

Acoustic coupler — A variety of modem that uses a conventional telephone handset. The handset is usually placed in rubber cups protruding from the modem.

Amplitude modulation — A method of transferring data via modem in which the amplitude (loudness or volume) of a carrier signal is altered to represent digital 0s and 1s. Abbreviated AM.

Analog signal — A signal that can take on any value within a given range. (Compare with *Digital signal*.)

Asynchronous transmission — Data transmission in which each character has its own start and stop bits and there is no control over the time between characters.

Baud — A unit for measuring data transmission speed. Baud and bits per second (bps) are often used interchangeably.

Bell-compatible modem — A modem whose phone line audio signals meet Bell Telephone standards.

Carrier signal — A signal that contains no information by itself but whose characteristics can be altered to carry data.

Digital signal — A signal that takes on two distinct values representing binary 0s and 1s. (Compare with *Analog signal*.)

Frequency modulation — The most common method of transferring data via modem, in which the frequency (pitch or tone) of a carrier signal is altered to represent digital data's 0s and 1s. Abbreviated FM.

Frequency Shift Keying — A method of data transmission in which a carrier signal's frequency shifts back and forth between two distinct frequencies to designate 0s and 1s. Abbreviated FSK.

Full duplex — Pertains to the simultaneous, independent transmission of data in both directions over a communications line.

Half-duplex — Pertains to the operation of a communications link in either direction over a single channel but not in both directions simultaneously.

Hard-wired modem — A variety of modem that connects directly to a phone line, usually by plugging into the telephone's wall receptacle.

Mainframe — Synonymous with Central Processing Unit (CPU); however, with the proliferation of

microcomputers, "mainframe" is often used to refer to large computer systems.

Modem — An acronym for *modulator-demodulator*; a device used at each end of a telephone line to convert binary digital data to audio tones suitable for transmission over the line and vice versa.

Modulation — The process of altering the tone, volume or rhythm of a carrier signal to convey information.

Network — A system of interconnected computers and/or terminals. The two largest microcomputer consumer networks are CompuServe Information Service and The Source.

Originate/Answer — Two modes of operation for a modem. In the "originate" mode, the modem will utilize one set of frequencies to transmit data and another set of frequencies to receive data. In the "answer" mode, these frequency sets are reversed. For two modems to communicate, one modem must be in the "originate" mode while the other is in the "answer" mode.

Phase modulation — A method of transferring data via modem in which the rhythm of a carrier signal is altered to represent digital 0s and 1s. Abbreviated PM.

Pulse — An abrupt change in voltage (either positive or negative) that conveys digital information over a circuit.

Serial interface — Circuitry that transforms digital data from a parallel mode to a sequential mode. The most common serial interface is the RS-232.

Signal wave — An intentional disturbance in a communications line, as opposed to noise, which is an unwanted disturbance that may be caused by a number of factors.

Simplex — Pertains to a communications link that is capable of transmitting data in only one direction.

Start/stop bits — Bits transmitted immediately before and after a block (or character, in the case of asynchronous transmission) of data. The start bits alert the receiving system to expect incoming data while the stop bits signal the end of the transmission for that block.

Synchronous transmission — Data transmission in which the bits are transmitted at a fixed rate.

— By Ken Mazur



Lexicon
acoustic coupler

of the signal convey a 1.

While all of this sounds pretty technical, a modem handles the process of coding and decoding the various signals so that you don't have to worry about how the process takes place.

Before we trace a typical transmission of a byte of data, there is one other alteration that has to take place before your computer can utilize the functions of a modem.

Most processes taking place in your microcomputer deal with bytes of information (normally eight bits although some CPU registers may be dealing with 16 bits). Because a phone line doesn't have at least eight parallel wires per cable to transmit eight bits at a time, the eight bits have to be transformed from a parallel configuration to a serial mode where each of the bits is transmitted one after the other instead of the eight going out simultaneously. The transformation from parallel to serial is most often handled by an RS-232 serial interface.

In very simplified terms, the following process takes place for the transmission of the letter "A". Your

machine recognizes the character "A" (decimal 65 using the ASCII code) as an eight-bit configuration of 0 1 0 0 0 0 1 (step 1 of Figure 3). The byte "A" goes into the RS-232, which releases the bits in a serial fashion (step 2). The "pulses" of the RS-232 are received by the modem (step 3) and changed to acoustic tones for transmission over the telephone lines (step 4). When the tones reach the modem at the other end of your communications link, the reverse process occurs and an "A" is received.

While the above generally outlines the function all modems perform, there are characteristics of individual modems that vary from model to model. Some of the terms likely to be used when you are discussing the purchase of a modem will be: synchronous, asynchronous; simplex, half-duplex and full duplex; low speed, high speed; short-haul, long-haul; originate, answer; acoustic coupler and hardwired modem. These terms may seem formidably electronic but essentially they are labels for easy-to-understand concepts.

There are basically two ways for a modem to handle the transmission of data: in uneven bursts or as a continuous stream. Data entered from a keyboard is of the burst nature because

a human doesn't type in a mechanically-timed way. Data transmitted in a start-stop, start-stop fashion is called asynchronous. Data transmitted in a continuous stream (such as that from tape or disks) is referred to as synchronous.

Asynchronous transmission, in which the time interval between characters varies, is usually used for low speed transfer. Synchronization of the sending unit and the receiver is achieved by adding a bit pattern before each character transmitted. These bits, often called start-stop bits, alert the receiving unit that data will be transferred and thus establish the synchronization needed for the answering unit to interpret the data correctly. This type of transmission is ideal for data sent from a keyboard but doesn't utilize line capability very well because of the large overhead of start-stop bits that don't really have much to do with the actual data being sent.

Synchronous transmission uses line capabilities more efficiently but requires more complex circuitry and as a result the equipment generally costs more. Synchronization is achieved by using special bits at the beginning of each message, as opposed to each character. The data are sent at periodic intervals (as determined by some clocking source) in blocks such as the contents of a terminal buffer.

If you own a microcomputer or terminal that you've tied into a network like The Source or CIS, an asynchronous modem is the kind you'll want. If you own a larger business system which is used to transmit records from individual offices to a mainframe located in some other city, you should look into a synchronous modem.

Modems are also classified according to the direction of data travel. Simplex refers to modems that allow transmission in one direction or the




Figure 3. Signal conversion by modem: Step 1, bit configuration for the letter "A" as recognized internally by computer; Step 2, serial interface alters byte into serial configuration; Step 3, pulses from serial interface

received by modem; Step 4, pulses changed to acoustic tones suitable for transmission over phone lines; Step 5, when tones are received by answering modem, the reverse process takes place.

other but not both. As a result, simplex modems aren't really used much anymore. A half-duplex system is one in which information may flow in either direction on the communication link but not simultaneously. A full duplex unit allows simultaneous transmission in both directions. Many modems can operate in more than one mode (usually half and full duplex).

Speed of transmission is one of the more important factors to consider when purchasing a modem for your computer. If you plan to use the modem for linking into The Source or the CompuServe Information Service, the unit should transmit at up to 300 bps. This relatively slow speed is dictated by the quality of most dial-up phone lines. For business use (and a financial outlay of over \$6000) you can pick up a synchronous modem that will send data at 64,000 bps over high quality leased lines. Luckily, individuals who wish only to tie into a network for their own private use can get a good machine in the \$200 to \$300 range.

Most modems on the market today are considered long-haul units; that is, they are capable of functioning satisfactorily over almost unlimited distances using regular dial-up telephone lines or leased lines. You can, however, obtain short-haul (or limited distance) models designed to function with short, point-to-point leased lines. The short-haul units generally cost less than long-haul versions with similar capabilities. As an end user, you'll probably want a long-haul model, though the short-haul units will be of interest to businesspersons whose firms have their own mini-networks for data processing. Definitions of what constitutes the "short" in short-haul vary so ask what the range of any particular short-haul unit is.

Originate/answer is another characteristic that the prospective modem buyer has to consider. While some modems feature only originate or only answer, the most flexible unit is one that has both capabilities. In most instances, at least when communicating with a time-sharing data base mainframe like The Source or CIS, you will be in the originate mode and the mainframe at the other end of the line will be in the answer mode. If you are going to buy a unit that has both originate and answer functions, be sure the mode can be changed with a switch setting rather than having to play around with the wires to go from one mode to the other.

Without going into a lot of detail, putting your modem into one of the two

modes enables it to utilize certain frequencies to communicate with the modem down the line. For example: If you are in originate mode when you call the network mainframe, your modem will use a certain range of frequencies — call it "F" — to transmit. The range is due to needing one frequency of "F" to indicate a "1" and another frequency of "F" to denote a "0". In the originate mode, your modem will also use a range of frequencies "G" to receive data from the mainframe. The mainframe modem, which is set for answer, uses the "F" frequencies to receive your data while it sends data to you in the "G" range. If both modems were set to originate, they would both be transmitting in the "F" frequency range and receiving in the "G" range, which means no communication would take place at all.

The final distinction among modems will be acoustic couplers versus hard-wired modems. In an acoustic coupler, a standard telephone receiver is placed in two rubber cups on the coupler. The coupler changes digital signals from the microcomputer into acoustical tones that are transmitted through the mouthpiece of the receiver. For reception, the coupler takes the tones emitted from the earpiece and changes them into digital signals. Hard-wired modems connect directly to your phone line by plugging into the phone's wall receptacle.

Each type of modem has advantages and disadvantages. An acoustic coupler is usually less expensive than a hard-wired unit and up to a short while ago was more portable as well. The major disadvantage of an acoustic unit is that background noise in the room can often mess up transmission of data. Hard-wired modems have a tendency to be more expensive than acoustic


models and may be subject to phone company regulations. But, they don't suffer from the extraneous noise problem. Hardwired modems are constantly being redesigned and the newer models get smaller and more portable every day. Cost may be the major factor in deciding which type to purchase.

In addition to all the characteristics discussed, modems are being marketed with increasing capabilities and options. Some of the "extras" include automatic answering, automatic dialing, alternate voice/data transmission ability, equalization (a technique that compensates for transmission line inconsistencies), and diagnostic facilities (capabilities which allow the modem to test for transmit/receive problems before time is spent sending data over the lines). Remember, "extras" can raise the price of a unit considerably so be sure you're going to get full use of the "extra" before you spend a lot of money buying a unit.

A couple of final points to remember are to check on whether the modem you are interested in is compatible with the Bell modems; and, if it's a hard-wired model, whether the unit is FCC approved for direct connection to telephone lines.

Modems are an essential piece of equipment if you plan to use your microcomputer to communicate with other machines, whether micros or mainframes. They are surrounded with technical jargon but a person who knows what the terms mean and who has determined exactly what the unit will be used for will find the selection process easier to deal with. (Modem vendor guide on page 64.) □

Entrol hard-wired modem



Modem Vendor Guide

Company Name	Model name or number	Price \$	Type	Transmission	Modulation technique	Speed	Duplex	Operating mode	Distance	Bell compatible	FCC certified
Anderson Jacobson Inc. 521 Charcot Ave. San Jose, CA 95131 (408) 263-8520 <i>Circle 201</i>	A 242A	295	A	A	F	0-450 baud	H,F	O	L	Y	NA
	AJ 245	245	H	A	F	0-450 baud	F	O	L	Y	Y
Apple Computer Inc. 10260 Bandley Dr. Cupertino, CA 95104 (408) 996-1010 <i>Circle 202</i>	Micromodem II (for Apple II)	379	H	A	F	110 or 300 baud	S,H,F	O,A	L	Y	Y
Data Access Systems, Inc. 100 Route 46 Mountain Lakes, NJ 07046 (201) 227-8880 <i>Circle 204</i>	DASI 68-01	295	H	A	F	300 baud	H,F	O,A	L	Y	Y
Emtrol Systems Inc. 1262 Loop Rd. Lancaster, PA 17601 (717) 291-1116 <i>Circle 205</i>	Lynx (for TRS-80)	239.95	H	A	F	300 baud	H,F	O,A	L	Y	Y
Lexicon Corp. of Miami 8355 Executive Center Dr. Miami, FL 33166 (305) 592-4404 <i>Circle 206</i>	LEX-11	175	A	A	F	300 bps	H,F	O,A	L	Y	NA
Madzar Corp. 37490 Glenmoor Dr. Fremont, CA 94536 (415) 794-7400 <i>Circle 207</i>	Z9600	167	H	A	—	0-9600 bps	S,H,F	O,A	S (10 miles)	NA	NA
Micromint Inc. 917 Midway Woodmere, NY 11598 (516) 374-6793 <i>Circle 208</i>	Chatterbox	259.95	A	A	F	300 baud	F	O	L	Y	NA
MicroPeripheral Corp. PO Box 529 Mercer Is., WA 98040 (206) 454-3303 <i>Circle 209</i>	The Micro Connection (for TRS-80)	249	H	A	F	300 baud	H,F,S	O	L	Y	Y
Novation 18664 Oxnard St. Tarzana, CA 91356 (213) 996-5060 <i>Circle 210</i>	D-Cat	199	H	A	F	0-300 baud	H,F	O,A	L	Y	Y
	CAT	189	A	A	F	0-300 baud	H,F	O,A	L	Y	NA
Potomac Micro-Magic Inc. 3 Skyline Place, Suite 604 5201 Leesburg, VA 22041 (703) 379-9660 <i>Circle 211</i>	MM-103	359.95	H (S-100 direct plug-in)	A	F	61-600 baud	H,F	O,A	L	Y	Y
Radio Shack 1300 One Tandy Center Fort Worth, TX 76102 (817) 390-3011 <i>Circle 212</i>	Telephone Interface II (for TRS-80)	199	A	A	F	0-300 baud	H,F	O,A	L	Y	NA
Universal Data Systems 5000 Bradford Dr. Huntsville, AL 35805 (205) 837-8100 <i>Circle 213</i>	UDS 103LP	195	H	A	F	0-300 bps	F	O	L	Y	Y

Type:

A = Acoustic coupler
H = Hard-wired

Transmission:

A = Asynchronous
S = Synchronous

Modulation technique:

A = Amplitude Modulation
F = Frequency Modulation
P = Phase Modulation

Duplex:

H = Half duplex
F = Full duplex
S = Simplex

Operating mode:

O = Originate
A = Answer

Distance:

L = Long haul
S = Short haul

Bell Compatible:

FCC Registered:
Y = Yes

NA = Not applicable

4th ANNUAL NATIONAL SMALL COMPUTER SHOW

A NEW WORLD OF SMALL COMPUTERS IS AT YOUR FINGERTIPS THIS FALL

When we say "fingertips" we mean just that: a hands-on-inspection opportunity for you to try the small computers and systems that will write the history of microprocessing in the 1980's.

Manufacturers will fill over 30,000 square feet with computers, software and peripherals. Amazing strides in technology are reflected in exhibits and lecture series.

New hardware and software for business, education, the sciences and professions, graphics and personal use are being gathered for the largest and most beautifully presented National Small Computer Show ever produced.

As always, the show contains attractions for the seasoned computer professional, as well as those who wish an introduction to the exciting world of small computers for business, professional or personal use. In just a short time, you can discuss your interest with many industry leaders, vendors, technologists, and our expert lecturers.

Registration fee is only \$10 per day, and all registrants have free access to the hourly lectures.

LECTURE PROGRAM

A schedule of free lectures is available to all visitors. Lectures run about 50 minutes each, including, in most cases, some time for questions from the floor. Some topics are given twice, and, in some cases, topics of related interest are given on the same day for the visitor's convenience. (Program is subject to change without notice, but lectures will be posted daily in the show lobby.)

THURSDAY, OCTOBER 30

- Noon Introduction to Small Systems for Business, Stan Veit, Associated Computer Industries
- Noon Mailing Lists: Several Directions, Dr. Norman I. Agin, Mathtech, Inc.
- 1 p.m. Selecting a Small Computer for Business, David Benevy, Computer Mart of New Jersey

- 1 p.m. Evaluating and Improving Your Computer's Performance, Philip Grossman, Raytheon Co.
- 2 p.m. Law Office Systems Aspects of Word Processing, Bernard Sternin
- 2 p.m. Future Smart Machines: 2000 A.D. and Beyond, Dr. Earl Joseph, Sperry Univac
- 3 p.m. Computer Contracts—Facing the issues, Alan C. Verbit, Verbit and Company
- 3 p.m. Accounts Receivable/Accounts Payable/General Ledger
- 4 p.m. Using FORTRAN on a Microcomputer, Richard A. Zeitlin
- 4 p.m. Investment Analysis of Stocks and Commodities on a Microcomputer, Fred Cohen, Shearson Loeb Rhoades, Inc.

FRIDAY, OCTOBER 31

- Noon Introduction to Small Systems for Business, Stan Veit, Associated Computer Industries
- Noon BASIC Programming, Michael Mulcahey, Worcester Stage College
- 1 p.m. Selecting a Small Computer for Business, David Benevy, Computer Mart of New Jersey
- 1 p.m. Videoprints: Full-Color, Low-Cost, Hard-Copy Computer Graphics, Warren Sullivan, Image Resource Corp.
- 2 p.m. Mailing Lists: Several Directions, Dr. Norman I. Agin, Mathtech, Inc.
- 2 p.m. Business Applications Software Development via Data Base Management, Dr. Andrew Whinston, Micro Data Base Systems
- 3 p.m. Application of PASCAL to Small Systems for Business, Panel, Stan Veit, Moderator, Associated Computer Systems
- 3 p.m. Investment Analysis of Stocks and Commodities on a Microcomputer, Fred Cohen, Shearson Loeb Rhoades, Inc.
- 4 p.m. Advantages of Distributed Processing and Multi-Processing, John Steefel, Q1 Corp.
- 4 p.m. To be assigned.

SATURDAY, NOVEMBER 1

- Noon Educational Software: The Good, the Bad, the Ugly, Jo Ann Comito, S.U.N.Y. at Stony Brook

Noon Introduction to Personal Computing, RCA—Solid State

- 1 p.m. Computer-Assisted Mathematics Courses, Dr. Frank Scalzo, Queensborough Community College
- 2 p.m. Artificial Intelligence Update, Prof. Peter Kugel, Boston College
- 2 p.m. Compiling and Retrieving Personal Medical Data, Dr. Derek Enlander, St. Luke's Hospital
- 2 p.m. The Present State of CP/M Compatible Software, Tony Gold, Lifeboat Associates
- 3 p.m. High Volume Data Handling: An Introduction to File Processing, Prof. Peter Kugel, Boston College
- 3 p.m. Connecting the Computer to the Outside World, Prof. James Gips, Boston College
- 4 p.m. Educational Applications in the Home, David Ahl, "Creative Computing Magazine"
- 4 p.m. Household Applications—Some New, Dr. Dennis J. McGuire

SPECIAL SESSION: EXECUTIVE EDUCATION CONFERENCE FOR BUSY PEOPLE

This year, NSCS will present a special five-hour conference formulated as an intensive fast education for administrators and executives. The aim is to show the conferee how to cope with computers in business. No prior knowledge of computers is needed. The session will proceed on a step-by-step basis, covering computers, computer jargon, software systems, and peripherals. It will indicate how to assess computer requirements, how to talk to vendors, and how to make a system work efficiently, after you've bought it wisely.

An executive education session will be given daily for four days, Oct. 29 through Nov. 1, in the New York Coliseum. Each session is limited in attendance, and reservation must be made. Registration is on a first-come, first-served basis. Fee is \$200, and includes three-day admission to the National Small Computer Show, coffee break, and workbook materials. Please write or call the show office for session outline and registration form. (Do not use registration form in this ad for special session.)

NATIONAL SMALL COMPUTER SHOW

110 Charlotte Place
Englewood Cliffs, N.J. 07632 (201) 569-8542

REGISTRATION FOR AMERICA'S BIGGEST SMALL COMPUTER SHOW

Please register me for the 4th Annual National Small Computer Show, Oct. 30 - Nov. 1, 1980 New York Coliseum.

NAME _____

BUSINESS TITLE (If Any) _____

COMPANY (If Any) _____

TELEPHONE _____

ADDRESS _____

ZIP _____

Your company's primary business. Check one.

- | | | |
|--|---|--|
| 1 ☐ Accounting firm | 9 ☐ Engineering | 18 ☐ Personnel Agency |
| 2 ☐ Advertising/Marketing | 10 ☐ Entertainment/News | 19 ☐ Professional Services |
| 3 ☐ Banking/Insurance/
Real Estate/Credit/Securities | 11 ☐ Government/Military | 20 ☐ Research/Development |
| 4 ☐ Communications | 12 ☐ Hospital | 21 ☐ Transportation (All) |
| 5 ☐ Computer Consultant | 13 ☐ Hotel | 22 ☐ Utility |
| 6 ☐ Computer Dealer/Dist. | 14 ☐ Industrial Design | 23 ☐ Wholesale/Retail Sales |
| 7 ☐ Construction/Architecture | 15 ☐ Law Office | 24 ☐ Other (Please Specify) |
| 8 ☐ Education | 16 ☐ Management Consultant | |
| | 17 ☐ Manufacturing | |

Check your primary job function.

- | | | |
|--|--|--|
| 1 ☐ Account Executive | 9 ☐ Designer (All) | 17 ☐ Salesperson (All) |
| 2 ☐ Administrator | 10 ☐ DP/VP Manager/Operator | 18 ☐ Scientist |
| 3 ☐ Bookkeeper | 11 ☐ Doctor | 19 ☐ Skilled Laborer |
| 4 ☐ Chemist/Pharm. | 12 ☐ Engineer (All) | 20 ☐ Student |
| 5 ☐ Consultant | 13 ☐ Lawyer | 21 ☐ Teacher |
| 6 ☐ Corporate Officer | 14 ☐ Office Manager | 22 ☐ Technician |
| 7 ☐ C.P.A. | 15 ☐ Programmer | 23 ☐ Other (Please Specify) |
| 8 ☐ Creative Arts (All) | 16 ☐ Purchasing | |

Your primary interest in computers (check only one) 1 ☐ Business 2 ☐ Personal 3 ☐ Both

- ☐ ONE DAY \$10 ☐ TWO DAYS \$20
☐ THREE DAYS \$30

Mail with payment of \$10 for each day you wish to attend. Use one form per person. Registration badge will be sent by mail in early October. Check or money order only.



Mail prior to October 10, 1980.
Foreign orders: October 1, 1980.
National Small Computer Show
110 Charlotte Place
Englewood Cliffs, NJ 07632
201-569-8542

A Traveler's Restaurant Guide

—BY G. R. BOYNTON—

I am a traveler — at least in a limited sense. I go to professional meetings between six and ten times a year. And one of the pleasures of this travel is being able to eat in interesting restaurants.

For a number of years I've thought it would be nice to keep a list of restaurants in which I have eaten in order to reduce the uncertainty when I return to a city two or three years later. But that would mean a filing system I've never felt up to creating and maintaining.

Enter the Pet! What is a computer if not an information system? The result is this program which lets me keep track of where I've eaten and find out what I thought of the restaurants before taking off for that city again.

"A Traveler's Restaurant Guide" is built on the assumption that you want to keep track of a limited number of restaurants in a number of different cities. That assumption provides the basic structure of the program. This program would not be useful for a person in a metropolitan area who wanted to keep track of many restaurants in that city. But I believe there are many people who share my traveling habits.

The program operates on a series of questions and user responses, so it's a rather simple program to use.

After loading the program you're asked if the data tape is ready or if a new tape is being started. The information about restaurants is stored on a tape which must be read every time the program is used unless a new tape is being started.

Once the data tape is read or you answer "NEW", you are asked if you want to INPUT, EDIT or SEARCH. Those are the three functions performed by the program. These are separate modules in the program which

Mr. Boynton is a Professor and Chairman of the Department of Political Science at the University of Iowa.

Program Listing

```
100 PRINT"[CLR][DN][DN][DN]"TAB(4);"A TRAVELER'S RESTAURANT GUIDE"
110 PRINT"[DN][DN][DN]"THIS PROGRAM IS FOR STORING AND"
120 PRINT"RETRIEVING INFORMATION ON RESTAURANTS."
130 PRINT"[DN]"THE INFORMATION IS STORED ON A DATA"
140 PRINT"TAPE, AND YOU CAN SEARCH FOR THE REST-"
150 PRINT"aurants IN THE CITY OF YOUR CHOICE."
199 GOSUB 10000
200 DIM I$(50),NA$(50),AD$(50),FD$(50),CH$(50)
210 PRINT"[CLR][DN][DN][DN]"FIRST THE DATA TAPE MUST BE READ UNLESS"
220 PRINT"YOU ARE GOING TO START A NEW TAPE."
230 PRINT"[DN][DN]"IS THE DATA TAPE IN TAPE#1 AND REWOUND?"
240 PRINTTAB(3)"[DN]"YES"
250 PRINTTAB(3)"NO"
260 PRINTTAB(3)"NEW DATA TAPE"
270 PRINT"[DN][DN]":INPUT A$
280 IF A$="NO" GOTO 210
290 IF A$="YES" THEN GOSUB 10100
300 PRINT"[CLR][DN][DN][DN]"WOULD YOU LIKE TO:"
310 PRINTTAB(3)"[DN]"INPUT"
320 PRINTTAB(3)"EDIT"
330 PRINTTAB(3)"SEARCH"
340 PRINTTAB(3)"QUIT"
350 PRINT"[DN][DN]":INPUT A$
360 IF A$="INPUT" THEN RO=1
370 IF A$="EDIT" THEN RO=2
380 IF A$="SEARCH" THEN RO=3
390 IF A$="QUIT" THEN GOTO 500
400 ON RO GOSUB 1000,2000,3000
410 GOTO 300
500 IF CG=0 THEN GOTO 600
510 PRINT"[CLR][DN][DN][DN]"YOU HAVE MADE ONE OR MORE CHANGES TO"
520 PRINT"THE INFORMATION. DO YOU WANT TO COPY"
530 PRINT"TO THE TAPE?"
540 INPUT"[DN]";A$
550 IF A$="NO" THEN GOTO 600
560 GOSUB 11200
600 PRINT"[CLR][DN][DN][DN]"HAPPY EATING!":END
899 END
900 PRINT"[CLR][DN][DN]"THE ROUTINES CONTAINED IN THE PROGRAM"
902 PRINT"[DN]"1. INTRODUCTION: 100-199"
904 PRINT"[DN]"2. READ DATA TAPE?: 200-299"
906 PRINT"[DN]"3. ROUTE TO 3 MODULES: 300-399"
908 PRINT"[DN]"4. INPUT NEW DATA: 1000-1999"
910 PRINT"[DN]"5. EDIT FILE: 2000-2999"
912 PRINT"[DN]"6. SEARCH MODULE: ROUTE (3000-3100);
914 PRINT"SEARCH CITY (3300-3599); PRINT ALL (3600-3699)"
916 PRINT"[DN]"7. GOODBYE & SEND TO WRITE TAPE: 500-600
958 GOSUB 10000
960 PRINT"[CLR][DN][DN]"UTILITY SUBROUTINES"
962 PRINT"[DN]"1. SPACE BAR TO CONTINUE: 10000-10020"
964 PRINT"[DN]"2. READ DATA TAPE: 10100-10160"
966 PRINT"[DN]"3. LIST REGIONS: 10300-10399"
968 PRINT"[DN]"4. LIST CITIES IN:"
970 PRINT"    EAST: 10500-10599"
972 PRINT"    SOUTH: 10600-10699"
974 PRINT"    MIDWEST: 10700-10799"
976 PRINT"    SOUTHWEST: 10800-10899"
978 PRINT"    WEST: 10900-10999"
980 PRINT"[DN]"5. DEFINE RO FOR REGIONS: 11000-11099"
```



```

982 PRINT"[DN]6. WRITE TO TAPE: 11200-11300"
995 GOSUB 10000
999 END
1000 PRINT"[CLR][DN][DN][DN]YOU WILL ADD RESTAURANTS TO THE FILE"
1010 PRINT"BY ANSWERING A SERIES OF QUESTIONS."
1020 PRINT"[DN][DN]IN WHICH REGION OF THE COUNTRY IS THE"
1030 PRINT"RESTAURANT LOCATED?"
1040 GOSUB 10300
1050 INPUT"[DN][DN]";I1$
1060 LET X$=I1$
1070 GOSUB 11000
1100 PRINT"[CLR][DN][DN]IN WHAT CITY IS THE RESTAURANT LOCATED?"
1110 ON RO GOSUB 10500,10600,10700,10800,10900
1120 PRINT"[DN][DN]":INPUT I2$
1130 LET N=N+1
1140 LET I$(N)=I1$+I2$
1200 PRINT"[CLR][DN][DN][DN]WHAT IS THE NAME OF THE RESTAURANT?"
1210 INPUT "[DN]";NA$(N)
1250 PRINT"[DN][DN]WHAT IS THE STREET ADDRESS?"
1260 INPUT "[DN]";AD$(N)
1300 PRINT"[DN][DN]WHAT IS THE ETHNIC ORIENTATION OR"
1310 PRINT"STYLE OF CUISINE?"
1320 INPUT "[DN]";FD$(N)
1350 PRINT"[DN][DN]HOW WOULD YOU CHARACTERIZE IT?"
1360 INPUT "[DN]";CH$(N)
1990 CG=CG+1
1999 RETURN
2000 PRINT"[CLR][DN][DN][DN]WHAT IS THE NAME OF THE RESTAURANT?"
2010 INPUT"[DN]";RE$
2020 PRINT"[DN][DN]DO YOU WISH TO EDIT:"
2030 PRINTTAB(3)"[DN]NAME"
2040 PRINTTAB(3)"ADDRESS"
2050 PRINTTAB(3)"ETHNIC OR CUISINE"
2060 PRINTTAB(3)"CHARACTERIZATION"
2070 INPUT"[DN]";A$
2080 IF A$="NAME" THEN RO=1
2090 IF A$="ADDRESS" THEN RO=2
2100 IF A$="ETHNIC" THEN RO=3
2110 IF A$="CHARACTERIZATION" THEN RO=4
2120 FOR J=1 TO N
2130 IF RE$=NA$(J) THEN ON RO GOSUB 2200,2250,2300,2350
2140 NEXT J
2150 PRINT"[CLR][DN][DN][DN]WOULD YOU LIKE TO EDIT SOMETHING ELSE"
2160 PRINT"ABOUT THIS RESTAURANT?"
2170 INPUT"[DN]";A$
2180 IF A$="YES" THEN GOTO 2020
2185 CG=CG+1
2190 RETURN
2200 PRINT"[CLR][DN][DN][DN]WHAT IS THE NEW NAME OF THE RESTAURANT?"
2210 INPUT"[DN]";NA$(J)
2220 RETURN
2250 PRINT"[CLR][DN][DN][DN]WHAT IS THE NEW STREET ADDRESS?"
2260 INPUT"[DN]";AD$(J)
2270 RETURN
2300 PRINT"[CLR][DN][DN][DN]WHAT IS THE NEW ETHNIC OR CUISINE?"
2310 INPUT"[DN]";FD$(J)
2320 RETURN
2350 PRINT"[CLR][DN][DN][DN]WHAT IS THE NEW CHARACTERIZATION?"
2360 INPUT"[DN]";CH$(J)
2370 RETURN
2999 RETURN
3000 PRINT"[CLR][DN][DN][DN]YOU CAN EITHER GET THE RESTAURANTS"
3010 PRINT"LOCATED IN A SPECIFIC CITY OR CAN GET"
3020 PRINT"THE INFORMATION ON ALL THE RESTAURANTS"
3030 PRINT"THE DATA FILE."
3040 PRINT"[DN][DN]WOULD YOU LIKE:"
3050 PRINTTAB(3)"[DN]CITY"
3060 PRINTTAB(3)"ALL"
3070 INPUT "[DN]";A$
3080 IF A$="CITY" THEN RO=1
3090 IF A$="ALL" THEN RO=2
3100 ON RO GOSUB 3300,3600
3110 PRINT"[CLR][DN][DN][DN]WOULD YOU LIKE TO SEARCH AGAIN?"
3120 INPUT "[DN]";A$
3130 IF A$="YES" THEN 3000
3140 RETURN
3300 PRINT"[CLR][DN][DN][DN]IN WHICH REGION IS THE RESTAURANT"
3310 PRINT"LOCATED?"
3320 GOSUB 10300
3330 INPUT "[DN]";S1$
3335 LET X$=S1$
3340 GOSUB 11000

```

continued

are accessed as subroutines. Choose one, and off you go to that module. After finishing one of the modules the program always returns to this question or branching point.

The INPUT module first asks for the region of the country in which the restaurant is located. The program divides the country into five regions, and you choose one of the five. Then you're asked for the city in which the restaurant is located. Again, cities are listed on the screen and you make a choice. Finally, four pieces of information about the restaurant are requested: the name, street address, ethnic origin or style of cuisine, and a characterization of the restaurant (which can be anything you choose to save).

The EDIT routine assumes you know the name of the restaurant, and begins by asking for the name. Then it asks if you want to change: the name, the address, the ethnic or cuisine style, or the characterization. If you choose NAME then you can type in a new name. And it works the same way for each of the others. The program replaces the information in memory with what you type. While only one change may be made at a time, you always go back to the question so as many of the four pieces of information about a restaurant can be changed as desired.

The final module is the SEARCH routine. You can either print all of the items in the data base on the screen, or you can find the restaurants located in a

Program Routines

Introduction: 100-199
 Read Data Tape?: 200-299
 Route to 3 Modules: 300-399
 Input New Data: 1000-1999
 Edit File: 2000-2999
 Search Module: Route (3000-3100);
 Search City (3300-3599);
 Print All (3600- 3699)
 Goodbye & Send to Write Tape: 500-600

Utility Subroutines

Space Bar to Continue: 10000-10020
 Read Data Tape: 10100-10160
 List Regions: 10300-10399
 List Cities In:
 East: 10500-10599
 South: 10600-10699
 Midwest: 10700-10799
 Southwest: 10800-10899
 West: 10900-10999
 Define Ro for Regions: 11000-11099
 Write to Tape: 11200-11300

single city. To find the restaurants in a specific city you answer "city." The program asks for the region of the country, then the city. Once the city is specified, the program displays all of the restaurants from that city in the data base.

"Restaurant Guide" keeps track of changes made in the data during its operation. If a restaurant was added or editing performed, the program notes this. When you say QUIT it will tell you that changes have been made and ask if you want to write the changes on the data tape. To rewrite the data tape, make sure it is rewound and in tape #1.

The program is very simple. It lets you input and edit information on restaurants. Then it will print this information for the city you select. Obviously, the program could be written to do more than this, but with personal computers come personal programs. And this does what a traveling person needs done.

The program is written in Pet Basic. Documentation is included in a rather unusual manner. Instead of many REMark statements scattered throughout the program, the equivalent of such remarks are collected in lines 900 through 999. If you type RUN 900 it will first tell you the line location of all of the major segments of the program. Then it will give the line location of all of the major subroutines. You can find any major part of the program by simply typing RUN 900. I find this procedure very handy in both writing programs and in revising them months later. It is rather like a table of contents to the program.

The program is designed as a series of branching points and subroutines. In these subroutines are other subroutines used for operations in several parts of the program. There is a considerable amount of English text built into the program, but this structure reduces the RAM used. With the documentation (lines 900 to 999) the program requires 5043 bytes of RAM. Without documentation, only 4222 bytes are required.

There's one feature of the program that you may want to change. My cities may not be your cities. I have included 2 or 3 for each region. The names of the cities are included in subroutines in the program, one subroutine for each region. The location of each subroutine is given in the documentation (lines 900 to 999). It is a straightforward matter to add and subtract cities.

As the program concludes: GOOD EATING. □

```

3350 PRINT"[CLR][DN][DN]IN WHAT CITY IS THE RESTAURANT LOCATED?"
3360 ON RO GOSUB 10500,10600,10700,10800,10900
3370 INPUT "[DN]";S2$
3380 LET SE$=S1$+S2$
3390 CO=0
3395 PRINT"[CLR]"
3400 FOR K=1 TO N
3410 IF SE$=I$(K) THEN GOSUB 3500
3420 NEXT K
3430 IF CO=0 THEN PRINT"NO RESTAURANTS HAVE BEEN FOUND FOR THAT
      CITY."
3450 GOSUB 10000
3460 RETURN
3500 CO=CO+1
3510 PRINT"[DN]"; NA$(K)
3520 PRINT AD$(K)
3530 PRINT FD$(K)
3540 PRINT CH$(K)
3550 IF INT(CO/3)=(CO/3) THEN GOSUB 10000
3560 IF INT(CO/3)=(CO/3) THEN PRINT "[CLR]"
3570 RETURN
3600 PRINT"[CLR]"
3610 FOR J=1 TO N
3620 PRINT"[DN]" NA$(J):PRINT AD$(J):PRINT FD$(J):PRINT CH$(J)
3630 IF INT(J/3)=(J/3) THEN GOSUB 10000
3640 IF INT(J/3)=(J/3) THEN PRINT "[CLR]"
3650 NEXT J
3660 GOSUB 10000
3670 RETURN
10000 PRINT"[HM]"
10010 FOR DN=1 TO 20
10020 PRINT"[DN]";
10030 NEXT DN
10040 PRINT"PRESS THE SPACE BAR TO CONTINUE"
10050 GET SP$:IF SP$="" THEN 10050
10060 RETURN
10100 OPEN 1
10110 INPUT#1,N
10120 FOR K=1 TO N
10130 INPUT#1,I$(K),NA$(K),AD$(K),FD$(K),CH$(K)
10140 NEXT K
10150 CLOSE 1
10160 RETURN
10300 PRINTTAB(3)"[DN]EAST"
10310 PRINTTAB(3)"SOUTH"
10320 PRINTTAB(3)"MIDWEST"
10330 PRINTTAB(3)"SOUTHWEST"
10340 PRINTTAB(3)"WEST"
10350 RETURN
10500 PRINTTAB(3)"[DN]BOSTON"
10510 PRINTTAB(3)"NEW YORK"
10599 RETURN
10600 PRINTTAB(3)"[DN]ATLANTA"
10610 PRINTTAB(3)"NEW ORLEANS"
10620 PRINTTAB(3)"WASHINGTON"
10699 RETURN
10700 PRINTTAB(3)"[DN]CHICAGO"
10710 PRINTTAB(3)"MINNEAPOLIS"
10720 PRINTTAB(3)"ST. LOUIS"
10799 RETURN
10800 PRINTTAB(3)"[DN]HOUSTON"
10810 PRINTTAB(3)"SAN ANTONIO"
10899 RETURN
10900 PRINTTAB(3)"[DN]LOS ANGELOS"
10910 PRINTTAB(3)"SAN FRANCISCO"
10999 RETURN
11000 IF X$="EAST" THEN RO=1
11010 IF X$="SOUTH" THEN RO=2
11020 IF X$="MIDWEST" THEN RO=3
11030 IF X$="SOUTHWEST" THEN RO=4
11040 IF X$="WEST" THEN RO=5
11050 RETURN
11200 OPEN 1,1,1
11210 PRINT#1,N
11220 FOR K=1 TO N
11230 PRINT#1,I$(K)
11240 PRINT#1,NA$(K)
11250 PRINT#1,AD$(K)
11260 PRINT#1,FD$(K)
11270 PRINT#1,CH$(K)
11280 NEXT K
11290 CLOSE 1,1,1
11300 RETURN
READY.

```

Definitions of Translations

[CLR]	CLEAR SCREEN
[DN]	CURSOR DOWN
[UP]	CURSOR UP
[HM]	CURSOR HOME
[LC]	CURSOR LEFT
[RC]	CURSOR RIGHT
[RV]	REVERSE
[RVOFF]	REVERSE OFF

Sample Run

A TRAVELER'S RESTAURANT GUIDE

THIS PROGRAM IS FOR STORING AND RETRIEVING INFORMATION ON RESTAURANTS. THE INFORMATION IS STORED ON A DATA TAPE, AND YOU CAN SEARCH FOR THE RESTAURANTS IN THE CITY OF YOUR CHOICE.

FIRST THE DATA TAPE MUST BE READ UNLESS YOU ARE GOING TO START A NEW TAPE. IS THE DATA TAPE IN TAPE#1 AND REWOUND?

YES

NO

NEW DATA TAPE

YES

WOULD YOU LIKE TO:

INPUT

EDIT

SEARCH

QUIT

SEARCH

YOU CAN EITHER GET THE RESTAURANTS LOCATED IN A SPECIFIC CITY OR CAN GET THE INFORMATION ON ALL THE RESTAURANTS THE DATA FILE.

WOULD YOU LIKE:

CITY

ALL

CITY

IN WHICH REGION IS THE RESTAURANT LOCATED?

EAST

SOUTH

MIDWEST

SOUTHWEST

WEST

WEST

IN WHAT CITY IS THE RESTAURANT LOCATED?

LOS ANGELOS

SAN FRANCISCO

SAN FRANCISCO

RUE LEPIC

900 PINE STREET

CONTINENTAL

SMALL AND QUIET WITH EXCELLENT FOOD AT MODERATE PRICES; RESERVATIONS NEEDED

NORTH BEACH RESTAURANT

1512 STOCKTON STREET

ITALIAN

TENDS TOWARD ELEGANT WITH EXCELLENT FOOD AT HIGH PRICES; RESERVATIONS NEEDED

CASABLANCA

OUTER EDGE OF CENTRAL CITY

ITALIAN

MEDIUM SIZE; I LOVED THE VEAL AND DESERT ; MODERATE PRICE

Introducing.....60 Cycle Sine Wave U.P.S.

(Uninterruptible Power Supply)



Mayday™

.....for those systems that need 60 cycle sine wave keeps computer & disk systems on when the power goes out For less than \$500.00 *

.....Rated 250 Watt continuous operation
.....will provide 400 Watts for 5 minutes (Model II TRS-80 with 4 disk drives)

* Standard MAYDAYS available starting at \$195.00 for 150 Watt



Sun Research, Inc.

Box 210 New Durham, NH 03855
(603) 859-7110 TWX 510-297-4444

Extended Basic for Your TRS-80

—BY WILLIAM F. STOCKWELL—

This disk-based Basic program augments Level II/Disk Basic on the TRS-80. Essentially, the program allows you to input lines of enhanced Basic source code and then translates the code into Level II Basic. You may save the resulting Level II program on disk for normal usage. (Note: When I say Level II, I'm referring to TRS-80 Disk Basic). You should have 48K of RAM to use this program because, although the program itself is only about 12K, it eats huge amounts of string space and array space. It wouldn't be difficult to alter the program to run on a 32K system, however.

The enhancements to Basic include statements for matrix/vector manipulations, DO WHILE and DO UNTIL statements, a more powerful instring function called SUBSTR, and the ability to create useful subroutines.

I am not very familiar with the Basics used on other microcomputers but from what I have seen, you could easily adapt the ideas used in this programs to other systems.

When you run this program (called "Extend"), here's what happens: First, it prompts you to enter the file name of the program you wish to write. After this, you are in the Extended Basic monitor mode as indicated by the LINE INPUT prompt — the cursor. At this point, the computer is waiting for one of two things: either a line of source code (a programming statement) or a system command. The machine dis-

tinguishes between the two by the presence (or absence) of a line number.

System commands are RUN, NEW, LIST, LLIST and a few others, notably TRAN (translate into Level II).

Usually, you input program lines (with line numbers) and, when you have entered the whole program, type in the system command TRAN. Your program is now translated into Level II Basic, and you are returned to the Monitor mode, presumably to issue the System command RUN (or possibly SAVE).

RUN will save your program on disk (under the file name you gave it at the beginning) and proceed to run it — wiping Extend from memory in the process, of course. SAVE simply saves your program without RUNNING it. LIST and LLIST work as usual, while NEW lets you start all over (it simply re-runs the Extend program). Another command, LOAD, will load the file whose filename you issued at the beginning from disk. It should be a file created by the Extend program.

Any time you need a list of available system commands, type COM (Enter).

Editing of your programs is rather limited. You can enter the lines of your program out of sequence and they will be properly ordered. If you wish to replace a line, retype it. To delete a line, you must use the System command DEL. For example, DEL 20 would delete line 20. You can only delete one line at a time.

Errors in your program will be detected during the translation process, which is halted as soon as the first error is found. Extend has error reporting and will usually indicate the type of error and the line in which the error occurred.

It's important to understand the translation process. The translator scans the source code a line at a time, using the INSTR function to locate keywords. If a REM is found, the line is ignored; if no enhanced Basic keywords are found, Extend assumes the line is a standard Basic statement and goes on to the next line.

If an enhanced Basic keyword is found, Extend inserts "REM" into the line (otherwise a SYNTAX ERROR would occur when you try to run the program!) and then inserts the appropriate translated line immediately afterwards. For this reason, you shouldn't use consecutive line numbers in your program.

Some enhancements can't be simulated by inserting a single line. When this happens, an entire subroutine is inserted (starting with line numbers no lower than 29000). You may wish to include an END statement at the end of your original source code so the program won't accidentally crash into a subroutine.

It's also a good idea to define variables I through N to be integers in your enhanced Basic programs as this speeds up execution since the translator assumes these to be integers and uses

Figure 1

SIMULTANEOUS EQUATIONS — EXTEND VERSION

```

10 CLS:DEFINT I-N:?"          *** SIMULTANEOUS LINEAR EQUATIO
NS ****:?"
20 INPUT"ENTER THE NUMBER OF EQUATIONS";NN
30 N1=NN:N2=NN:N3=NN
40 PRINT"ENTER THE COEFFICIENTS, ONE AT A TIME, BY ROWS : "
50 MAT INPUT B
60 DIM C(NN,1)
70 N2=1
80 PRINT"NOW ENTER THE RIGHT HAND SIDE COEFFICIENTS, ONE AT A TIME
:"
90 MAT INPUT C
100 REM WE NOW SOLVE THE MATRIX-VECTOR EQUATION B*X=C, FOR X
110 MAT A=INV(B)
120 N2=NN:N3=1"SO WE CAN MULTIPLY A BY C
130 DIM X(NN,1)
140 MAT X=A*C
150 CLS
160 PRINT"SOLUTION : "
165 N2=1
170 MAT PRINT X
180 END

```


them as such. Actually, it restricts itself to variable names starting with K and N, for the most part.

In general, only one enhanced Basic statement may appear on any one line and it must appear alone. For example, you couldn't say:

```
10 N1 = 1: MAT INPUT A
```

It would have to be:

```
5 N1 = 1
```

```
10 MAT INPUT A
```

Multi-statement lines are acceptable, but only if all the statements are standard Basic.

Do not use enhanced Basic keywords anywhere in your program except in the actual programming statements! For example, you can't say

```
10 PRINT "ENTER THE MATRIX"
since "MAT" is a keyword even though it is between quotes. This problem tends to crop up a lot, so be careful.
```

Now for the actual enhancements. Most of the usual Matrix statements are here. They are:

```
MAT INPUT array name
```

```
MAT PRINT name
```

```
MAT name1 = name2
```

```
MAT name = ZER [Zero out a matrix]
```

```
MAT name = IDN [Set matrix = identity]
```

```
MAT name1 = TRN (name2) [transpose]
```

```
MAT A = INV (B) [matrix inverse]
```

```
MAT name1 = name2 + name3
[matrix addition]
```

```
MAT name1 = - name2 [e.g., A = - B]
```

```
MAT name1 = name2 * name3
[multiplication]
```

On matrix inverse, you must use the array names A and B; that is, you must invert matrix B and set matrix A equal to the inverse.

The Extend translator uses the variable names N1, N2, N3 and NN when dealing with matrices, and you must use them also. When inputting or printing a matrix, N1 equals the number of rows and N2 equals the number of columns. In general your matrix is considered to be N1 by N2, and you have to set up the size of your matrices in your program, using these same variable names. Thus, to input a 3 × 3 matrix:

```
10 N1 = 3: N2 = 3
```

```
20 MAT INPUT A
```

For most purposes, this is all you need. To do matrix multiplication, the first factor is assumed to be N1 by N2,

the second N2 by N3. Also, to do a matrix inverse or determinant, set NN equal to the order of the (necessarily square) matrix. There is a built-in determinant function:

```
S = DET (A)
```

[where A is an NN by NN matrix]

Of course, you can use any variable name instead of S.

Extend does not allow arbitrary use of built-in functions. For example, you can't say PRINT DET (A) or A = A + DET (Z); functions can only be used in simple assignment statements. When using DET, you need to DIMension the array DT as NN by NN (NN = order of your matrix) if this order exceeds 10.

Other built-in functions allow vector dot and cross products. Vectors should be dimensioned as N1 by 1 for dot and cross products (so as to be compatible with matrix multiplication). Syntax is:

```
DOT S = <A,B>
```

which sets S (or whatever variable name) equal to the dot product of vectors A and B. For the cross product,

```
VEC A = B * C
```

sets vector A to B times C (cross product).

For single dimension vectors, there

Figure 2

SIMULTANEOUS EQUATIONS -- AFTER TRANSLATION

```
10 CLS:DEFINT I-N:?" *** SIMULTANEOUS LINEAR EQUATIO
NS ***":?
20 INPUT"ENTER THE NUMBER OF EQUATIONS":NN
30 N1=NN:N2=NN:N3=NN
40 PRINT"ENTER THE COEFFICIENTS, ONE AT A TIME, BY ROWS : "
50 REM MAT INPUT B
51 FORK1=1TON1:FORK2=1TON2:INPUTB(K1,K2):NEXTK2,K1
60 DIM C(NN,1)
70 N2=1
80 PRINT"NOW ENTER THE RIGHT HAND SIDE COEFFICIENTS, ONE AT A TIME
:"
90 REM MAT INPUT C
91 FORK1=1TON1:FORK2=1TON2:INPUTC(K1,K2):NEXTK2,K1
100 REM WE NOW SOLVE THE MATRIX-VECTOR EQUATION B*X=C, FOR X
110 REM MAT A=INV(B)
111 GOSUB 30000
120 N2=NN:N3=1 'SO WE CAN MULTIPLY A BY C
130 DIM X(NN,1)
140 REM MAT X=A*C
141 FORK1=1TON1:FORK2=1TON3:X(K1,K2)=0:FORK3=1TON2:X(K1,K2)=X(K1,K
2)+A(K1,K3)*C(K3,K2):NEXTK3,K2,K1
150 CLS
160 PRINT"SOLUTION : "
165 N2=1
170 REM MAT PRINT X
171 FORK1=1TON1:?:FORK2=1TON2:PRINTX(K1,K2):NEXTK2,K1
180 END
30000 FORK1=1TONN:FORK2=1TONN:A(K1,K2)=-(K1=K2):NEXTK2,K1
30010 FORKI=1TONN-1
30020 KC=1
30030 IFB(KI,KI)<>0THEN30070
30040 IFKI+KC>NNTHENPRINTCHR$(78):CHR$(79):CHR$(32):CHR$(73):CHR$(
78):CHR$(86):CHR$(69):CHR$(82):CHR$(83):CHR$(69):STOP
30050 I1=1:I2=KI+KC:KC=KC+1:GOSUB30210
30060 GOTO30030
30070 I1=KI:XK=1/B(KI,KI):GOSUB30190
30080 FORKJ=KI+1TONN
30090 XK=-B(KJ,KI):I2=KJ:GOSUB30200
30100 NEXTKJ,KI
30110 IFB(NN,NN)=0THENPRINTCHR$(78):CHR$(79):CHR$(32):CHR$(73):CHR
$(78):CHR$(86):CHR$(69):CHR$(82):CHR$(83):CHR$(69):STOP
30120 XK=1/B(NN,NN):I1=NN:GOSUB30190
30130 FORKI=NNTO2STEP-1
30140 I1=KI
30150 FORKJ=KI-1TO1STEP-1
30160 XK=-B(KJ,KI):I2=KJ:GOSUB30200
30170 NEXTKJ,KI
30180 RETURN
30190 FORKK=1TONN:A(I1,KK)=XK*A(I1,KK)+B(I1,KK)-XK*B(I1,KK):NEXT:R
ETURN
30200 FORKK=1TONN:A(I2,KK)=A(I2,KK)+XK*A(I1,KK)+B(I2,KK)-B(I2,KK)+
XK*B(I1,KK):NEXT:RETURN
30210 FORKK=1TONN:CC=A(I1,KK)+A(I1,KK)=A(I2,KK)+A(I2,KK)=CC:CC=B(I
1,KK)+B(I1,KK)=B(I2,KK)+B(I2,KK)=CC:NEXT:RETURN
```


are two functions available. The statement:

S = SUM X, 1, N

sets S equal to $X(1) + X(2) + \dots + X(N)$, and you may start and end the sum anywhere, using variables or constants. There is nothing special about the array X — any variable name may be used. Only the matrix inverse routine requires specific variable names.

You can also multiply array elements together in a similar way:

P = PRD A, 1, N

so that $P = A(1) * A(2) * \dots * A(N)$.

For those who like structured programming, there are the DO WHILE and DO UNTIL statements. For example:

```
10 I = 1
20 DO WHILE I < 10
30 S = S + I
40 I = I + 1
50 END WHILE
```

This program (when translated and run) would set S equal to $1 + 2 + 3 + \dots + 9$. DO UNTIL works similarly. These loops may be nested. The condition following DO WHILE or DO UNTIL may be any logical expression, for example, DO UNTIL A\$ = " " or DO WHILE NOT EOF(1).

The INSTR function of Disk Basic is nice but only finds the first occurrence of a substring within a larger string. The SUBSTR function of Extend finds all occurrences. The information is recorded in array KK as follows:

KK(0) = the number of occurrences,
KK(1) = the position of the first occur-

rence,
KK(2) = the position of the second occurrence, etc.

For example, suppose A\$ = "YES-NOYESYES" and B\$ = "YES". Then the statement SUBSTR A\$, B\$ would cause KK(0) to equal 3 (3 occurrences of "YES" within A\$), KK(1) = 1 (first "YES" starts at position 1), KK(2) = 6, KK(3) = 9.

The final enhancement of Extend is potentially the most powerful. The function allows you to create and call a new kind of subroutine which I call a "procedure," as in PL/1. The nice thing about "procedure" is that it can call itself, allowing you to do recursive programming. For example, a procedure called POWER could compute $X \uparrow Y$ and would appear as:

```
POWER:PROC (X,Y)
Z = X ↑ Y
END POWER
```

Note that any parameters you wish to pass are contained in a list following the keyword PROC. Parameters are not required, however, and you can pass any variable names to the procedure not just the ones used in the procedure. For example,

CALL POWER (A,B)

would set $Z = A \uparrow B$ and return to the statement following the CALL.

To do recursive programming, you would put a call statement within your procedure which should only be executed under certain conditions, otherwise, you would get involved in an

infinite loop. Normally, parameters would be continuously modified by successive CALLs until a desired condition is satisfied.

As a simple example of recursive programming, here is a program (in extended Basic, prior to translation) to find a root of an equation using bisection:

```
5 REM DEFINE FUNCTION IN
LINE 10
10 DEF FNF(X) = X * X - 2
20 INPUT "ENTER A,B"; A,B
30 CALL BISECT (A,B)
50 BISECT: PROC (L,U)
60 M = (L + U)/2
70 IF ABS(FNF(M)) < 1E-5 THEN 120
80 IF FNF(L) * FNF(M) < 0 THEN 100
90 CALL BISECT (M,U)
100 CALL BISECT (L,M)
110 END BISECT
120 PRINT "ROOT = "; M
130 END
```

Line 80 determines whether the root lies between L and M or between M and U. It then calls BISECT again with appropriate parameters (either (L,M) or (M,U)).

A Sample Run of Extend would be more confusing than helpful, so I have presented the results of a run. I wrote a program to solve simultaneous linear equations in extended Basic and then had Extend translate it into Level II. The results appear in the Figures 1 and 2. Note the comparative brevity of the Extend version.

*** EXTEND -- MAIN PROGRAM ***

```
10 CLS: CLEAR 15000: DEFINT A-W: DIM T$(600), L(600), A(600), PR$(50), PA$(50), PL(50), V$(20), W$(20)
20 PRINT "***** EXTENDED BASIC *****": PRINT
30 INPUT "ENTER FILENAME OF YOUR PROGRAM": F$
40 CLS: PRINT "***** EXTENDED BASIC *****": PRINT: I = -1
50 I = I + 2
60 LINE INPUT T$(I): IF VAL(T$(I)) = 0 THEN 170
70 A(I) = INSTR(T$(I), " ") : IF A(I) = 0 THEN PRINT "BLANK MUST FOLLOW LINE NUMBER--REENTER LAST LINE": GOTO 60
80 L(I) = VAL(LEFT$(T$(I), A(I) - 1)) : IF I = 1 THEN 50
90 IFL(I) = L(I - 2) THEN 50
100 FOR J = 1 TO I - 2 STEP 2: IFL(I) = L(J) THEN 120
110 NEXT J
120 IFL(I) = L(J) THEN T$(J) = T$(I) : T$(I) = " " : A(J) = A(I) : L(J) = L(I) : L(I) = 0 : GOTO 60
130 T$ = T$(I) : L = L(I) : A = A(I)
140 FOR K = I TO J + 2 STEP -2: T$(K) = T$(K - 2) : A(K) = A(K - 2) : L(K) = L(K - 2) : NEXT K
150 T$(J) = T$ : A(J) = A : L(J) = L
160 GOTO 50
170 C$ = T$(I) : T$(I) = " " : D$ = LEFT$(C$, 3) : LL = LEN(C$)
180 L = 0
190 IFC$ = "COM" THEN 290
200 IFC$ = "RUN" THEN AZ = -1 : GOTO 440
210 IFC$ = "DEL" THEN L = VAL(RIGHT$(C$, LL - 4))
220 IFC$ = "LIS" THEN 240 ELSE IFC$ = "LLI" THEN 380 ELSE IFC$ = "BLI" THEN 380 ELSE IFC$ = "SAV" THEN 440 ELSE IFC$ = "LOA" THEN 520 ELSE IFC$ = "NEW" THEN 620 ELSE IFC$ = "DEL" THEN 630 ELSE IFC$ = "TRA" THEN 660
230 PRINT "ILLEGAL COMMAND": GOTO 60
240 CLS: FOR J = 1 TO I - 1
250 IFT$(J) = " " THEN 270
260 PRINT T$(J)
270 NEXT J
280 GOTO 60
290 PRINT "SYSTEM COMMANDS ARE: "
300 PRINT "LIST": PRINT "LLIST": PRINT "BLIST" (LLIST IN LARGE CHAR M
ODE)
310 PRINT "DEL (LINE #)"
320 PRINT "SAVE"
```



```

330 PRINT"LOAD"
340 PRINT"RUN"
350 PRINT"NEW      (START OVER)"
360 PRINT"TRAN    (TRANSLATE SOURCE CODE INTO LEVEL II)"
370 PRINT:GOTO60
380 E$="":IFD$="BLI" THEN E$=CHR$(15)
390 FORJ=1TOI-1
400 IFT$(J)=" " THEN A420
410 LPRINT E$:T$(J)
420 NEXT
430 GOTO60
440 IFF$=" " THEN INPUT"FILENAME":F$
450 OPEN"O",1,F$
460 FORJ=1TOI-1
470 PRINT#1,T$(J)
480 NEXT
490 CLOSE
500 IFAZ THEN RUN F$
510 GOTO60
520 ON ERROR GOTO 580
530 OPEN"I",1,F$
540 J=0
550 J=J+1
560 LINE INPUT#1,T$(J):A(J)=INSTR(T$(J)," "):L(J)=VAL(LEFT$(T$(J),
A(J)))
570 GOTO550
580 IFERR=106 THEN 610
590 IFERR<>124 THEN ON ERROR GOTO 0
600 I=J:CLOSE:RESUME60
610 CLOSE:PRINT"FILE NOT FOUND":RESUME60
620 RUN
630 FORJ=1TOI-1:IFL(J)=L THEN 650
640 NEXT:PRINT"NO SUCH LINE":GOTO60
650 T$(J)="":A(J)=0:L(J)=0:GOTO60
660 CLS:PRINT@400,"EXTENDED BASIC TRANSLATOR--"
670 N=I-1
680 J=0
690 J=J+1
700 IFJ<=N THEN 760
710 GOSUB3080 ' PROCESS ALL THE 'CALLS'
720 IFFETHENGOSUB1920
730 IFFLTHENGOSUB2050
740 IFFDTHENGOSUB2610
750 CLS:PRINT"TRANSLATION COMPLETE--"
BACK TO EXTENDED BASIC MONITOR":GOTO60
760 IFT$(J)=" " THEN 690
770 IFINSTR(T$(J),"REM")<>0 THEN 690
780 IFINSTR(T$(J),"DOT")<>0 THEN 2290
790 IFINSTR(T$(J),"VEC")<>0 THEN 2400
800 IFINSTR(T$(J),"MAT")<>0 THEN 1530
810 IFINSTR(T$(J),"DET")<>0 THEN 2490
820 IFINSTR(T$(J),"SUM")<>0 THEN 890
830 IFINSTR(T$(J),"PROC")<>0 THEN 2860
840 IFINSTR(T$(J),"PRD")<>0 THEN 1000
850 IFINSTR(T$(J),"UNTIL")<>0 THEN 1310
860 IFINSTR(T$(J),"WHILE")<>0 THEN 1110
870 IFINSTR(T$(J),"SUBSTR")<>0 THEN 1850
880 GOTO690
890 TX$=T$(J):GOSUB1840
900 B=INSTR(TX$,"="):IFB=0 THEN 990
910 T$=MID$(TX$,A(J)+1,B-A(J)-1)
920 B=INSTR(TX$,"SUM"):IFB=0 THEN 990
930 LL=LEN(TX$):L$=RIGHT$(TX$,LL-B-3):C1=INSTR(L$,""):IFC1=0 THEN 9
940 LL=LEN(L$):A$=LEFT$(L$,C1-1):L$=RIGHT$(L$,LL-C1):C2=INSTR(L$,"
","):IFC2=0 THEN 990
950 LL=LEN(L$):S$=LEFT$(L$,C2-1):E$=RIGHT$(L$,LL-C1)
960 N$=STR$(L(J)+1):LL=LEN(N$):N$=RIGHT$(N$,LL-1)
970 T$(J+1)=N$+" "+T$+"="0:FORKK=" "+S$+"TO "+E$+" "+T$+"="+T$+" "+A$+
"(KK):NEXTKK"
980 GOTO690
990 PRINT"ILLEGAL USE OF SUM IN LINE":L(J):GOTO60
1000 TX$=T$(J):GOSUB1840
1010 B=INSTR(TX$,"="):IFB=0 THEN 1100
1020 T$=MID$(TX$,A(J)+1,B-A(J)-1)
1030 B=INSTR(TX$,"PRD"):IFB=0 THEN 1100
1040 LL=LEN(TX$):L$=RIGHT$(TX$,LL-B-3):C1=INSTR(L$,""):IFC1=0 THEN
1050 LL=LEN(L$):A$=LEFT$(L$,C1-1):L$=RIGHT$(L$,LL-C1):C2=INSTR(L$,
","):IFC2=0 THEN 1100
1060 LL=LEN(L$):S$=LEFT$(L$,C2-1):E$=RIGHT$(L$,LL-C1)
1070 N$=STR$(L(J)+1):LL=LEN(N$):N$=RIGHT$(N$,LL-1)
1080 T$(J+1)=N$+" "+T$+"="1:FORKK=" "+S$+"TO "+E$+" "+T$+"="+T$+" "+A$+
"(KK):NEXTKK"
1090 GOTO690
1100 PRINT"ILLEGAL USE OF PRD IN LINE":L(J):GOTO60
1110 TX$=T$(J):GOSUB1840 :B=INSTR(TX$,"DO"):IFB=0 THEN 690
1120 LL=LEN(TX$):B=INSTR(TX$,"WHILE"):IFB=0 THEN 1520
1130 C$=RIGHT$(TX$,LL-B-5)
1140 M=1
1150 FORK=J+1TOI-1
1160 C=INSTR(T$(K),"WHILE"):IFC=0 THEN 1210
1170 D=INSTR(T$(K),"DO"):E=INSTR(T$(K),"END")
1180 IFD=0 AND E=0 THEN PRINT"ILLEGAL STATEMENT IN LINE":L(K):GOTO60
1190 IFD<>0 THEN M=M+1 ELSE M=M-1
1200 IFM=0 THEN 1230
1210 NEXTK
1220 PRINT"DO WHILE WITHOUT END IN LINE":L(J):GOTO60
1230 JJ=J:J=K:GOSUB1840 :J=JJ
1240 N$=STR$(L(K)+1):LL=LEN(N$):N$=RIGHT$(N$,LL-1)
1250 G$=STR$(L(J)+1):LL=LEN(G$):G$=RIGHT$(G$,LL-1)
1260 T$(K+1)=N$+" " GOTO "+G$:L(K+1)=L(K)+1
1270 H$=STR$(L(K+2)):LL=LEN(H$):H$=RIGHT$(H$,LL-1)
1280 T$(J+1)=G$+" "+T$+"IF NOT("+C$+" ) THEN "+H$
1290 L(J+1)=L(J)+1
1300 GOTO 690
1310 TX$=T$(J):GOSUB1840 :B=INSTR(TX$,"DO"):IFB=0 THEN 690
1320 LL=LEN(TX$):B=INSTR(TX$,"UNTIL"):IFB=0 THEN 1510
1330 C$=RIGHT$(TX$,LL-B-5)
1340 M=1
1350 FORK=J+1TOI-1
1360 C=INSTR(T$(K),"UNTIL"):IFC=0 THEN 1410
1370 D=INSTR(T$(K),"DO"):E=INSTR(T$(K),"END")
1380 IFD=0 AND E=0 THEN PRINT"ILLEGAL STATEMENT IN LINE":L(K):GOTO60
1390 IFD<>0 THEN M=M+1 ELSE M=M-1
1400 IFM=0 THEN 1430
1410 NEXTK

```



```

1420 PRINT"DO UNTIL WITHOUT END IN LINE":L(J):GOTO60
1430 JJ=J:J=K:GOSUB1840 :J=JJ
1440 N$=STR$(L(K)+1):LL=LEN(N$):N$=RIGHT$(N$,LL-1)
1450 G$=STR$(L(J)+1):LL=LEN(G$):G$=RIGHT$(G$,LL-1)
1460 T$(K+1)=N$+" GOTO "+G$:L(K+1)=L(K)+1
1470 H$=STR$(L(K+2)):LL=LEN(H$):H$=RIGHT$(H$,LL-1)
1480 T$(J+1)=G$+" "+IF("C$") THEN "+H$
1490 L(J+1)=L(J)+1
1500 GOTO690
1510 PRINT"ILLEGAL DO UNTIL STATEMENT IN LINE":L(J):GOTO60
1520 PRINT"ILLEGAL DO WHILE STATEMENT IN LINE":L(J):GOTO60
1530 TX$=T$(J):GOSUB1840 :N$=STR$(L(J)+1):LL=LEN(N$):N$=RIGHT$(N$,
LL-1)
1540 B=INSTR(TX$,"MAT "):IFB=0THEN1820
1550 C=INSTR(TX$,"="):IFC=0THEN1740
1560 A$=MID$(TX$,B+4,C-B-4):LL=LEN(TX$):L$=RIGHT$(TX$,LL-C):LL=LEN
(L$)
1570 IFLEFT$(L$,3)="INV"THENG$=" GOSUB 30000":FL=-1:GOTO1730
1580 IFL$="ZER"THENG$=" FORK1=1TON1:FORK2=1TON2:"+A$+"(K1,K2)=0:NE
XTK2,K1":GOTO1730
1590 IFL$="IDN"THENG$=" FORK1=1TON1:FORK2=1TON2:"+A$+"(K1,K2)=- (K1
=K2):NEXTK2,K1":GOTO1730
1600 IFLEFT$(L$,3)<>"TRN"THEN1630
1610 B$=MID$(L$,5,LL-5)
1620 G$=" FORK1=1TON1:FORK2=1TON2:"+A$+"(K1,K2)="+B$+"(K2,K1):NEXT
K2,K1":GOTO1730
1630 C=INSTR(L$,"*"):IFC=0THEN1660
1640 B$=LEFT$(L$,C-1):C$=RIGHT$(L$,LL-C)
1650 G$=" FORK1=1TON1:FORK2=1TON3:"+A$+"(K1,K2)=0:FORK3=1TON2:"+A$
+"(K1,K2)="+A$+"(K1,K2)="+B$+"(K1,K3)*"+C$+"(K3,K2):NEXTK3,K2,K1":
GOTO1730
1660 C=INSTR(L$,"+"):IFC=0THEN1690
1670 B$=LEFT$(L$,C-1):C$=RIGHT$(L$,LL-C)
1680 G$=" FORK1=1TON1:FORK2=1TON2:"+A$+"(K1,K2)="+B$+"(K1,K2)"+C$
+"(K1,K2):NEXTK2,K1":GOTO1730
1690 C=INSTR(L$,"-"):IFC=0THEN1720
1700 B$=RIGHT$(L$,LL-C)
1710 G$=" FORK1=1TON1:FORK2=1TON2:"+A$+"(K1,K2)=-"+B$+"(K1,K2):NEX
TK2,K1":GOTO1730
1720 G$=" FORK1=1TON1:FORK2=1TON2:"+A$+"(K1,K2)="+L$+"(K1,K2):NEXT
K2,K1"
1730 L(J+1)=L(J)+1:T$(J+1)=N$+G$:GOTO690
1740 C=INSTR(TX$,"INPUT "):IFC=0THEN1780
1750 LL=LEN(TX$)
1760 A$=RIGHT$(TX$,LL-C-5)
1770 G$=" FORK1=1TON1:FORK2=1TON2:INPUT"+A$+"(K1,K2):NEXTK2,K1":GO
TO1730
1780 C=INSTR(TX$,"PRINT "):IFC=0THEN1820
1790 LL=LEN(TX$)
1800 A$=RIGHT$(TX$,LL-C-5)
1810 G$=" FORK1=1TON1:?:FORK2=1TON2:PRINT"+A$+"(K1,K2):NEXTK2,K1"
:GOTO1730
1820 PRINT"ILLEGAL MATRIX STATEMENT IN LINE":L(J)
1830 GOTO60
1840 LL=LEN(T$(J)):T$(J)=LEFT$(T$(J),A(J))+ "REM "+RIGHT$(T$(J),LL-
A(J)):RETURN
1850 TX$=T$(J):GOSUB1840 :B=INSTR(TX$,"SUBSTR "):IFB=0THEN1940
1860 C=INSTR(TX$,""):IFC=0THEN1940
1870 LL=LEN(TX$):A$=MID$(TX$,A(J)+8,C-A(J)-8)
1880 B$=RIGHT$(TX$,LL-C)
1890 N$=STR$(L(J)+1):L2=LEN(N$):N$=RIGHT$(N$,L2-1)
1900 G$=" AA$="+A$+" BB$="+B$+" :K1=INSTR(AA$,BB$):KK(0)=SGN(K1):IF
K1<>0THENGOSUB29000"
1910 T$(J+1)=N$+G$:L(J+1)=L(J)+1:FE=-1:GOTO690
1920 IFEF=-1THENRETURN
1930 EEF=-1:RESTORE:FORS=I+11TOI+29STEP2:READT$(S):NEXT:I=I+31:RETU
RN
1940 PRINT"ILLEGAL SUBSTR STATEMENT IN LINE":L(J):GOTO60
1950 DATA"29000 KK(1)=K1:L1$=AA$:LL=LEN(AA$):II=1"
1960 DATA"29010 L1=LEN(BB$)"
1970 DATA"29020 P1=K1+L1"
1980 DATA"29030 L1$=RIGHT$(L1$,LL-P1+1)"
1990 DATA"29040 K1=INSTR(L1$,BB$)"
2000 DATA"29050 IFK1=0THENRETURN"
2010 DATA"29060 II=II+1"
2020 DATA"29070 KK(II)=K1+LEN(BB$):KK(0)=KK(0)+1:IFII>1THENKK(II)=
KK(II)+KK(II-1)-1"
2030 DATA"29080 LL=LEN(L1$)"
2040 DATA"29090 GOTO29020"
2050 IFLF=-1THENRETURN
2060 LF=-1:RESTORE:FORS=1TO10:READH$:NEXT:FORS=I+11TOI+53STEP2:REA
DT$(S):NEXT:I=I+55:RETURN
2070 DATA"30000 FORK1=1TONN:FORK2=1TONN:A(K1,K2)=- (K1=K2):NEXTK2,K
1"
2080 DATA"30010 FORK1=1TONN-1"
2090 DATA"30020 KC=1"
2100 DATA"30030 IFB(K1,K1)<>0THEN30070"
2110 DATA"30040 IFK1+KC>NNTHENPRINTCHR$(78):CHR$(79):CHR$(32):CHR$
(73):CHR$(78):CHR$(86):CHR$(69):CHR$(82):CHR$(83):CHR$(69):STOP"
2120 DATA"30050 I1=1:I2=KI+KC:KC=KC+1:GOSUB30210"
2130 DATA"30060 GOTO30030"
2140 DATA"30070 I1=KI:XK=1/B(K1,K1):GOSUB30190"
2150 DATA"30080 FORKJ=KI+1TONN"
2160 DATA"30090 XK=-B(KJ,K1):I2=KJ:GOSUB30200"
2170 DATA"30100 NEXTKJ,K1"
2180 DATA"30110 IFB(NN,NN)=0THENPRINTCHR$(78):CHR$(79):CHR$(32):CH
R$(73):CHR$(78):CHR$(86):CHR$(69):CHR$(82):CHR$(83):CHR$(69):STOP"
2190 DATA"30120 XK=1/B(NN,NN):I1=NN:GOSUB30190"
2200 DATA"30130 FORKI=NNTO2STEP-1"
2210 DATA"30140 I1=KI"
2220 DATA"30150 FORKJ=KI-1TO1STEP-1"
2230 DATA"30160 XK=-B(KJ,K1):I2=KJ:GOSUB30200"
2240 DATA"30170 NEXTKJ,K1"
2250 DATA"30180 RETURN"
2260 DATA"30190 FORKK=1TONN:A(I1,KK)=XK*A(I1,KK):B(I1,KK)=XK*B(I1,
KK):NEXT:RETURN"
2270 DATA"30200 FORKK=1TONN:A(I2,KK)=A(I2,KK)+XK*A(I1,KK):B(I2,KK)
=B(I2,KK)+XK*B(I1,KK):NEXT:RETURN"
2280 DATA"30210 FORKK=1TONN:CC=A(I1,KK):A(I1,KK)=A(I2,KK):A(I2,KK)
=CC:CC=B(I1,KK):B(I1,KK)=B(I2,KK):B(I2,KK)=CC:NEXT:RETURN"
2290 TX$=T$(J):GOSUB1840
2300 C=INSTR(TX$,"DOT "):IFC=0THEN2390
2310 D=INSTR(TX$,"="):IFD=0THEN2390
2320 A$=MID$(TX$,C+4,D-C-4):C=INSTR(TX$,"<"):IFC=0THEN2390
2330 D=INSTR(TX$,""):IFD=0THEN2390
2340 B$=MID$(TX$,C+1,D-C-1):E=INSTR(TX$,">"):IFE=0THEN2390
2350 C$=MID$(TX$,D+1,E-D-1)
2360 L(J+1)=L(J)+1:N$=STR$(L(J+1)):LL=LEN(N$):N$=RIGHT$(N$,LL-1)

```



```

2880 B=INSTR(TX$," "):IFB=0THEN3070
2890 P#=MID$(TX$,B+1,C-B-1):PR=PR+1:PR$(PR)=P#
2900 N$=STR$(L(J)):LL=LEN(N$):N$=RIGHT$(N$,LL-1)
2910 PA$(PR)=N$
2920 C=INSTR(TX$,"("):IFC=0THEN2960
2930 PL(PR)=PL(PR)+1
2940 C=INSTR(C+1,TX$,""):IFC<>0THEN2930
2950 PL(PR)=PL(PR)+1
2960 FORK=J+1TON
2970 IFINSTR(T$(K),"PROC")<>0THENPRINT"NESTING OF PROCEDURES NOT A
LLOWED":GOTO60
2980 C=INSTR(T$(K),"END"):IFC=0THEN3010
2990 IFINSTR(C+3,T$(K),PR$(PR))=0THEN3010
3000 GOTO3030
3010 NEXTK
3020 PRINT"PROCEDURE WITHOUT END IN LINE":L(J):GOTO60
3030 SJ=J:J=K:GOSUB1840 :J=SJ
3040 L(K+1)=L(K)+1:N$=STR$(L(K+1)):LL=LEN(N$):N$=RIGHT$(N$,LL-1)
3050 T$(K+1)=N$+" RETURN"
3060 GOTO60
3070 PRINT"ILLEGAL PROC STATEMENT IN LINE":L(J):GOTO60
3080 J=0
3090 J=J+1
3100 IFJ>NTHENRETURN
3110 IF T$(J)="" THEN3090
3120 C=INSTR(T$(J),"CALL "):IFC=0THEN3090
3130 LL=LEN(T$(J))+1:P=INSTR(T$(J),"("):IFP=0THENP=LL
3140 P#=MID$(T$(J),C+5,P-C-5)
3150 FORK=1TOPR
3160 IFPR$(K)=P# THEN 3190
3170 NEXTK
3180 PRINT"NON EXISTENT PROCEDURE CALLED IN LINE":L(J):GOTO60
3190 N#=PA$(K):M1=PL(K):IFM1>0THENM1=M1-1
3200 TX$=T$(J):GOSUB1840
3210 L(J+1)=L(J)+1:M$=STR$(L(J+1)):LL=LEN(M$):M$=RIGHT$(M$,LL-1)
3220 IFM1=0THENT$(J+1)=M$+" GOSUB "+N$:GOTO3090
3230 J1=0
3240 J2=0
3250 J2=J2+1:IFINSTR(T$(J2),"PROC")=0THEN3250
3260 J1=J1+1:IFJ1<KTHEN3250
3270 KK=J2:CO=INSTR(T$(KK),"("):CC=INSTR(TX$,"(")
3280 IFCO=0 OR CC=0 THEN PRINT"PROGRAM ERROR":STOP
3290 FORJ2=1TOM1
3300 IFJ2<M1THEN3320
3310 C1=INSTR(CO+1,T$(KK),""):C2=INSTR(CC+1,TX$,""):GOTO3330
3320 C1=INSTR(CO+1,T$(KK),""):C2=INSTR(CC+1,TX$,"")
3330 W$(J2)=MID$(T$(KK),CO+1,C1-CO-1)
3340 V$(J2)=MID$(TX$,CC+1,C2-CC-1)
3350 CO=C1:CC=C2
3360 NEXTJ2
3370 X$=M$+" "
3380 FORJ2=1TOM1
3390 X$=X$+W$(J2)+"="+V$(J2)+" ":
3400 NEXTJ2
3410 T$(J+1)=X$+"GOSUB "+N$
3420 GOTO3090

```

LYNX

makes your TRS-80 a whole new animal.

LYNX isn't just a telephone coupler.

LYNX is a one-piece total telephone linkage system for TRS-80 Level I and II computers. It contains all the functions you need to tap The Source. Engage your business computer. Play games with a computer friend. Or do nearly anything you wish.

Best of all . . . LYNX costs only \$239.95*. A mere fraction of what you used to have to pay for equipment to do the same job.

LYNX. To get your paws on one, call or write:

ESI EMTROL
SYSTEMS, INC.

123 LOCUST STREET LANCASTER, PENNSYLVANIA 17602
Phone 717/291-1116

VISA or Master Card Welcome



*Add \$2.50 for shipping and handling.
PA residents add 6% sales tax.
Includes "Terminal" program on cassette, instruction manual.



*TRS-80 is a trademark of the Radio Shack Division of Tandy Corporation.

CIRCLE 26

The Nerve of a Chess Player!

A Book Review
BY HARRY SHERSHOW

Chess players have always been considered a curious lot, afflicted with more neurotic symptoms than any other single class of gamesmen. Their hands tremble, their muscles stiffen, they assume immovable poses for hours at a time (like hunter's dogs), and they adopt strict regulations for themselves; such as, no noise! no talking! no smoking! no touching of pieces! no heavy breathing! Admittance into the inner sanctuary of a chess club is like wandering into a chapel. All the members sit quietly, staring somberly at each other. No one smiles and no one moves. They are a strange lot. They rarely applaud the victor of a game. Usually they commiserate with the dejected loser and gleefully show him where he went wrong. To the vanquished this is a second whipping, but such are the ways of these chess people. One has always wondered when some psychiatrist was going to come along, analyze this cult and then offer some explanation for "chess club syndrome." Someone now has done that.

Kenneth Colby is Professor of Psychiatry, Behavioural Sciences and Computer Sciences at UCLA. He is also a Class A chess player. Therefore, he should know more about the peccadilloes of chess players than your average pedestrian observer. His new book, "Secrets of a Grandpatzer" (with a subtitle of "How To Beat Most People and Computers at Chess") must rank among the best chess books ever written. He offers advice on how to beat your opponent (man or machine) by carefully dissecting the mechanics of the game down to their logical elements. The book is a masterful exposition of such ploys as "How to Study," "How to Play," "How to Miscellaneous," plus usual instructions on planning strategy and counterattack. But it is between the game lines, though, where the book shines brightly.

"Speaking of being nervous and being drunk," writes Dr. Colby for

example, "I have found it useful to be slightly swacked at the start of a game. Holov, a Soviet grandmaster, was once suspended from tournaments for a year for drinking too much. He went a bit too far with it, but he sure could make some great moves. In this position: . . ." (see the book.)

At another place, the author says, "John Dewey said the deepest human urge is to feel important. Nobody wants to be a nobody. It is precarious to use chess as a way to defeat a sense of nobodiness. (If a Martian came here, he would be astounded to hear of the powers of our Nobody: Nobody is perfect; Nobody can give birth to himself; Nobody can be in two places at once.)"

Other Colby observations:

"Shame and humiliation originate in childhood from being ridiculed and treated with contempt by others. Of all the various types of game-players and athletes I have known, chess-players suffer most from emotions of contempt.

"Most masters I know have absolute contempt for chess-playing computers, but of course there is a growing threat to them here."

"I remember vividly a tournament opponent of mine who was a 75-year-old trembly-handed janitor for a grammar school in a back-country California town. He opened the game atrociously, moving the same Knight four times. I couldn't believe he would ever want to enter a tournament. He won the game!"

"Nimzovich once protested allowing a 'stupid idiot' of a player to enter a tournament and then lost to him!"

"All sorts of pressures besiege the player over the board. A general inventory of them is of little use. Each Grandpatzer must find, know, and attempt to control his own. One man's meat is another man's poison. I know players who become so extremely tense and excited when they have a winning position that it is unbearable to watch them because they are so vulnerable to making a quick blunder in this state. Other players look so cool and nonchalant that only careful study of the board reveals they are absolutely lost."

"Alekhine felt chess was a matter of vanity. Capablanca in 1913, had the Mayor of Havana clear the playing room so no one would see him resign to Marshall. If you size up your opponent as 'dumb', you ('the great me') are in great danger from your most dangerous opponent, yourself. 'Vanity rather than wisdom determines how the world is run,' said Vonnegut."

"Life is more than just ham sandwiches and beer. Humans strive to not to survive, but to enhance the *quality*, the excellence, of survival. Happy people, without artistic goals, vegetate in incomplete, hobbled and impoverished lives."

"Players of the future may begin to use chess programs during adjournments which should bring an end to our long-standing absurdity of having several consultants help out a player with adjourned games . . . After all, Queens and clocks were introduced to speed up the game (over resistant opposition) but we take them as sensible now."

There are 140 pages sparkling with more of the preceding observations and you surely will spend an enjoyable evening looking for them. "Secrets of a Grandpatzer" is a chess book that one will read rather than study. More than 100 chess diagrams are included, together with corresponding game documentation, to soothe the appetites of the hungriest players. If you absorb all the advice that Dr. Colby offers, you could become a formidable opponent for both people and computers. To strengthen your level of play, the doctor claims, you must understand not only many secrets of the outer game of chess but also those of the inner ego game of chess players. For such professional advice alone the book is a bargain regardless of its price. After all, if you were lying on the couch in Dr. Colby's office, listening to him read aloud, you would be paying him \$25 or \$50 an hour. Indeed, this is a bargain.

To order this sparkling chess book for yourself, or as a gift for one of your grumpy chess-playing friends (to improve his disposition) refer to the ad in the classifieds of this section.

Rating BORIS 2.5

BY DAVE WELSH

David E. Welsh, who wrote this analysis, is a consulting mechanical engineer specializing in product design and development. The modular game system unit formerly marketed under the name of Sargon 2.5, by Chafitz Co., is currently being marketed as BORIS 2.5 by Applied Concepts. No adamant statement on this change has as yet been issued by either company as apparently they are involved in some litigation.

Best of the "standalone" computer chess games at this date is Boris 2.5 (formerly known as SARGON 2.5). The program is in a small ROM module, which plugs into a housing containing microprocessor, keyboard and display. Later versions, or other games (a strong checkers module is reportedly ready) will be available at modest cost.

The System

Boris 2.5 runs on a 6502 microprocessor with 8K of ROM and only 2K of RAM. Its clock speed of 2 MHz lets the "stand alone" run twice as fast as an Apple II Sargon II cassette, and three times as fast as the TRS-80 cassette. The system features a fluorescent display and audio feedback for keyboard entry, illegal moves, announcing the machines move, and checkmate or stalemate. Contrary to rumor, the current microprocessor is not the same one that was used in earlier Boris models.

The original Sargon program was developed by Dan and Kathe Spracklen. Work began in September 1977, when Dan started writing symbolic pseudocode (they didn't have a computer yet). In November, Kathe joined the effort, and in December they took delivery on a Jupiter III microcomputer, and began translating the program into Z-80 assembly language and designing interface graphics. Like most programs, Sargon needed lots of "debugging" and by the end of January 1978, it would make legal moves but little more. Programmers will realize

the effort needed to finish the program in just one month, in time to play in the first microcomputer chess tournament on March 3, 4 and 5 at the West Coast Computer Faire. Sargon easily won the tournament with a 5-0 score. A listing of the program at this stage was published as "Sargon — A Computer Chess Program" by Dan and Kathe Spracklen, Hayden Book Co., 1978.

The Spracklens did not rest on their laurels, but continued to improve their program during 1978, concentrating on move selection logic and algorithm efficiency. In December, 1978 the improved Sargon II was invited to the ninth annual North American Computer Chess Championship tournament, where it made computer and chess history by tying for third place — defeating the powerful mainframe program AWIT in the final round. By then, Sargon II was generally recognized as the microcomputer world Chess champion. In February 1979, Chess Challenger 10 won the Penrod Memorial Microchess tournament to qualify as its "challenger". In the championship match Sargon II beat Chess Challenger 10 quite handily.

The tenth North American Computer Chess Championship in October 1979 saw Sargon 3.0 finish in seventh place, losing to the second and fourth place mainframes, and drawing with mainframe BLITZ 6.9. Sargon easily won its game with microcomputer MYCHESS (running on a 64K Cromemco Z-2D), and put up a terrific battle against 1978 champion BELLE — declining a draw offer at the 38th move and eventually losing. Sargon 3.0 then traveled to London for the second annual European Microcomputer Chess Championships in November 1979, scoring an easy 5-0 victory. In an exhibition game after the tournament, Sargon trounced Voice Chess Challenger in a blitz game at Queen odds!

Sargon 2.5, developed for the Modular Game System, made its debut in the seventh annual Paul Masson American Class Championships, June

30-July 4, 1979. Competing in Class C, it scored 3½-1½ for a 1641 USCF event rating. In the San Jose City College Open in January 1980, Sargon increased its USCF rating to 1736.

The Program

Boris 2.5 (or Sargon 2.5, depending on what model you have) has seven levels of play: 0 (instantaneous response), 1 (10 seconds), 2 (20 seconds), 3 (60 seconds), 4 (3 minutes), 5 (30 minutes), and 6 (3 hours). Level 0 only examines the opponent's possible replies; the number of the other levels indicates the minimum number of look-ahead plies in the programs full-width search. As the game progresses, there are fewer pieces to consider, and the search depth increases. The program selectively examines certain moves beyond the full-width search, to as much as 9 or 10 plies.

Sargon's search algorithm is very efficient. In my review of Chess Challenger 7 (Personal Computing, Jan.-Feb. 1980), a "mate in two" problem was used to measure CC 7's search rate at 30 positions/second. Sargon solved it at a 90 positions/second clip, and demonstrated the efficiency of selective search in game situations by finding the 4 move combination from Welsh-Dunning, 1968 in only 32 minutes — a 150:1 improvement over CC 7!

Sargon's program incorporates long-range planning and sophisticated positional evaluation parameters. Although it can be outplayed by a strong human, Sargon rarely makes serious positional miscalculations, and never commits the gross blunders that mar the play of other chess microcomputers. It is the only microcomputer that can formulate a strategic plan.

USCF Rates Sargon 2.5 above 85% of Tournament Players

Sargon 2.5's provisional USCF rating of 1736 is compared to the ratings of USCF members in Diagram 1. The area under the curve represents the number of rated players, and the per-

centile ranking for a given rating r is found by,

$$P(r) = \frac{\int_{r_{\min}}^r N(r)dr}{\int_{r_{\min}}^{r_{\max}} N(r)dr}$$

Carrying out the integration graphically ranks Sargon in the 86th percentile. Chess Challenger 7 would rank in about the 35th percentile. From the USCF rating formula approximate odds can be derived, which illustrate the significance of a rating difference:

Difference in Ratings	Odds favoring Stronger
100	5:3
200	3:1
300	7:1
400	15:1

Sargon's Style of Play

Sargon likes classical positions with strategy revolving around control of the center. Its opening "book" is only 3 moves deep (compared to 4 for CC 7). The Auto-Response board version has a much larger opening "book" because no display messages are stored in ROM.

Sargon conducts the Black side of the Sicilian Defense particularly well, playing an early...e5 and obtaining positions characteristic of Lowenthal and Boleslavsky variations. Open

games such as the Ruy Lopez, Giuoco Piano, Scotch Game and Two Knights' Defense suit Sargon's style better than slow closed openings like the King's Indian Attack. Against the King's Indian Defense of the Pirc-Robatsch, Sargon plays well, building up a classical "big center".

In the middle game, Sargon plays aggressively when it senses a weakness, and is dangerous on the attack in an open position. In slow maneuvering games, Sargon misses chances for positional attacks but does not spoil its own position — it marks time, waiting for the opponent to start the action. On defense, Sargon counterattacks and takes risks, accepting gambits and sacrifices as a point of honor, and undervaluing the attacker's initiative. This makes it an exciting opponent for the gambit player.

Endgames are not 2.5's strongpoint, though it is much better at endings than other microcomputers, and considerably improved over Sargon II. With King and Queen or Rook vs. King, Sargon mates in at most 15 moves at Level 1. With the advantage of two Bishops, Sargon mates in at most 17 moves at Level 3, but draws at Level 2. Sargon cannot carry out the difficult mate with a Bishop and Knight advantage from the general position (White: K,a1; B,d1; N,d8 — Black: K,d4), tending to drive the King into the wrong corner and being unable to drive him

over from there to the right corner. In a favorable position, where the King has to go to the right corner (White: K,f4; B,e4; N,c4 — Black: K,f2) Sargon can carry out the mate at Level a4.


King and Pawn endings present problems that Sargon cannot yet solve — for example, the classical position (White: K,e3; p,d2 — Black: K,d5) in which Sargon always plays 1 d4, drawing, instead of 1 Kd3, winning. Even in a more favorable position (White: K,d4; p,d3 — Black: K,e6) Sargon goes wrong: 1 Kc5 Ke5 2 d4+ Ke6 3 d5+, drawing, instead of 3 Kc6, winning. In these and more complicated endings with Pawns and pieces, Sargon fails to win won positions but defends fairly well.

One important feature in Sargon's endgame play is the change in its move evaluation algorithm at move 30, to allow Sargon's King to play a more aggressive role. This can have interesting results in games where many pieces are left when the algorithm changes (see match game 3, Level 4).

Sensation at the Herman Steiner Chess Game

On Sargon's first visit to the Herman Steiner Chess Club in Los Angeles, it was challenged by a wily veteran whose rating, before retiring from tournament play, was in the high 1900's. The game was played at Level 4, and in the apparently balanced position of Diagram 2, Sargon (Black) unleashed a terrific attack:

Diagram 1



BORIS 2.5 vs. 1900 PLAYER (Level 4)




Diagram 2

1. ... b5!
 2. Qd3 Bb7
 3. Ne3 ...
- Rad1 was better

3. ... c4
4. Qe2 g5
5. Nd4 ...
White must lose a piece, so he seeks attacking chances
5. ... Qb6
6. Nxf5 gxf4
7. Qh5 ...
White does seem to have some threats: I was hoping Sargon would play ...Qg6. Instead:

7. ... Rxf5!!
8. Nxf5 Qxf2+
9. Kh1 Ng3+!
10. hxg3 Qxg2 mate!
Bravo!

Other opponents at Level 4 weren't able to finish their games. These fragments are interesting:

**White — Category III:
Sicilian Defense**

1. e4 c5
2. Nf3 d6
3. d4 cxd4
4. Nxd4 e5
5. Nb3 ...
Nb5 was better
5. ... Nc6
6. c4 Nf6
7. Nc3 Be7
8. Be2 Be6
9. 0-0 0-0
10. Be3 Rc8
11. Nd2 a6
12. b3 ...
Rc1 was better

12. ... Nd7!
13. f4 exf4
14. Bxf4 Bf6!

Sargon now wins a Pawn:

15. Rc1 Qa5
16. Qc2 Nb5
17. Qb1 Bxc3
18. Rxc3 Nxa2-+

**White — Expert:
King's Indian Attack**

1. Nf3 d5
2. g3 c5
3. Bg2 Nc6
4. 0-0 e5
5. d3 Be7
6. e4 Be6
7. exd5 Qxd5
8. Re1 Qd6
9. Nc3 0-0-0?!

Risky — Sargon underestimates White's attacking chances

10. a3! Nf6
11. b4 cxb4
12. axb4 Qxb4
13. Bd2 Qc5
14. Qb1 ...

With strong pressure for the Pawn

14. ... Ng4
15. Re2 f6
16. h3 Nh6
17. Qb2 Nf5
18. g4 Nfd4
19. Nxd4 Qxd4
20. Re4 Qd6


21. Rea4 a6
22. Be3 Rd7
23. Rb1 Rhd8?!
Better was ...Kd8 escaping to the Kingside
24. Ne4 Qb8±
Now White could cash in by
25. Nxf6 Bxf6
26. Bxc6 Rc7
27. Rxa6 with a Pawn plus.

Rapid Transit at Level 2

Most of the games at the Steiner Club were played at Level 2, with the challenger allowed 5 minutes on a chess clock and Sargon having 12 minutes on its internal clock — keyboard time not counting. This works best with a non-playing Sargon operator, but the solitaire version is also fun once the distraction of keyboarding is mastered.

Sargon is surprisingly good at this, enjoying a big plus score against all comers. It sees much further than one would expect at Level 2 — for example, in the position of Diagram 3, from a rapid-transit game, D. Welsh — Chess 4.8 which continued: 1 a5!? Qxg3? After ...Rh8! White resigns 2 axb6 Qxf4 3 bxc7+ "Oh, you had THAT!" Kxc7 and White announced mate in 3. When Sargon was confronted with this position at Level 2, it answered 1 ...b5 evading the trap.

**BORIS 2.5 Tests a Problem
(Level 2)**



End Position: Welsh vs. Chess 4.8

Here are two interesting rapid-transit games against a Category II player:

Black:

Sargon 2.5 Scotch Game

1. e4 e5
2. Nf3 Nc6
3. d4 exd4
4. Nxd4 Bc5
5. c3?! Bxd4?!
Sargon loves to exchange Bishop for Knight
6. cxd4 Nf6

7. e5?! Qe7
8. Be2 Ne4
9. Nc3 Qb4
10. Qd3 d5
11. f3 Nxc3
12. bxc3 Qe7
13. a4! Qd8
14. Ba3 f6
15. exf6 Qxf6
16. 0-0 Bf5
17. Qb5 0-0-0
18. a5 Qe6

a6 was essential

19. Rfe1 Qe3+
20. Kh1 Qxc3
21. Rec1 Qxd4

Sargon is a Pawn-snatcher

22. Bc5 Qf6
23. a6 ...
White presents the bill for damages

23. ... b6
24. Bg1 Nd4?
Nb8 was the only chance

25. Bxd4 Qxd4
26. Qc6 Qe5
27. Bb5 Qxh2+
28. Kxh2 Rd6
29. Qa8 mate

White:

Sargon 2.5 Pirc-Robatsch

1. e4 d6
2. d4 Nf6
3. Nc3 g6
4. Nf3 Bg7
5. Bc4 0-0
6. Be3 Bg4
7. 0-0 Nd7
8. Re1 e5
9. Qe2 a6
10. Rad1 ...

Economical development

10. ... Qc8
11. Rd2 b5
12. Bd5 Rb8
13. Red1 b4
14. dxe5!?

Safer was Nb1, but this is an impressive combination for rapid-transit

14. ... bxc3
15. cxd6 cxd2
16. fxg7 Kxg7
17. Qxd2 Bxf3
18. Qd4+ Ne5
19. gxf3 Kg8
20. Kg2 Qd7
21. Bb3 Rbd8
22. Bc4 c5?!
23. Qd5 Qe6?

Nxc4 is better

24. Qxe6 fxe6
25. Bxe6+ Kg7
26. Bg5! Rde8
27. Rxd6 Nxf3
28. Rd7+ ...
And Black's flag fell in a lost position, e.g.
28. ... Kh8
29. Be7! Rf4
30. Kg3 g5
31. Bf5

Boris 2.5 vs. Sargon II

A friend arranged to play his Apple II version of Sargon II against Boris 2.5. Both have the same 7 levels of play, but Boris 2.5 can predict a move and think on the opponent's time. With its faster clock speed, this allows Boris 2.5 to

play much faster. Due to the similarity between the programs, Boris 2.5 anticipated most of Sargon II's moves and had an answer ready. Two games were played at Level 3, Boris 2.5 winning both. These games will be shown in next month's continuation of this article. Whether you have the stand-alone unit

labeled Sargon 2.5 or the unit called Boris 2.5, you have the best around — as of September 1st. After that date, a number of computer chess tournaments have been scheduled. Perhaps by the time you read this, a new king will be on the throne.

Six Test Problems for Chess-Playing Machines

BY DR. W. W. FOSTER

Here's a sobering thought: if you are rated 1500 or below, you are now able to purchase a preprogrammed, chess computer for a few hundred dollars or less that will beat you consistently at chess! (And every year sees the machine ratings creep upward.)

Today, there are at least 10 preprogrammed models on the market, the best known being the BORIS 2.5 series, as well as home computer programs such as, SARGON I, SARGON II, and MYCHESS, all running on an Apple, Pet or TRS-80.

Of course, if you have friends, you can try one of the programs designed for the ultrafast, large mainframe computers like Tom Truscott's DUCHESS at Duke (written by Tom Truscott, Bruce Wright and Eric Jensen), Ken Thompson's BELLE at Bell Telephone Labs in New Jersey, or David Slate and Larry Atkins' CHESS 4.9 at Northwestern University.

The real dilemma for most of us, however, is which unit will play the strongest chess within a reasonable time limit for the most reasonable price.

I personally have owned five of the home units and have tested two others. Also, I have written to all of the manufacturers asking for information and have collected results from several microchess tournaments.

First, let me remind you that information in the past from the manufacturers was for the most part misleading. Long after two 1978 tournaments were

RESULTS: The "Foster" Test:

Problem	Length	Early BORIS	CHALLENGER-7	BORIS-2.5	DUCHESS
1	4 Moves	No solution in 24 hours	No solution in 8 hours	Missed the mate (tested on its highest level)	Solved it in 0.24 seconds
2	2 Moves	Solved it in 2 hours	Solved it in 14 minutes	Solved it in 50 seconds	Solved it in 0.23 seconds
3	2 Moves	Solved it in 11 minutes	Solved it in 3 minutes	Solved it in 25 seconds	Solved it in 0.32 seconds
4	3 Moves	Not tested	Solved it in 33 hours	Solved it in 8 min. 24 sec.	Solved it in 0.32 seconds
5	3 Moves	Not tested	No solution in 10 hours	Found the best move in 18 min. Also found "The Cook"	Duchess "Cooked" the problem. See Below
6	2 Moves	Solved it in 35 minutes	Solved it in 4 minutes	Solved it in 48 seconds	Solved it in 0.6 seconds

played in which an early BORIS model did poorly, I was assured in a letter dated 9/7/79 that regarding BORIS "as of now, there is not a stronger computer on the market."

As to the microchess tournaments, the results were sometimes contradictory and not reproducible. But they did have some value. In the 1978 West Coast Computer Fair, SARGON II beat CHESS CHALLENGER-10 by 5 points to 3, but in the Personal Computing Microchess tournament in 1978, CHESS CHALLENGER-10 finished ahead of SARGON I with 11 points to 8-1/2. These tournaments were, however, too infrequent and the technology is continuously improving.

What is needed is a simple, easy-to-

apply test for each new program that would rate chess playing speed and strength. To this end, I have used the first six problems in *Reinfeld's 1001 Brilliant Ways to Checkmate* (1979 Edition, Published by Wilshire Book Company, 12015 Sherman Road, No. Hollywood, CA 91605), and recorded the time required to solve these 2, 3 and 4 move problems. Also, Tom Truscott at Duke University has tried these problems on DUCHESS and has arranged for them to be run on BELLE, for comparison purposes.

DUCHESS solved problems 1, 2, 3, 4, and 6 in less than one second each! Also, DUCHESS found the unusual Move 2...Kd7 for Black in problem 5 which was not considered by Reinfeld

and which delays mate for several moves! Similarly, BELLE solved them all in about the same time as DUCHESS and also in problem 5 discovered the "cook" 2...Kd7 for Black.

Clearly, CHALLENGER-7 was stronger than early BORIS, but BORIS-2.5 was significantly stronger than the "7". Since the "Foster Test" indicated that BORIS-2.5 was stronger than "7", I tested the validity of this result by matching these two machines in a two game contest using level 3 on BORIS-2.5 (45 to 90 seconds per move) and also level 3 on CHALLENGER-7 (one minute, 20 seconds per move). According to BORIS-2.5's internal clock, it used an average of 68 minutes per game and CHALLENGER-7 used 81 minutes. BORIS-2.5 won both games within 50 moves.


In other testing, BORIS-2.5 was notably stronger than CHALLENGER-7 when shorter time limits were used for both computers. At longer time limits, BORIS-2.5 was still stronger than

CHALLENGER-7, but the relative difference in their respective strengths was less. Also, BORIS-2.5 playing at 10-15 seconds per move (level 1) beat CHALLENGER-7 at one minute and twenty-seconds per move (level 3) consistently.

As to CHALLENGER-10 and VOICE CHALLENGER: my own experience with these machines tells me that VOICE CHALLENGER and "7" are equally strong, but "VOICE" has a larger opening Book in memory and, of course, it can speak. CHALLENGER-10 is weaker than "7" or "VOICE." The BORIS MASTER (another model of the early Boris series) runs the "Master chip" and so is said to be twice as fast as BORIS. It may be better in this one regard; (speed) than the BORIS, but it has the same algorithms (programs).

BORIS-2.5 has a capability for thinking on the opponent's time and has a replaceable module so it can be updated in the future. It seems to be an improved version of the Sargon-II pro-

A Machine Fault




After White's move of Kg5, the Computer knocks off White's Bishop but lets the pawn get away.

gram by Dan and Kathe Spracklen, with some ideas borrowed from Dr. Hans Berliner, an authority on artificial intelligence, and from the Chess 4.9 program. This machine also has a reverse! If you make an error you can back up as many as three moves.


I am currently rated 1600. I played BORIS-2.5 a two game match under

Reinfeld's Problem 1




White mates in 4

Reinfeld's Problem 2




White Mates in 2

Reinfeld's Problem 3




White Mates in 2

Reinfeld's Problem 4




White Mates in 3

Reinfeld's Problem 5



White Mates in 3

Reinfeld's Problem 6



White Mates in 2

tournament conditions (i.e. 40/90) and won both games with reasonable ease. At 5-minute chess, however, BORIS-2.5 often beats me. It, of course, does not make tactical errors.

But before you rush out to buy BORIS-2.5 consider this Machine Fault Diagram reached in one of my games with it. Here I played Kg5 and BORIS-2.5 replied...KxB?, then e6, etc. and the pawn can't be stopped! Very few human players would make this error, except in time pressure, but

the dedicated computers all play poorly in the end game because of the "horizon" effect, i.e., they can't calculate beyond about four moves. Advantages beyond four moves such as queening the pawn in the above example are not considered.

In summary, I believe there are two best buys: If you are rated 1300 or below, you may pay about \$90.00 for CHALLENGER-7 and expect it to give you a good game, or if you are rated higher you can pay around \$300 for the

SARGON-2.5 system (also sold as BORIS 2.5) and expect it to give you a real challenge at the higher levels. Both units are easy to operate.

Any readers who have access to MYCHESS or any other chess computers are invited to present Reinfeld's six problems to their machines and to send the results (plus other pertinent information or inquiries) to me for a follow-up article. (Dr. W. W. Foster can be reached at 3617 Lubbock Dr., Raleigh, NC 27612.)

What Chess Programs Don't Do (Part I)

BY NORMAN WHALAND

Chess programs are caricatures of human chess reasoning. They emphasize a few of the methods used by human players and neglect many others. Because sheer speed partially compensates for the limitations of the programs' simplified reasoning, the best of them are able to compete with strong amateurs. There are indications that the ability of programs is reaching a plateau, however. Machine play at the master level is likely to require further ideas borrowed from human chess reasoning.

As former world champion Dr. Emanuel Lasker pointed out (in *Lasker's Manual of Chess*, available as a Dover paperback), there are two essentially different ways of looking at a chess position. We can think forward from the given position, trying out forcing moves in the hope of hitting upon an advantageous sequence. Alternatively, we can think backward from a goal. Thinking backward is more complicated, in that we must not only decide on a goal, but must also know how to select moves appropriate for reaching it. The compensating advantage is that goals restrict the search and thereby deepen it.

Programs use the thinking-forward method almost exclusively. They typically have a few broadly applicable strategic goals, such as development of the pieces, pressure on the opponent's king position, and control of the center.

Since some of the goals aren't appropriate for all stages of the game, the programs modify their goals at the transitions from opening to middlegame and from middlegame to endgame. For the most part, however, the goals don't change from move to move, and they aren't specific enough to narrow the search very much.

Human players set a much wider variety of goals, both strategic and tactical. Their goals are determined not merely by the stage of the game but also by specific features of the position, such as weak pawns, immobile pieces, or weaknesses of the king's position. In addition, goals are derived from the results of dynamic analysis. Highly specific tactical goals drastically limit the search, so that people can find much longer combinations than programs can. Precise strategic goals give human play a consistency of purpose that is particularly important in the endgame.

The incorporation of more goal-directed thinking in chess programs may significantly improve their performance. The examples that follow illustrate the kinds of goals that can occur, the ways in which they are set, and the effects that they have on the choice of moves. Brief and incomplete as this survey is, it gives some indication of the benefits as well as the difficulties of the use of goal setting in programs.

A Target Square

One of the most common goals is the exertion of pressure on a particular

RUBINSTEIN vs. SALWE, (Lodz 1908)




Diagram 1. Position after 10...Be7

square. The choice of the square is usually determined mainly by the pawn structure. Sometimes the pressure is directed against a freeing pawn move. If the square can't be defended by an enemy pawn, the aim is to occupy it with a piece. Both motives can be seen in the following example.

Black's c pawn is potentially vulnerable because it is backward on an open file. Its advance is prevented for the moment by white's pressure on the d pawn. On the other hand, if black should later succeed in mobilizing his central pawns, they could become a powerful weapon. Consequently, control and occupation of c5 are crucial. So vital did Rubinstein consider this goal, that he violated several principles of the opening in its pursuit.

11 Na4. He breaks three rules at once: he moves a piece twice in the opening, moves a knight to the rim, and removes pressure from the center.

11...Qb5 12 Be3. It's almost always bad to block a center pawn like this. The problem for chess programmers is to prevent such a move most of the time while enabling the program to recognize the exceptions.

12...0-0 13 Rc1 Bg4 14 f3. It's not nice to block one's own bishop, but white prefers not to divert resources from the main task. The c5 goal influences all of his choices.

14...Be6 15 Bc5 Rfe8 16 Rf2 Nd7 17 Bxe7. This move is necessary to keep open the possibility of occupying c5 with a piece.

17...Rxe7 18 Qd4 Ree8 19 Bf1 Rec8 20 e3 Qb7 21 Nc5 Nxc5 22 Rxc5. The pawns are finally blockaded, weak, and useless. White won a pawn in a few more moves.

The selection of c5 as the target square depended on simple criteria, easily implemented on a computer. Sometimes the relative importance of the square is more obscure.

Hidden Goals

In most positions, several plausible goals suggest themselves. Static considerations may not be sufficient to decide among them. Sometimes the crucial goal is evident only in future positions visualized in analysis. In this position, Alekhin thought for one-half hour before choosing a target square.

MARSHALL vs. ALEKHIN (New York 1929)




Diagram 2. Position after 42. Qd2

Black is the clear exchange ahead and also has positional advantages. He has a passed pawn, and his queen exerts cramping pressure. nevertheless, Black's task is difficult because of his exposed king and his loose, ineffective pieces at d8 and b7.

White's immediate threat is 42 Qd4

followed by Qh8+. Black has no good way of preventing the invasion and can only try to blunt its effect. The removal of white's queen would increase the danger to his own king, suggesting that black counter the threat by increasing his pressure there. On the other hand, defensive measures in black's own king's field may be in order. Alekhin considered, among others, this variation:

41...Ba6 42 Qd4 Rc2. White must now proceed by a series of checks to avoid instant checkmate.

43 Qh8+ Ke7 44 Qf6+ Kd7 45 Qxf7+ Kc8 46 Qe6+ Qxe6 47 dxe6. Black can no longer expect to win. If black had controlled e6, white would have run out of checks and lost. This variation shows that controlling e6 is

*"Base your Analysis
on Target Squares
and hidden goals."*

more important than activating the bishop. Therefore Alekhin played 41...Re8 and eventually won.

From this example we see the two-way connection between goal setting and analysis. For the purposes of his analysis, Alekhin assumed that each player would attack the opponent's king. This was a reasonable starting point, because both kings were exposed. He undoubtedly realized at the beginning that he might have to make a move to defend his king, but to find the right move he needed to trace the course of the opponent's attack. The goal of attacking the kings limited the possibilities sufficiently for a deep analysis. The weakness of e6 so revealed led him to set the goal of guarding it, which he was able to accomplish immediately. Thus, goals shaped his analysis, and the analysis in turn prompted an additional goal.

A static appraisal of the original position wouldn't suggest that e6 needed further protection. Of course, the activation of the rook by 41...Re8 might have been chosen on general principles, but so might several other moves. Only by concrete analysis could the crucial square be pinpointed.

In this position, the same method

MIESES vs. Alekhin (Scheveningen 1913)




Diagram 3. Position after 17. Rc1

revealed a subtle trap. Black sees combinative possibilities in 17...Nxc2 18 Rxc2 Nb4, since the rook seems hard to defend. For example: 19 Bd1 Rxd1+, or 19 Bd3 Nxd3 20 Qh5 g6 21 Qxh4 Nb4.

White can slip out, however, with 19 Nd3. Then 19...Nxd3 is answered by 20 Qxf5. Likewise, 19...Bxd3 20 Bxd3 Nxd3 21 Rxc7 and 19...Be4 20 Nxb4 Bxf3 21 Bxf3 are not good for black. The combination fails only because the bishop at f5 is unguarded. Therefore Alekhin played 17...g6, deviously attacking the c pawn, but white saw the trap and replied 18 g4.

Goals derived from possible future positions occur frequently in human play. By contrast, some programs derive no information at all from a variation except the evaluation of the final position. Other programs, such as those that use the killer heuristic, achieve a limited transfer of information between variations. The heuristic applies when most of the moves in a position can be refuted by the same "killer" move, as when a piece is en prise. The programs save such moves and try them first in subsequent variations.

Human players learn far more from the variations they consider. The early stages of analysis provide insights that guide the later stages. The examples just given barely hint at the variety of insights so gained. For example, analysis may demonstrate the immobility of a piece or reveal hidden effects of a move. It often suggests possibilities to be alert for as play proceeds. The learning that goes on during analysis is one of the most striking differences between human and computer play. (Part II, next month)

BORIS 2.5 Sparkles

The big debate these days is which micro-chess program is the better one: BORIS 2.5 or MYCHESS. Documented arguments are coming from both directions. In the following game, played earlier this year at the San Jose City College Open, BORIS 2.5 was the victor. Another game between these two protagonists will show where MYCHESS has won. The BORIS win is analyzed here by Morris Miller.

BORIS 2.5 vs Mychess

- | | |
|-------------|----------|
| 1. N-KB3 | P-Q4 |
| 2. P-KN3 | N-KB3 |
| 3. B-N2 | N-B3 (a) |
| 4. P-Q4 | P-K3 |
| 5. N-B3 (b) | B-Q3 |
| 6. 0-0 | 0-0 |



Position after White's 17th Move.

- | | |
|---------|-------|
| 7. B-N5 | P-KR3 |
| 8. BxN | QxB |
| 9. P-K4 | PxP |

- | | |
|----------------|---------------|
| 10. NxP | Q-B4 |
| 11. NxB | PxN |
| 12. N-R4 (c) | Q-QN4 |
| 13. P-Q5 | PxP |
| 14. BxP | QxP |
| 15. BxN | PxB |
| 16. QxP | B-K3 |
| 17. N-N6 (d) | (Diagram) |
| ... | R (R1)-Q1? |
| 18. QxP | PxN? |
| 19. QxBch | K-R2 |
| 20. Q-N3 | R-QN1 |
| 21. QxQ | RxQ |
| 22. R (KB1)-B1 | R-B3 (e) |
| 23. R (R1)-N1 | RxRP |
| 24. R-R1 | R(B3)-R3? (f) |
| 25. RxR | RxR |
| 26. P-QB4 | P-QR4 |
| 27. P-B5 | P-R5 |
| 28. P-B6 | R-K7 |
| 29. P-B7 | R-K1 |
| 30. P-B8=Q | Resigns |

Notes to BORIS 2.5 vs MYCHESS

(a) It is refreshing to see that more openings have been fed into BORIS but here the text move should be replaced by 3-...P-Ba4.

(b) A similar mistake. Since white should strive to open up the line of its fianchettoed bishop against the center P-QB4 is required.

Perhaps what is needed is to program long range goals for the opening as well as specific lines of play. Some years ago Dr. Reuben Fine wrote a remarkable book, "The Ideas Behind The Chess Openings" advocating this idea (for humans!) but it applies to programs as well.

(c) Now white should play R-K; Q-Q2, with P-QB4 and P-Q5 in the offing. If the text is played it should be with a

view toward an eventual P-KB4 to restrain the black king pawn. There is no hurry to play P-Q5 since if black attempts to prevent it white will have other initiatives.

(d) The long striding bishop is always better in an open position, so BORIS does best to seek complications. Black should play 17-...KR-Q1; 18-QxP, BxP; 19-N-B4, QR-B1; 20-Q-R4, RxP; (not 20-Q-R6, B-B5); 21-QxP, R(Q1)-Q7 etc.

(e) Black misses a drawing chance: 22-...R-QB1; 23-P-QB4, R-KB1; 24-P-KB4, P-N4!; 25-PxP, R(KB1)-B7 with a perpetual check. Or 24-R-KB1, R-QB7; 25-R(QR1)-B1, R(B1)xP etc.

(f) Much better is 24-...RxR; 25-RxR, R-B3; 26-R-B1, P-N4 and K-N3 etc. Black gains a move in this line since white's rook has to be behind the passed pawn.

The battle of Boris 2.5 vs Sargon 2.5

Many letters from our readers have led us to query both the Chafitz Co., and Applied Concepts as to the current situation of the BORIS/SARGON confusion. Letters were sent to both companies, but as of the August issue, only Applied Concepts had replied. The following letter was sent on June 18, 1980 to Steve Chafitz of Chafitz Company: "Enclosed is a photostat of the statement that Jim Morgan of Applied Concepts has sent us. It is scheduled to appear in the August issue of *Personal Computing*. Hopefully a response from you will clear up a lot of

questions now being asked and will also indicate the future direction of Chafitz." No reply was received from Steve Chafitz until August 18, 1980, after publication of the Applied Concepts statement. At that time we received the following note: "Recent articles in your July and August issues are misleading. The article implies that the product (Modular Game System) is new to the marketplace. It is...the exact same product...as the Chafitz Modular Game System...Chafitz is the owner of all proprietary rights to the Modular Game System and Chafitz

introduced this product in January 1979. Currently we are in litigation with Applied Concepts regarding our contractual disputes. I feel that the articles created considerable confusion, do not accurately present obvious facts and more disappointing they do little in aiding the growth of a market Chafitz has dedicated so much effort to: electronic chess. Sincerely, Steve Chafitz." Steve Chafitz certainly deserves a lot of praise for his untiring efforts in promoting "stand-alone" chess-playing computers. We are sorry he saw fit not to respond to the Applied Concepts' story until after it was in print.

Classifieds

Rates for advertising in this section: \$1 per word. Minimum. 15 words. Allow two months for appearance (usual publication lag). Announcement of human tournaments that are open to computers published without charge. Send all submissions for this section to **COMPUTER CHESS CLASSIFIED DEPARTMENT**.

OTHELLO FOR TRS-80

Intelligent OTHELLO opponent for both novice and expert. Five levels of play, neat graphical display, move selection in 30 seconds or less. TRS-80 tape (\$12) requires Level II and 16K and has REAL-TIME Lunar Lander program on flip side. Apple tape (\$16) requires integer BASIC and 24K and has OTHELLO for Disk system on flip side. Peter Frey, 2407 Prospect Avenue, Evanston, IL 60201.

GOMOKU FOR MICROS

Play an intelligent game at university level! Five Stones Software's GOMOKU program is available for North Star or CP/M in 5-1/4" single or double density disks or in 8" single density disks. Also available in cassette for TRS-80, Level II, 32K. \$29.95, any choice. Visa or MasterCard accepted. Five Stones Software, PO Box 1369, Station B, Ottawa, Canada, K1P 5R4.

SFINKS FOR TRS-80 (NEW)

Play against the fastest and strongest chess program ever written for the TRS-80! 32K Level II cassette and instructions \$50. Available soon for other micros. William Fink, 1300 S.E. 3rd Ave., Deerfield Beach, Fla., 33441.

INFORMATION BULLETIN

Bally Monthly Newsletter. Contains programs/instructions for: Othello; Golf; Connect Four; Life; Electric Bill; Three Voice Music; Wumpus; Galactibattle; DMA Graphics; Machine Language; 63 Key ASCII Keyboard; Printer; Memory Expansion; Voice Recognition; 7 Tech Manuals; Products, etc. \$2.00 Sample Issue OR \$9.75 - 6 Issues; THE CURSOR GROUP, 59 East Orange Grove Ave., Burbank, CA 91502, (213) 843-7332.

BACKGAMMON CASSETTE:

The GAMMON CHALLENGER gives all backgammon players a battle. Has 3 levels of play. Switches sides, tests problems and stores positions in memory. Available on TRS-80 cassette for either Level 1 or Level 2. \$14.95 each. Computer Cablevision, 2617 42nd Street, NW, Washington, DC 20007.

COMPUTER POSTAL CHESS:

Join the First Annual North American "Open Computer Postal Chess Tournament." All computers are welcome to enter. Your program will play three other programs in simultaneous games, Round Robin tournament style. You can participate from your own living room. Trophies to winners. Send your name and address for further details to Varn Fields, PO Box 8202, Philadelphia, PA 19101. 24-hour telephone: (215) 222-0367

NEW! SARGON/BORIS 2.5

Chafitz modular games system featuring the world's strongest playing microcomputer chess program! (Plays above 1500 level in tournament time.) We have SARGON 2.5 plus the Response Board in stock and available for immediate delivery! Write or phone, 24 hours a day for free discount price list, brochure, and an in-depth technical report. Palmer, McBride and Kincaid Associates, PO Box 598, East Brunswick, NJ 08816. Tel. (201) 246-7680.

JOIN:

ICCA (International Computer Chess Association.) \$10 annual membership includes the ICCA NEWSLETTER with computer-chess news from all over the world. (Back issues, \$2 for set of three.) Send U.S. check or international money order to ICCA, c/o Ken Thompson, Room 2C423, Bell Telephone Labs, Murray Hill, NJ 07974, USA. Editorial material for the ICCA Newsletter should be sent to: B. Mittman, Editor, ICCA NEWSLETTER, Vogelback Computing Center, Northwestern University, Evanston, IL 60201, USA.

TAPE 'N TEXT:

Learn how to program your own computer games! Introducing our best selling BASIC Programming Course - used in over 700 schools and businesses. You can acquire proficient use of the language. Order your personal copy today! BASIC Programming Course consists of 12 audio cassette tapes with 12 printed texts. The tapes are narrated by William R. Parks. It sells for \$59. Tape 'n Text, Williamsville Publishing Company, PO Box 250, Fredonia, New York 14063.

NEW TOP-NOTCH CARD GAME

Draw Poker for TRS 80 on tape or disk. \$25. Satisfaction guaranteed. Serious programming effort with strategy based on study of millions of computer vs. computer games plus play against human on Micronet. Send \$25 to Jim's, PO Box 172, Louisville, Ohio, 44641. Phone (216) 875-4835. Price list free. (Dealer inquiries invited.)

CHESS FOR CP/M SYSTEM WANTED

I would like to buy chess software for my CP/M system. I am especially interested in the latest versions of SARGON or MYCHESS on 8" CP/M diskettes. Gary J. Ellis, 109 Harrington, Willingboro, NJ 08046.

CHESS OR BRIDGE PROGRAM WANTED

I have a North Star Horizon, 48K single density with two 5" drives and 120 sources. I am looking for a game of chess and bridge. Please send information and prices to James R. Starkey, Pacific Asia Int'l Inc., 182, Sec. 6, Chung Shan N. Rd. Lan Ya Lee, Tienmu, Taipei, Taiwan Republic of China.

COMPUTER-CHESS BOOK

Learn the psychological secrets of becoming a strong chess player! "How to Beat Most People and Computers at Chess." (Secrets of a Grandpatzer.) By Kenneth Mark Colby, Professor of Psychiatry and Computer Science, UCLA. Hardcover. 153 diagrams. 141 pages. Figurine Notation. For personal autographed copy, send \$20 (check or money order) to MALIBU CHESS PRESS, 25307 Malibu Road, Malibu, CA 90265. (CA residents please add 6%.)

OTHELLO (REVERSI) FOR APPLESOFT

Hi-Re real life graphics. Can be played by two people, you against computer, or computer against itself with different strategies. Three built-in position-based strategies plus your own. Move in 17 seconds or less. Written all in Applesoft Basic. Requires only 16K Applesoft. In cassette (\$15). Chen & Co., POB 353 Pine Brook, NJ 07058.

ENTER A GOMOKU TOURNAMENT

Do you have a GOMOKU program? Would you like to write one? Those with own programs can enter an International GOMOKU Tournament and, if #1, can take on the European champ. For more information on the GOMOKU Tournament itself, write to Dr. Shein Wang, Institute of Computer Science, U. of Guelph, Guelph, Ontario, N1E 1C8.

Gomoku – A Tournament Game

BY MICHAEL T. COMPTON
Five Stones Software, Ottawa

I recently described the ideas I used in programming Gomoku, and some combinations to give you an impression of how such ideas are put into practice. Description of a full tournament game will give you an idea of what is involved in the different stages of the game.

I would suggest that readers use 1/4" squared paper, and mark the vertical coordinate with numbers from 1 to 19 and the horizontal coordinate with letters from A to T, (notice no letter I). This is the easiest way to follow the action, marking x for black (who goes first) and O for white (memory aid — the O looks like a white stone).

At the 1980 North American tournament my program was playing black on a North Star computer using CP/M. Ed Johnson of the University of North Carolina was playing white on a PDP/10. My program played in a hair raising yet (under analysis) safe way to eventually win, by giving white enough rope to hang himself.

The first nine moves were from book —

- | | |
|--------|--------|
| 1. K10 | 2. J9 |
| 3. K8 | 4. K9 |
| 5. M10 | 6. L9 |
| 7. M9 | 8. L10 |
| 9. L11 | |

leading to figure 1. This opening is designed to take advantage of another program's predisposition to attack whenever possible, creating a position where white is blocked in while black is on the outside with open 2's that can link up. I had played the first 8 moves




Fig. 1. Position after 9th move

before in competition, losing one by playing L8, and winning two games slowly by playing M8 in 1976. I analyzed the board position and determined that L11 was best, expecting K12 from white.

As we go through the next few moves, the tenor of the game is set by move 15, where black blocks a possible four on the L-file and sets up two two's, and then move 19 where black chooses a block that again builds his own strength at the bottom of the board (figure 2). This can be dangerous since black is now correspondingly weak at the upper left — move 19 dares white to find a win and certainly sharpened the tension in the game as I watched it progress.

- | | |
|--------|---------|
| | 10. M11 |
| 11. J8 | 12. L8 |
| 13. N9 | 14. O8 |
| 15. L6 | 16. H9 |
| 17. G9 | 18. J10 |
| 19. M7 | |




Fig. 2. Position after 19th move

In the next couple of moves black ups the ante by making the less safe block (if he can take the tension, I can).

- | | |
|--------|---------|
| | 20. K11 |
| 21. G8 | |

We now go through a short phase where any analyst can be sure his pro-

gram played perfectly, because the opponent's moves all created fours.

- | |
|---------|
| 22. N12 |
| 23. O13 |
| 24. G12 |
| 25. G11 |
| 26. L12 |
| 27. M13 |

Move 28 is not a four, but the response is forced, because if 28. M12 then white plays 30. J12, 32. H13, 34. J14 winning.




Fig. 3. Position after 29th move

- | |
|---------|
| 28. K12 |
| 29. J12 |
| 30. K13 |
| 31. J14 |
- (threatens 32. J14, 34. K15)

Now a couple more fours, and we reach a position where white is clearly lost.

- | |
|---------|
| 32. O9 |
| 33. N10 |
| 34. M12 |
| 35. O12 |

We are now at figure 4, where black has lots of threats:

- A. K14, threatening M14 then N13 or J13 then H12 then H14
- B. M8 then H8 then K6
- C. K5 then H7, then G7, then J7 and finally H8

White now kills one threat, only to set up another (J15, L15, N13 - 2 3's).

- | |
|---------|
| 36. K14 |
| 37. K15 |

White retains the initiative for a while but by move 43, black has come one move closer at the top.

- | |
|---------|
| 38. O10 |
| 39. O7 |
| 40. N11 |
| 41. L13 |
| 42. N8 |
| 43. M3 |
| 44. P13 |

Black could have continued the win-

News on "Intelligent" Games of Backgammon, Checkers, Gomoku, Go, etc., welcomed by this department. Computer Chess and Computer Bridge appear separately. Address all correspondence to Computer Games Dept., Personal Computing.




Fig. 4. Position after 35th move

ning sequence at the top, but instead started on a win at the bottom. Note the possibility of P8(4) then Q8(4 & 4). Most of the time such a sequence would be a win, but in this case there was no danger because P8 would be followed by M8 which is a four and must be blocked. So if white had played P8 instead of blocking a three, it would lose.

- | | |
|--------|-----------|
| 45. L7 | 46. Q8(4) |
| 47. P9 | 48. P8(4) |
| 49. R8 | 50. P7 |

Black now has the initiative again and starts a win at the bottom, with 51. M6, then plays a move which neither speeds things up nor lets white off the hook.

- | | |
|--------|--------|
| 51. M6 | 52. M8 |
| 53. R9 | 54. J6 |

We are now at move 55 where you should be able to follow black's forcing 9-ply coup de grace.

- | | |
|--------|--------|
| 55. K7 | 56. N7 |
| 57. J7 | 58. H7 |
| 59. H8 | 60. F8 |
| 61. K6 | 62. L5 |

63. F10, making a five and winning the game.

A number of things are apparent in this game — the most obvious being that it is difficult to tell a program that it is in danger when it can delay the inevitable for some length of time. By the same token it is not going to be possible to analyze openings in Gomoku by leaving the program with a deep search that will cook for a few days. A lost position can be a long time in the losing and you would need maybe forty plies




Fig 5. Position after 54th move


to deal with this kind of loss (assuming also that you could hit on all the right key moves which is unlikely). That leads us then to the conclusion that if it isn't possible to find the right moves in an unknown opening with an ocean of time, it certainly isn't possible to be surefooted with the allotted time in over the board play. The openings should become known by being played and the key moves then recorded in the program's book.

European Tournament

The European Gomoku Tournament was held April 11 to 15. Torsten Bille swept all six of his games to claim first place and the championship title for Europe. Jozsef Janos, with a 3-3 score, came in second. One of Janos' two games with Bille is shown. Game comments are by Dr. Shein Wang ("W") and Bille ("B").

- | | |
|----------------------|-------------------------|
| BILLE (Black) | vs JANOS (White) |
| 1. K10 | 2. L9 |
| 3. L11 | 4. J9 |
| 5. M11 | 6. K11 |
| 7. M10 | 8. L10 |
| 9. N9 | 10. O8 |
| 11. M12 | 12. M9 |

- | | |
|----------------|---------|
| 13. J12 | 14. K12 |
| 15. N11 | 16. N13 |
| 17. O10 | 18. P9 |
| 19. P11 | 20. O11 |
| 21. Q12 | 22. M8 |
| 23. R13 (Wins) | |



CHAMPIONSHIP FINISH

Dr. Wang reports that the North American current ladder standing is:

1. Ed Johnson and Arthur Coston
2. Mike Compton
3. John Day
4. Shein Wang and Ed Slodysko
5. Joel Smith
6. Jerry Crouch
7. Dan Kok
8. Dick Jensen

Any Gomoku reader interested in challenging a program on the ladder, should contact Dr. Shein Wang for information. His current summer address is 1108 6th Street, Golden, CO 80401.

GAME TALK:

B: "The opening to this point (8th move) is rather traditional. White should play 8. White should play 8. M9 instead of L10. It gives him better possibilities."

W: "No. I think 8. M12 is much better defensively. Look what happened to Johnson/Coston in a similar position in a later game when they played M9. You must be kidding."

B: "Black at once starts his attack. At 13. J12 he blocks

White without any letup in his attack. 14. K12 is forced. Then, 15. N11! threatens in all directions (17. N12, 19. M13, 21. O11; or 17. O10, 19. P11; or 17. L13, 19. M13, 21. N13) and wins."

W: "What if at move 14 White moves to N12, and threatens to make (4-3) at H9. If 15. M13, 16. M14, 17. N11, then White responding with 18. N8, 19. O7, 20. O10, 21. N13, 22. O14, 23. N12, 24. N10, 25. O11 (4-3) is still a win for Black. But White puts up a much harder fight."

Bridge on the TRS-80 and TI-99/4

BY THOMAS A. THROOP

As I mentioned last month, I am developing two bridge products for personal home computers with two members of the Dallas Aces bridge team, the world's most successful bridge team over the past several years. Both products are expected to be available at Christmas or very shortly thereafter.

These bridge products are for the TRS-80 and the Texas Instruments computers. The TRS-80 product is one which I am developing with Bob Hamman of the Dallas Aces.

The TRS-80 program is a playing program with two available options. First, the computer can generate thousands of bridge deals, using a pseudo random number routine which permits at any time the regeneration of a given deal. Then, as South, you play the North and South cards as the declarer at a contract the computer suggests or one of your choice, while the computer defends with the East and West cards.

You may play a deal seeing only the North-South cards from the beginning, as if you are playing at the bridge table. Or, you may play a deal seeing all four hands from the beginning, as when reading your favorite newspaper bridge column and planning your play.

You may also enter into the TRS-80 a deal of your choosing. Then, as before, you will play the North and South cards while the computer defends the East and West cards.

The second principal option you have is to play one of a number of selected deals in an instructional mode. Each time it is your turn to play one of the N-S cards you will be given three chances to come up with the best or recommended play. If you do not select this play in three choices, the computer program will tell you what this play is, and you may continue with the play of the deal. A booklet accompanying the computer program cassette discusses each of the instructional deals.

Let's look at a couple of deals generated by the pseudo random number routine and see how the computer defends while we play the N-S cards. In these examples the computer's defensive play is that as of the time this column was written.

The first deal to discuss is number 92. The contract suggested by the TRS-80 computer program is 2 hearts, which is perfectly acceptable. Your cards and those of the dummy are as follows:

NORTH
(Dummy)

♠ J64
♥ T76
♦ AQJT
♣ Q82

SOUTH
(Declarer)

♠ A82
♥ KQ543
♦ K64
♣ 95

When the cards are originally dealt by the TRS-80 for this deal, the hands are reversed from that shown. However, you have the option of reversing the North-South cards in order to have the more logical declarer be South. When the North-South cards are switched, the East-West cards are also switched to preserve the original relationship of the four hands. In this deal South is the more logical declarer, having the five hearts versus three in the other hand.

The TRS-80, as West, opens the king of spades against your 2 heart contract. You play the 4 from dummy, and East plays a higher spade, the ten, as a signal to West (assuming that the ten is not a singleton). The signal indicates the ace or queen of spades, a doubleton in that suit, or some other reason for West to continue that suit.

On this deal it is proper to go after the enemy trumps right away, since you do not need to plan to ruff any losers in dummy first. Wishing to hold your trump losers to one trick, you should hope that East has the ace of hearts or that the jack of hearts is a doubleton.

Suppose that you win the first trick with the ace of spades. What is your next play? You should lead a diamond to dummy's ten and then lead a heart from dummy up to your KQ. On the heart lead East plays the ace, you play small, and West follows with the 8.

Now, at trick 4, East leads the king

of clubs, showing his AK holding as will become evident. You play the 5 from South, West follows with the 3, you play the deuce from dummy. West's play shows that he does not have a doubleton club, unless it is a doubleton jack. East now completes his high-low signal in spades by leading the 3 of spades to West's indicated queen. West wins with the queen and then switches to the jack of clubs in order to trap dummy's queen of clubs.

Suppose that you now play the 8 of clubs from dummy. East plays the 4 and you play the 9 from your hand. Next, West leads the 5 of spades to give East a ruff. East ruffs with the deuce of hearts. At trick 8, East leads the ace of clubs which you win with the 4 of trumps. The king of hearts draws the outstanding enemy trumps and the rest of the tricks are easily yours, as you make exactly 2 hearts. The computer's defense was very strong, winning all of the tricks it possibly could.

NORTH
(Dummy)

♠ J64
♥ T76
♦ AQJT
♣ Q82

COMPUTER
WEST

♠ KQ975
♥ 98
♦ 983
♣ JT3

COMPUTER
EAST

♠ T3
♥ AJ2
♦ 752
♣ AK764

SOUTH
(Declarer)

♠ A82
♥ KQ543
♦ K64
♣ 95

		W	N	E	S
Trick	1	KS	4S	TS	AS
	2	3D	TD	2D	4D
	3	8H	6H	AH	3H
	4	3C	2C	KC	5C
	5	QS	6S	3S	2S
	6	JC	8C	4C	9C
	7	5S	JS	2H	8S
	8	TC	QC	AC	4H
	9	9H	7H	JH	KH
	10	8D	QD	5D	KD
	11	9D	AD	7D	6D
	12	7S	TH	6C	5H
	13	9S	JD	7C	QH

Continued on pg. 90

Contract: 2 hearts
Tricks N-S: 8 Tricks E-W: 5

The next deal is number 207. The contract suggested by the TRS-80 program is 3 no-trump, which is quite reasonable. Your cards and those of the dummy are as follows:

NORTH
(Dummy)
♠ KT5
♥ AJ95
♦ AJ4
♣ 632

SOUTH
(Declarer)
♠ A642
♥ 64
♦ KQ75
♣ A85

The TRS-80, as West, opens the 4 of clubs against your 3 no-trump contract. You play the deuce from dummy, the TRS-80, as East, plays the queen, and you should play the 5 from your hand.

♠ **COMPUBRIDGE®** ♦
Contract Bridge Series
♥ **Programs That Work** ♣
Presently available for
APPLE II

(No special hardware needed)

Elementary Course Cassette
For 16K or 32K \$19.95
Complete Course Cassette
For 16K or 32K \$29.95
Complete Course Diskette
For 48K \$39.95

Each course includes a series of programmed lessons plus the unique QUIZMAKER which deals random hands for exercises on point count, opening bids, responses and rebids, then checks your answers and quizzes you or supplies the correct answer. The complete course includes popular conventions such as Stayman and Jacoby Transfers.

Available from your Apple Dealer or CompuBridge Division, Barclay Bridge, Port Chester, N.Y. 10573.

Please send _____
for ____ 16K ____ 32K ____ 48K
Check Enclosed or charge to
VISA MC Card No. _____

Name _____

Address _____

N.Y. Residents add Sales Tax
CIRCLE 27

East continues with the ten of clubs, which you should also duck, West follows with the 7, and you play the 3 from dummy. East then leads the 9 of clubs, which you win with the ace, West following with the jack.

Now, how do you play this hand? You have two spades, one heart, four diamonds, and one club in top tricks. Your best chance for a ninth trick is to hope that West holds the ten and either the king or queen of hearts. Therefore, at trick 4 you should lead the 4 of hearts from your hand. West plays the 3, you should play the 9 from dummy as planned, and East wins with the queen.

East returns the 7 of spades. Now you must be careful. If you plan on winning this trick in dummy with the king, you will create some problems. You will not have a good way to get to your hand to repeat the heart finesse. If you come to your hand immediately with the king or queen of diamonds, and the heart finesse loses and East elects to return another spade, you will have to win in your hand with the ace. After entering dummy with the ace of diamonds and cashing the ace of hearts, your only hope for two more diamond tricks will be that the diamonds were initially divided 3-3. Then, when you lead the jack of diamonds from dummy and overtake it with your remaining honor, your fourth diamond will be good. If you avoid these problems in the diamond suit by playing the ace, jack and a small diamond to your hand for the heart finesse, then you will have no entry to dummy to cash the ace of hearts if the heart finesse loses.

Therefore, on East's return of the 7 of spades at trick 5 you should win with the ace in your hand. Now, at trick 6, you lead the 6 of hearts from your hand, West plays the 8 and you finesse with the jack in dummy, on which East plays the 5. Now you have your ninth trick.

When you play out the rest of the deal, the TRS-80 computer program should defend carefully enough to prevent you from making an overtrick. When you have this cassette in the computer, why not play the deal for yourself and see how the computer program defends!

The complete deal, the play of the cards described for the first six tricks, and one sequence of plays for the last seven tricks are:

NORTH
(Dummy)
♠ KT5
♥ AJ92
♦ AJ4
♣ 632

COMPUTER
WEST
♠ Q
♥ KT83
♦ 9632
♣ KJ74

COMPUTER
EAST
♠ J9873
♥ Q75
♦ T8
♣ QT9

SOUTH
(Declarer)
♠ A642
♥ 64
♦ KQ75
♣ A85

	W	N	E	S
Trick 1	4C	2C	QC	5C
2	7C	3C	TC	8C
3	JC	6C	9C	AC
4	3H	9H	QH	4H
5	QS	5S	7S	AS
6	8H	JH	5H	6H
7	2D	AD	8D	5D
8	3D	JD	TD	7D
9	6D	4D	3S	KD
10	9D	2H	8S	QD
11	KC	KS	9S	2S
12	TH	AH	7H	4S
13	KH	TS	JS	6S

Contract: 3 no-trump
Tricks N-S: 9 Tricks E-W: 4

The Texas Instruments 99/4 product is one which I am developing with Bobby Wolff of the Dallas Aces.

The TI 99/4 program is a bidding program. As South, you select the bids with your cards while the computer provides the bids for your partner, North, and your East-West opponents. Each time it is your turn to bid you have three chances to come up with the best or recommended bid. If you do not select this bid in three choices, the computer program will tell you what is the preferred bid, as well as providing you with an explanation of this bid, bids by your partner, and bids by East-West. Also, explanations of certain bidding conventions may be displayed on request. This product will help improve your bidding.

Next month I shall present some more examples of both the TRS-80 playing program, including at least one deal played in the instructional mode, and the TI 99/4 bidding program. Also, I'll report on some additional details for both of these products.

Are You Computer Literate?

Are You Computer Literate?, by Karen Billings and David Moursund; dilithium Press, P.O. Box 92, Forest Grove, OR 97116; 148 pp.; \$6.95 paperback.

Many leaders in the field of computer science advocate organized study of the capabilities, limitations and applications of computers at least on an introductory level. *Are You Computer Literate?* by Karen Billings and David Moursund is designed to help you become more familiar with the ever-changing world of computers.

Assuming you have no previous knowledge or experience with computers, the authors take a step-by-step approach to computer education. The book can be used as an aid to instruction in a classroom or as a self-instruction tool and is written clearly, allowing high school students as well as college professors to benefit from reading it.

Particularly suited to self-instruction, the book contains quizzes at the beginning of seven of its chapters and a final exam at the conclusion, allowing you to chart your progress and your knowledge. Other educational tools, fill-in-the-blank and matching exercises, test reading and retention skills.

Although Billings and Moursund never claim to teach you everything about computers in one book, they try to provide background to at least head you in the right direction. They use familiar computer applications such as banking, retailing and law enforcement to illustrate the many ways computers are used in today's society. They also prompt questions in the student's mind such as how much control the government should have in the collection of data made easier by computers, who should have access to computer collected data and how this information should be used.

"What is a Computer?," Chapter 2, discusses general functions a computer can perform: data processing, problem solving, executing programs and output of answers. The authors also deal with computer limitations, memory and speed. "A fast modern computer can do more arithmetic in one minute than a person using a pencil and paper could do in a lifetime."

Evolution of the computer from the

abacus through the present day computer is described, including the mechanical calculator, the Jacquard loom, analytical engine, relay computers and the electronic digital computer. The U.S. Census of 1890 is also discussed as an important step toward the development of punched data cards by Herman Hollerith, whose company is now part of IBM.

Data entry and computer programming are discussed next. The authors define data as "information to be processed by a computer" and describe the many ways it can be input to a computer: key to tape, key to disk, mark sense readers, magnetic ink, optical character recognition, universal product code, voice input and sensing devices. A computer program is defined as "a detailed, step by step set of directions telling a computer exactly how to solve a certain kind of problem."

Requirements for smart machines are described in Chapter 5: "1) It must have some sort of measuring or sensing device in order to receive input from the outside world, 2) It must be able to use the data it receives, 3) It must be able to act upon the outside world." The authors also provide two games in this chapter designed to teach the reader about robots.

Chapter 6 examines mathematical modeling, computer simulation, information retrieval, data processing


and other examples of how computers are used in many different applications such as business and education.

"As time goes on, computers will have a bigger and bigger impact upon people," the authors said. "This is bound to occur, because computers are versatile and useful machines. They are getting cheaper. And people are gaining more knowledge on how to use computers." The effect computers have on people is discussed in the context of the goods and services they provide, the jobs they create as well as eliminate and the ways computers are used in education.

Billings and Moursund deal with the question of what educational institutions should do to prepare students for life in a computerized society. "First, teachers need to understand how computers affect the subject matter they teach. They can then teach something about computers when it is an important part of their subject matter." Their second solution requires joint work by students and the schools.

"The goal of this book is to increase your level of computer literacy. We want you to know more about what computers can do, and what they cannot do. We want you to be aware of the problems computers create for our educational system, government, and you," conclude the authors.

—Reviewed by Elli Holman



SOFTWARE

Computer-Aided Scheduling for TRS-80 and Apple II

Project Schedule Analysis/1 is a cassette-based introduction to computer-aided scheduling for the TRS-80 Level II and Apple II computers with floating point Basic and at least 16K of memory. PSA/1 uses critical-path scheduling techniques similar to those used by NASA for the U.S. space program.

PSA/1 computes schedules for each job within a project; these schedules show how early each job can be started, how early it can be finished and the latest each job can be started and finished and still meet a project deadline. Schedules also show how long each job can be delayed without affecting other jobs. Once defined, projects can be named and their data stored on tape for later analysis. Flexibility is enhanced by allowing you to specify any time unit (hours, days, weeks) desired for tracking the project.

Schedule results are displayed on the video monitor, and printed reports can be produced if you have a line printer capable of printing 80 columns or more. Apple owners must provide their own printer driver routines at locations indicated in the software.

The accompanying User Manual provides over 50 pages of information including how to define project networks, how to make time estimates and how to operate each of the six functions in the PSA/1 to such applications as building a house, planning a new product and preparing a gourmet dinner.

The PSA/1 package consists of the program cassette and User Manual, and is available for \$25 postpaid. Order should specify the TRS-80 or Apple II version. Washington residents should add \$1.25 sales tax; Canadian orders should be paid in U.S. funds. For more information contact Express Marketing, P.O. Box 1736/BWC, Poulsbo, WA 98370; (206) 779-9508. *Circle 103*

Elementary Math Package

Compak, Inc., has announced a Mathematics Package (grades 1 to 8) for the 32K Apple II and TI 99/4 microcomputers.

The package is designed to support mathematics instruction and improve student achievement. Some instructional materials can be used for review and practice while other materials are designed to introduce and develop mathematical ideas.

Ten major concepts are covered by the package and it includes over five hundred different self-contained modules. The concept areas include: Addition, Subtraction, Multiplication, Division, Common Fractions, Decimal Fractions, Percents, Measurements, Geometry and Elementary Algebra.

Instruction is individualized so students can move at their own pace. Each concept area contains multiple levels that

range from easy to difficult. As students progress within the program, they automatically branch to the appropriate level of difficulty based on their performance score.

The Mathematics Package provides a student record-keeping feature which allows the teacher to keep track of student progress. At the end of a lesson, the screen displays the number of problems attempted, the number correct on the first try, the number missed, the percent correct and any promotions or demotions. This same information is also automatically recorded on the teacher's "gradebook" disk. A special "gradebook" program enables the teacher to print names, add names, delete names, print scores and change scores. The printing of names and scores may be done individually or by class and on a printer if one is available.

Unique features of the programs include: an escape function which allows students to end the lesson and still retain their score; the capability to erase an answer before completing it; the capability to enter answers in the same direction as they are worked on paper (i.e. right to left for multiplication), and the effective use of attractive color graphics and sound to provide immediate student reinforcement.

The complete Mathematics Package contains ten instructional disks and one recordkeeping disk in a binder with a teacher's manual. The programs can be ordered by the complete package for \$495; by all concepts for a single grade level (i.e. the disk for Grade 7 with all ten concepts) for \$65; or by one concept for all grade levels (i.e. the concept Addition for all eight grades) for \$50. A sample disk is available for \$35 as is the Teacher's Guide Manual for \$20. For further information contact Compak, Inc., P.O. Box 14852, Austin, TX 78761; (512) 452-1680. *Circle No. 116*

Configurable Business System Features Transaction Processing

Lifeboat Associates announced The Configurable Business System (CBS), a data management system that allows true transaction processing. Custom accounting systems for payables, receivables, inventory control, order entry and general ledger can be set up without using any programming languages.

CBS defines an application such as an inventory control system by specifying master files to describe the inventory, customer and vendor files. Transaction files describe activities such as purchases and sales. A data entry program enters information about customers, vendors, inventory, sales and purchases. After data entry is complete, an update program can process the transactions against the various master files, updating account balances and inventory quantities.

The system features a comprehensive report generator which produces invoices, purchase orders, re-order reports, mailing labels or other special reports specific to the application.

CBS requires a CP/M compatible system and at least 48K of memory. It does not require any support languages and is priced at \$295. Documentation and a demonstration inventory system are supplied. For more information contact Lifeboat Associates, 2248 Broadway, New York, NY 10024; (212) 580-0082. *Circle 129*

Integrated Business Application Software

North Star Computers, Inc. has added integrated business application software packages to its product line. These new packages, designed for use with North Star's Horizon computer system, include General Ledger, Accounts Receivable and Accounts Payable.

Authorized North Star dealers can provide business customers with both hardware and integrated application software from the same source. A complete small business system including a Horizon computer with two quad-capacity drives and 64K RAM, CRT display terminal, letter-quality printer, NorthWord word processor, Mail Manager and General Ledger application software would cost under \$10,000.

These business software packages are written with the first-time user in mind and are fully integrated. Each package can stand alone, or be used in combination with other packages to perform an even greater variety of tasks.

General Ledger package includes a financial reporting feature and is the cornerstone of the new business software. General Ledger is a complete program that allows you to maintain general ledger accounts based on inputs such as checks, bank deposits and journal entries. The financial reporting feature allows you to define dollar precision, use multiple columns, define sub- and grand-totaling and carry totals forward to other statements. General Ledger can be used in combination with NorthWord word processor to produce additional customized financial statements and reports. Accounting entries can be transferred from General Ledger to the other North Star business software packages, Accounts Receivable and Accounts Payable.

The Accounts Receivable package allows you to establish and maintain up to 1500 customer accounts. It has features for retaining credit limits, year-to-date sales, last year's sales, date and amount of last invoice and payment, and number of outstanding transactions for each account. It can be used as a stand-alone program or combined with General Ledger and Accounts Payable as a complete business accounting system.

Accounts Payable allows you to establish and maintain up to 1500 vendor accounts, and includes flexible controls for printing checks, remittance notices and reports. Accounting distributions from Accounts Payable can be transferred automatically to General Ledger.

Each application software package has been completely tested in actual business use and comes with professionally prepared instruction manuals. For further information contact your local North Star dealer or North Star Computers, 1440 Fourth St., Berkeley, CA 94710; (415) 527-6950.

Circle No. 123

TRS-80 Programs for Retailers

Two software packages for the TRS-80 Model I business computer system will assist effective management of small retail businesses. A Balance Forward Accounts Receivable program using reports modeled after manual pegboard systems keeps track of transactions each month on account (on-line credit check of account is included for balance

verification). A Retail Inventory Control program keeps track of inventory and sales information on each of 99 departments. The Inventory program also retains last year's data for comparison.

System features for accounts receivable include: 1000 accounts per disk (up to 8 disks), daily control sheets, statements printed on preprinted forms, automatic computation of service charge on selected accounts, various customer balance and credit reports and on-line - credit limit inquiry.

Features of inventory control are: summary management report by department, sales analysis report, inventory on hand report, sales analysis by salesperson, tracks MTD and YTD sales, purchases, markdowns, initial markup percent and maintained markup percent by department number.

These programs are fully documented and have been in operation for over a year. Accounts Receivable sells for \$200 and Inventory sells for \$400. Both may be obtained for \$500. For further information contact Data Processing Consultants, 304 S. Dunlap, Paris, TN 38242; (901) 642-8627.

Circle No. 127

Apple II Textwriter

Services Unique, Inc. announced the Disk Apple II Report Textwriter (Dart) software for the Apple II and Apple II Plus computers. Dart processing software was designed to simplify the creation of letters, reports and other output text utilizing disk files created by Edit.

This text composition system allows free form file input without regard to either line or page length. Dart assembles text into physical lines and pages using pre-defined operator or file parameters. A special feature allows variable data to be key entered at report generation time utilizing standard text or form letter. File chaining allows an unlimited amount of input text. Other options include pagination, line justification, titles-subtitles, page numbering, line centering, margin setting and double spacing.

Dart operates on an Apple II or Apple II Plus with a minimum of 32K memory, one disk unit and a printer. The textwriter supports a variety of printers including lower case as well as a CRT review. Optional lower case display is available with the appropriate adaptor.

A user manual with documentation is provided. Price is \$19.95 on diskette (+\$1.25 shipping); a special package price for Dart and the text editor (Edit-II) is \$37.89. For more information contact Services Unique, Inc., 2441 Rolling View Dr., Dayton, OH 45431. *Circle No. 160*

More Sargon II

Sargon II is now available in both cassette and disk formats for TRS-80 Level II, Apple II (each \$29.95); TRS-80 Level II Disk, Apple II Disk (each \$34.95).

In the future Sargon II will be available for Pet, Sorcerer, HeathKit, Ohio Scientific and CP/M.

For more information contact Hayden Book Company, Inc., 50 Essex Street, Rochelle Park, NJ 07662.

Circle No. 110

SAVE ON ADDONS FOR APPLE® AND TRS-80®

NEWDOS/80

Powerful Disk Operating System for the TRS-80® designed for the sophisticated user and professional programmer.

NEWDOS/80 is not meant to replace the present version of NEWDOS 2.1 which satisfies most users, but is a carefully planned upward enhancement.

- New BASIC Commands with variable record lengths up to 4095.
- Mix or match drives 35, 40, 77, 80TK.
- Security boot-up for BASIC or machine code application programs.
- Improved editing commands.
- Enhanced RENUMBER that allows relocation.
- Device handling for routing to display and printer simultaneously.
- CDE function: striking of C, D, and E keys allows user to enter a mini-DOS.
- Compatible with NEWDOS and TRSDOS 2.3.
- Supersap 3.0 and 2.1 utilities.

\$149

NEW DOS FOR APPLE® "APEX"

The complete APEX package with operating system, assembler, editor and user manuals. The package also includes a complete set of utilities to maintain files on single or multiple drive systems. (Specify 5 inch Apple disk or 8 inch disk.)

\$99

RELATED SOFTWARE

XPLO \$79
FOCAL™ \$59

SAVE ON APPLE II 16K

FREE MTI MEMORY UPGRADE KIT TO 48K WITH PURCHASE OF APPLE II 16K

(MTI ONLY) **\$1195**



16K RAM MEMORY KIT **\$49**

TRS-80® SOFTWARE

NEW DOS+ 35 track \$99
AJA Business Program \$289
Disk Head Cleaner \$18
Disk Drive Alignment Program \$109
Data Base Program \$99.95

MOD I "8" DISK SYSTEM

- One SA800R DOS and Cable
- Chassis and Power Supply

\$1095



FACTORY CLEARANCE

Demo single or dual head MPI disk drive, complete with Power Supply and Chassis.

Full warranty. \$279
TF5D 40 TK \$419
TDH-1D Dual 35 TK \$419
Limited Quantities
TF-8 80 TK DISK DRIVE \$639
Double Your Capacity
TF-9 DUAL 80 DISK DRV \$799
Quadruple Your Capacity

DISK DRIVE SYSTEM

- 2 Shugart SA400
- Interface 32K
- with power/chassis
- 1 35-Track DOS+
- Cable

\$1179

SPECIAL PRICE ONLY

DISK DRIVE SALE!

Complete with power supply and chassis.

TF-3 Shugart SA400 \$349
TF-1 Perrec FD200, 40 track \$389
TF-5 MPI B51, 40 track \$379
TF-7 Micropolis, 77 track \$595
TDH-1 Dual sided, 35 track \$495
MAX Disk 2: 10 Megabyte \$4995


BARE DRIVES FOR ANY MICROCOMPUTER

Perrec FD200 \$282
Shugart SA400 \$279
MPI B52 \$349
FD250 \$359
SA800 \$479
B51 \$279

*Registered trade mark of Radio Shack and Apple

OKIDATA PRINTER

LIST \$949
OUR PRICE **\$649**



PRINTERS

Centronics 779 \$1069
Centronics 737 \$899
Centronics 701-1 \$1795
Spinwriter-NEC \$2549
Base 2 Printer 80, 132 col. graphics \$599
ANADEx D8000 \$925
700 \$1095
702 \$1795
ANADEx 9501 \$1599



3304 W. MacArthur
Santa Ana, CA 92704
(714) 979-9923



4401 South Tamarac Parkway
Denver, Co 80237
(303) 741-1778

Telex #678401TABIRIN

ALL PRICES CASH DISCOUNTED • FREIGHT FOB FACTORY

WHAT'S COMING UP

Data Base Management System for Apple Computers

A file management system for storing, classifying, manipulating and retrieving data in the Apple II microcomputer has been announced by Rainbow Computing, Inc.

Called Filemaster II, the system is comprised of four Applesoft programs: File Designer, a step-by-step, menu-driven guide for developing the structure of the information; Search & Retrieval, for entering data and retrieving records by logical AND, OR, NOR and NAND searching; Sort Information, providing the required input for use with the Single Disk Sort by Datacope; and File Converter, a process for converting old Filemaster I files into the new Filemaster II format. These programs are designed to allow you considerable flexibility and control in the management of information, the company said.

Special features include: computed numeric fields from user-entered formulas, totaling of numeric fields from records retrieved in a search, tallying of a given class of records in a file, provisions for creating a sub-file onto a second disk, retrieval of both active and non-active records and output formatting and printer control. Special input routines, menu-driven programs, error trapping, and both in-program and hard copy documentation allow even computer novices to manipulate data files. Requires 48K, Applesoft ROM and a disk drive (two drives are required for disk to disk transfers).

Filemaster II is available for \$99.50. For more information contact Rainbow Computing, Inc., Garden Plaza Shopping Center, 9719 Reseda Blvd., Northridge, CA 91324; (213) 349-5560. Circle No. 139

Master Accountant Business Software

Computer Services announced Master Accountant Business System for CP/M compatible microcomputer systems.

Master Accountant Payroll System allows a company to prepare its periodic payroll for hourly, salaried and commissioned employees while accumulating the necessary information for tax reporting. It generates the monthly, quarterly and annual returns to be filed with local, state and federal governments. It also prepares employees' W-2s and maintains an up-to-date information reference for each employee.

The Payroll System includes tables for federal withholding and FICA as well as withholdings for any of the fifty states and up to twenty localities from precomputed or user generated tables. The system will automatically produce payroll checks.

Each program contains a complete set of prompts and other helping messages that allow even an inexperienced operator to make full use of the system with minimal instructional time.

The Payroll System is designed to interface with the Master Accountant General Ledger System. This feature provides automatic monthly journal entries to the General Ledger. Also available to compliment the Payroll System are Accounts Receivable, Accounts Payable and General Ledger.

All of the Master Accountant software is written in Microsoft Disk Basic and is available on 8" soft sector diskettes. Each package sells for \$100; the manuals separately for your review are \$25 each and a special demo package with manual is \$50 each. For more information contact Computer Services, P.O. Box 2292, Hickory, NC 28601; (704) 294-1616. *Circle No. 137*

Business Data Base for TRS-80

Charles Mann & Associates has announced a program-mable Business Data Base System for the TRS-80 computer. The system allows you to define and build data bases for inventory control, general ledger accounting, accounts receivable and accounts payable. The fields may be manipulated with the exclusive CMA math formula accumulator to format reports and present status displays.

The system allows the filing of report formats for later use, and printing on most compatible printers. All data may be searched, sorted and displayed as needed. The system uses disk resident files and thus has a large capacity. The Data Base contains its own file catalog to make operation simple even for the non-computer user.

Data Base is compatible with TRSDOS, NEWDOS and 3.0 DOS. The programs are auto linked and called automatically as needed with full user driven menu control. The system needs 32K of RAM (48K recommended) and a single disk drive. Multiple disk systems are fully supported under user control.

The Business Data Base System is available from any of CMA's 650 dealers worldwide for \$89.95. Additional information and dealer locations are available from Charles Mann & Associates, Consumer Products Division, 7594 San Remo Trail, Yucca Valley, CA 92284; (714) 365-9718.

Circle No. 141

Apple Plot Generates Charts and Graphics

A software package enabling users of Apple personal computers to create, revise and print detailed charts and graphs was introduced by Apple Computer Inc.

The program, Apple Plot, gives educators and business users plotting capability previously found only on more expensive minicomputers and calculator systems.

When used with a color television monitor, Apple Plot helps you understand the information being plotted by displaying it in various colors. Hard copies of graphs and charts can be made automatically via an optional printer.

Apple Plot gives you a choice of six graphic formats: line, multiline, bar, multibar, bar with line overlay and scatter-graph. Information can be entered manually, through the computer keyboard or from an external program such as VisiCalc or Desktop Plan.

The program offers entry, edit and graph manipulation capabilities. It allows you to label axes and plots, automatically changes the range scale and lets you change the graph parameters or expand selected graph areas when greater detail is required.

Apple Plot will run on 48K Apple II Plus, on a 48K Apple

What is...? BEYOND A SCOTT ADAMS' ADVENTURE?

ADAMS' ODYSSEY

- * ITEMS NOW HAVE 3-D-ability (Insides, Outsides, etc)
- * MULTI-PLAYER - up to 12 and they can be friend or foe
- * UNRESTRICTED COMMANDS up to full paragraphs!

COMING SOON...
Bug Your Dealer!

 **Adventure**
INTERNATIONAL
Box 3435 • Longwood, Fla. 32750
(305) 862-6917

See Us at the National Small Computer
Show, NY Coliseum, Oct. 30-Nov. 1
CIRCLE 29

QUALITY PROFESSIONAL & BUSINESS SOFTWARE FOR THE APPLE II AND APPLE PLUS COMPUTERS

LETTER MASTER - This is a lightning fast Word Processor which is simple to use and operates like a character oriented system. It features a menu driven operating system which allows entry, storage, editing, draft printing, and final justified printing. Editing includes line corrections (add up to 200 characters if you want), global search, string replacement, delete, add, and merge. Text floats as needed to make up lines of text. Print justified, unjustified, or a mixture. System prepares and prints form letters with its own 500 name/diskette full feature mailing list program. Applesoft II Disc. Item M-34, \$139.95. Processor without mailing list and form letter. Item M-33, \$69.95.

PROGRAMMER PLUS - A 16 lesson course in Applesoft II on two full disks or super-load tape which will teach you all you need to know to program in BASIC. Lessons cover all string, math and logical operations necessary for personal, scientific or business applications. Special units teach graphics and sound to add a little 'Apple Class' to your programs. Applesoft II, Item 35, Tape, \$24.95. Disc, \$34.95.


SCIENTIST - A powerful scientific data base and statistics program which will turn your Apple into a mathematical and graphics tool. It will do simple statistics or such complicated functions as Chi-Square, Normal, Student-t, and Poisson. With the Data Base element you can build your own analytical programs. Applesoft II Disc, \$89.95.

Shipping \$3.00/order. CA residents add sales tax.

TO ORDER CALL TOLL FREE 24 HOURS
800-854-0561 Ext. 802
In CA 800-432-7257
OR WRITE FOR TECHNICAL ASSISTANCE TO
MONUMENT COMPUTER SERVICE
Village Data Center - P.O. Box 603
Joshua Tree, California 92252

CIRCLE 30

GIVE YOUR APPLE A BYTE OF THIS...



GPA ELECTRONICS'
Programmable,
Intelligent I/O.
More than a
telecommunications
I/O. More than an
intelligent hard copy
interface. GPA's
Intelligent I/O is a
**COMPLETE
MICROCOMPUTER**
on a 4½"x7" card!


*Completely programmable via Resident Monitor in
PROM, the Intelligent I/O lets you
select the operation you desire,
then helps you complete the task.*

FEATURES:

- ★ 6502 Microprocessor.
- ★ 2K E-PROM; 1K RAM as buffer.
- ★ Serial and parallel I/O through four ports. Device can communicate with two peripherals simultaneously; RS-232 devices can communicate with parallel devices.
- ★ Hard copy interfacing with either RS-232 or 20mA devices (Please specify.)
- ★ Accommodates all baud rates to 9600.
- ★ Selectable line feed, carriage return delay and characters per line.
- ★ Supports standard EIA modem-control signals.
- ★ Handshaking, of course.
- ★ Functions as Data Channel, SPOOLER or Programmable Filter.
- ★ Remote access to Basic.
- ★ Fully disk compatible.
- ★ Will provide secure, encrypted telecommunications with optional programming.
- ★ Complete dial-up and time sharing functions.
- ★ Allows ganging of microcomputers for multiprocessing.
- ★ Accesses and controls servos, sensors, articulated devices or transducers (with appropriate firmware, available from GPA.)
- ★ Functions as disk controller, resident assembler, E-PROM burner (with optional firmware.)
- ★ Integral power supply (5VDC @ 350mA.) Completely portable, stand-alone computer.
- ★ Fully documented, tested and guaranteed.

See your dealer today, or order direct from GPA.

Just \$299.95 (110VAC) or \$320.95 (250VAC)



P. O. Box 931
Laytonville, CA 95454
(707) 984-6270



* Apple is a registered trade mark of Apple Computer, Inc.

II with an Applesoft II firmware card or on either machine with an Apple Language System. Also required are: an Apple Disk II with controller, a video monitor or television set and, for hard copy, a compatible printer with controller card.

With purchase of Apple Plot, the user receives a write-protected Apple Plot diskette and an instruction manual. Apple Plot retails for \$70. For more information contact Apple Computer, Inc., 10260 Bandley Dr., Cupertino, CA 95014; (408) 998-1010. *Circle No. 101*

Office Appointment Calendar Program

Datebook manages time in a similar manner to the common office appointment book but with the speed and accuracy of a computer. It maintains a record of appointments for up to three people (or three rooms) for an unlimited time in the future. Datebook is ideal for doctors, dentists, lawyers, salesmen, repairmen, or in any situation where time management is critical to office efficiency.

Datebook was written for use by people with no computer background at all. It is easy to learn but still fast and efficient for an experienced professional, the company said. All operator entries are checked for validity as they are entered in order to eliminate errors. The appointment data is stored on disk and a condensed calendar is kept in memory for fast access to the limited information needed for searching for appointment openings.

The operator works from a main option menu that appears at the bottom of a display of the day's appointments. Menu items include: appointments, scheduling, cancelling, modifying and rescheduling; searching for all appointments for a specified person; scanning for openings that satisfy a set of arbitrary constraints; inspecting appointments for days in the future; and printing a day's appointments.

Appointment openings are found at computer speed eliminating the frustrating and time consuming chore of paging through a book searching for an opening to fit a client's request, the company said.

Datebook finds openings that fit time of day, day of week and day of year constraints. It eliminates the disadvantages of a paper appointment book. Appointments are modified or cancelled with only a few key strokes. Clean copies of a day's appointments can be printed for each office worker or saved as a permanent record.

Datebook was written in Pascal and is available to run on CP/M and its derivatives, as well as USCD Pascal systems. It is available for immediate delivery and is priced at \$295. For more information contact Organic Software, 1492 Windsor Way, Livermore, CA 94550; (415) 455-4034.

Circle No. 100

Machine Language TRS-80 Game

Polysonic Breakout, from Savage Enterprises, has over 100,000 different sound, speed and brick combinations. It includes seven different brick patterns, seven different game speeds, numerous sound variations and continuous keyboard scanning.

Each brick pattern consists of four rows and you may change the pattern every game. As you increase the speed of the ball the speed of the paddle is increased accordingly.

Sound selection allows you to choose any of 343 different sound combinations so you can custom design sounds by touching a button.

The paddle is operated on keyboard by the right and left arrow keys. It is on the bottom of the game instead of the side because the TRS-80 graphic set-up enables many more ball directions, the company said.

Included are written instructions and explanations on the tape. Game is complete with speaker and connections for \$15.95 (MN residents add 4% sales tax). For more information contact Savage Enterprises, P.O. Box 12, Brainerd, MN 56401. *Circle No. 106*

Real Estate Analyzer for Apple

A software package for Apple computers takes the guesswork out of real estate investing for professionals and individuals alike, Howard Software said. This package helps you make intelligent buy and sell decisions by computing the true net cash flows and annualized after-sale return-on-investment for any property you define.

The software allows you to view the direct impact of loan terms, tax bracket, depreciation schedule and holding period, as well as the separate inflation rates for rents, property values, expenses and taxes.

All information is itemized in tabular form on the video screen or a line printer, year-by-year for the ten years after purchase. Use with a disk unit also allows you to file, retrieve and alter information on your properties.

Real Estate Analyzer by Howardsoft is available on disk or tape for Apple computers with 48K and Applesoft at \$49. Inquire at your dealer or contact Howard Software Services, 7722 Hosford Ave., Los Angeles, CA 90045.

Circle No. 109

Mailing List Software

CDS Corporation announced the release of Mail List for the Commodore CBM 16K and 32K computers with CBM 2040 disk drives and CBM or ASCII printers. Mail List is a user-oriented program that prepares and organizes mailing list labels.

Besides storing a large number (1,050) of records on a single disk, another feature of Mail List is that the length of all fields can be adjusted by you. Mailing labels can be printed out according to alphabetical or zip code order. Records can be identified and selected as active or inactive records and according to a user-designated utility field.

The Mail List manual, which is over 30 pages, takes the novice (soon to be expert) through a step-by-step series of instructions. The price is \$95 and Mail List is available from your computer dealer. For more information contact CDS Corporation, 695 East Tenth North, Logan, UT 84321; (801) 753-6990. *Circle No. 104*

DISK DRIVE WOES? PRINTER INTERACTION? MEMORY LOSS? ERRATIC OPERATION? DON'T BLAME THE SOFTWARE!



ISO-1



ISO-2

Power Line Spikes, Surges & Hash could be the culprit! Floppies, printers, memory & processor often interact! Our unique ISOLATORS eliminate equipment interaction AND curb damaging Power Line Spikes, Surges and Hash.

- *ISOLATOR (ISO-1A) 3 filter isolated 3-prong sockets; integral Surge/Spike Suppression; 1875 W Maximum load, 1 KW load any socket \$56.95
- *ISOLATOR (ISO-2) 2 filter isolated 3-prong socket banks; (6 sockets total); integral Spike/Surge Suppression; 1875 W Max load, 1 KW either bank \$56.95
- *SUPER ISOLATOR (ISO-3), similar to ISO-1A except double filtering & Suppression \$85.95
- *ISOLATOR (ISO-4), similar to ISO-1A except unit has 6 individually filtered sockets \$96.95
- *ISOLATOR (ISO-5), similar to ISO-2 except unit has 3 socket banks, 9 sockets total . . . \$79.95
- *CIRCUIT BREAKER, any model (add-CB) Add \$ 7.00
- *CKT BRKR/SWITCH/PILOT any model (-CBS) Add \$14.00

PHONE ORDERS 1-617-655-1532

ESP Electronic Specialists, Inc.


171 South Main St., Dept. PC10, Natick, MA 01760

CIRCLE 32

SAVE 50% AND

GET MICRO CONNECTED Plugs directly between ALL S80'S (Level I,4K to MOD II,64K) and the telephone network. To compliment the DIRECT CONNECT MODEM, a separate RS-232 jack ALSO operates your serial printer on OR off line. With THE MICRO CONNECTION™ you have accurate 300 baud two-way and simplex communications between you and the computer data base of your choice. In ADDITION, you have radio communications and extensive software options and packages. **NO NEED** for the expansion interface, acoustical coupling modem, RS-232 board or cableing. That is why **THE MICRO CONNECTION™ IS A MODEM**

AND MUCH MORE . . . !



Ask for our modem fact sheet . . .
COMPARE . . .
and.

Then get your MICRO CONNECTION™ for only **\$249⁰⁰!**

the microp peripheral corporation

P.O. Box 529 Mercer Island WA 98040

206 454 3303




CIRCLE 33

PERIPHERALS

Digitizer for the Apple II

The DT-11A version of the Hi Pad digitizer provides a slot interface card for the Apple II, a floppy based software



package, menu overlay and stylus. Functions supported by the software include Draw, Line, Area, Background, Pen Color, Separate, Catalog, Save, Load, Shape and so forth. A plastic overlay that serves as a menu allows you a selection of these functions and gives the user the opportunity to generate a wide variety of creative color graphics displays that may be manipulated.


Besides the interface and software, the DT-11A offers slot independence, Basic and Pascal compatibility, assembler driver code, user controls and optional cursor. The DT-11A/Apple II system requires a 48K system and the Applesoft Firmware Card. No magnetic biasing is required, nor does the DT-11A suffer from extreme static sensitivity.

As an entire package, including Hi Pad digitizer, interface, software, overlay and stylus, the Hi Pad DT-11A is available for \$795. For further details contact Houston Instrument, One Houston Square, Austin, TX 78753; (512) 837-2820. *Circle No. 140*

Pet Graphic Interface

A high resolution graphic display board for new or old Commodore Pet computers that provides video mixing and ROM sockets was introduced by Micro Technology Unlimited.

If you're missing any of these you have gaps in your data bank.



Update your files with **Personal Computing** back issues. Past issues contain articles on computer basics and getting acquainted with your personal system, programs for business and home use, educational applications, programming tips and suggestions on getting the most from your computer — plus much, much more.

Just send \$3 for each issue* of **Personal Computing**. Use the coupon below to place your order while our limited supply lasts.

* Canada and Mexico, \$4; all other foreign, \$6.

Send me these back issues of **Personal Computing** for \$3 each:

- | | |
|---|---|
| ☐ January/February 1977 | ☐ June 1979 |
| ☐ July/August 1977 | ☐ February 1980 |
| ☐ September/October 1977 | ☐ April 1980 |
| ☐ November/December 1977 | ☐ May 1980 |
| ☐ January 1978 | ☐ June 1980 |
| ☐ April 1978 | ☐ July 1980 |
| ☐ October 1978 | ☐ August 1980 |
| ☐ November 1978 | ☐ September 1980 |

Issues not listed are out of print

☐ My check is enclosed, or charge to my ☐ Master Charge ☐ Visa
Account No. _____


Card Expiration Date _____

Name _____

Address _____

City _____ State _____ Zip _____

Mail to: **Personal Computing**
1050 Commonwealth Ave.
Boston, MA 02215



The MTU K-1008-6 Pet Graphic Interface provides software selectable Pet video, graphic video or both. The expansion board features five ROM sockets that can be set at the same or different addresses. The system is automatically restored to the user selected configuration after power-up or reset.

Mounted inside new or old Pet computers, the MTU K-1008-6 provides user control over a matrix of 64,000 dots (320 wide x 200 high). Serving as an 8K byte expansion memory when not used for graphics, the board also creates a KIM/MTU expansion bus supported by various MTU products. On-board expansion allows use with optional light pen; K-1008-3C graphic software is also offered.

The interface is priced at \$320; K-1007-2 connector board for old Pet at \$35; K-1007-3 connector board for new Pet at \$59. Literature is available on request. For more information contact Micro Technology Unlimited, David B. Cox, 2806 Hillsborough St., P.O. Box 12106, Raleigh, NC 27605; (919) 833-1458. *Circle No. 126*

High-Resolution Portable Printer/Plotter Capability

Computer Devices, Inc. announced a high-resolution Miniterm portable printer/plotter. Available for immediate delivery, the plotting feature is optional with Computer Devices' Miniterm series of portable terminals and portable computers.

Capable of plotting up to 3420 dots per square inch (60 dots vertically by 57 dots horizontally) and achieving horizontal speeds of up to 24 inches per second between plotted points, the thermal matrix printer/plotter comes complete with CDI's switch-selectable 80/132 column alphanumeric printer feature. Other features include microprocessor control, a 45-character buffer, a full 96-character ASCII set of upper and lower case characters, and a patented print head control mechanism to provide long-life, quiet operation, extremely high reliability and applications flexibility, the company said.

The printer/plotter option is priced at \$425. Miniterms with the 80/132 plotter option range in price from \$2410 for the Model 1203 KSR portable data terminal to \$5910 for the Miniterm 1206 portable computer models that are either self-prompting or programmable.

When using a portable Miniterm Model 1203 KSR, you can circumvent the delays inherent in time-sharing applications where graphic output is required. With the portable printer/plotter, graphs can be printed on the portable, remote terminal instead of at a central time-sharing computer location.

Once upon a time

in the Land of Adventures, there was a King named Adams. King Adams said to himself, "My kingdom has Adventures for adults but what about my younger subjects?" So the mighty King went to his wise Knights of the C R Table with his plight. Lo and behold Sir Talley had the answer. Then the King asked, "But does it have sound effects, and graphics and can it be used by readers and non-readers alike?" King Talley replied, "Oh yes Sire and even more, it has both a story mode and a quiz mode."

"So be it!" said the King, we will spread the news throughout the kingdom and call it...

**Kid
Venture**

Now available from your local Computer Lord or send for prices and additional info to:

DEALER
INQUIRIES
INVITED

FOR 4-10 YEAR OLD ADVENTURERS

**Adventure
INTERNATIONAL**

Box 3435
Longwood, Fla.
32750
(305) 862-6917

© Copyright 1980 Adventure International

See Us at the National Small Computer Show, NY Coliseum, Oct. 30-Nov. 1


CIRCLE 34

**TRS-80
LEVEL II**
\$ **685.**

COMPLETE
SYSTEM

The world's most popular microcomputer, with 16K of memory and Level 11 basic for only \$720, complete with full 90 day Radio Shack warranty. We accept check, money order or phone orders with Visa or Master Charge. (Shipping costs added to charge orders). Disk drives, printers, peripherals, software & games... you name it, we've got it (both Radio Shack & other brands). Write or call for our complete price list.

C&S




ELECTRONICS MART, LTD.

AUTHORIZED
DEALERSHIP

Radio Shack®

32 EAST MAIN • MILAN, MICHIGAN 48160 • (313) 439-1508

CIRCLE 35



ST80 III™

The Ultimate Communications Utility

The *Smart Terminal Communication Package* from SBSG, Inc., can turn your TRS-80* Model I or Model II Microcomputer into a very intelligent distribution processor. Easy to use commands and a built-in HELP function insure successful operation even by the most inexperienced personnel. Full user control of all communication options insure that whatever your communication requirements, ST80 III™ can provide for them. We'll get you there.

ST80 III™ can test your communication hardware and notify you of hardware fault. ST80 III™ can transfer files from memory to other computers and process received information or store it on disk. ST80 III™ can support prompted or unattended modes of operation, or remote control from a host computer. ST80 III™ can take full printer control. User definable *control tables* can be used to establish special control functions. User definable *function keys* can also be used.

SBSG, Inc., provides full user support and markets three other ST80 products. Any computer with communication capability can be accessed by ST80 III™ via your TRS-80*

*TRS-80 is a registered trademark of Radio Shack, a division of Tandy Corp.



**SMALL BUSINESS
SYSTEMS GROUP**
6 Carlisle Road
Westford, MA 01886
(617) 692-3800

WHAT'S COMING UP


Used with CDI's Miniterm Model 1206 portable computer products, the graphics are a particularly key element in I/O applications such as instrumentation control, econometric modeling, financial and business trends plotting and wherever statistics, equations or tabular data are remotely collected or required.

In its non-graphic mode, the thermal printer is a 5 × 7 dot matrix, friction feed printer that offers print speeds up to 50 characters per second. The high-resolution, thermally created dots blend to create solid, clearly-readable charts and graphs because individual dots can be placed as close as 0.017 inches apart.

For further information contact Computer Devices, Inc., 25 North Ave., Burlington, MA 01803; (617) 273-1550. In Europe, CDI is located at 108 Place des Miroirs, 9100 Evry, France; (6) 079 0077. *Circle No. 115*

180 CPS Matrix Printer

Pacific Mountain States Corp. has announced the availability of a new 180 cps matrix printer that out-performs the TI-810 and Centronics 703/704 at a fraction of the price of those printers, the company said. The full-featured printer, the DS180 by Datasouth, has a single unit price of \$1395.



The DS180 utilizes logic-seeking bidirectional printing at 180 cps to achieve extremely high throughput. Under micro-processor control, the printhead automatically takes the shortest path to the next printable character and slews at high speed over blank spaces in the text. The standard 1000 character buffer (optional 2000) and a choice of two hand-shaking protocols ensure optimum throughput on any CRT, business system or as a remote printer. Lab tests have shown the performance printing 40 column lines to be 198 lpm and at 10 columns 455 lpm, according to the company.

The 94 ASCII character set is printed in a 9-high by 7-wide dot matrix. True lower case descenders and simultaneous

underlining are possible because of the 9-wire printhead. An adjustable head-to-platen gap accommodates forms up to 6 parts in thickness. Fanfold perforated forms from 3 to 15 inches may be fed through the front or bottom of the printer. An optional floor stand with basket is also available. The DS180 comes standard with three interfaces: RS-232, current loop and an 8-bit parallel Centronics compatible.

The 38 programmable features of the DS180 may be configured from the control panel on the front of the printer or via the communications line. The LED indicators, digital display and custom keypad make format setup quick and simple, PMS said. A non-volatile memory retains the settings when power is turned off, eliminating the need to reconfigure the printer before its next use.

In order to utilize the high performance characteristics of the DS180 in CRT clusters, PMS offers an optional terminal multiplexer that allows up to four CRT's to share one printer. This mux, priced at \$295, permits only one CRT at a time to use the printer when using select switch cables. The unit is code transparent and can operate from 75 to 19,200 baud.

For more information contact PMS, 6319-B DeSoto Ave., Woodland Hills, CA 91367; (213) 999-2281.

Circle No. 134

Bidirectional Dot Matrix Printer

Matchless Systems has added a 132/80 column printer to its product line. The MS-204 is a bidirectional, 9 x 7 dot matrix printer that utilizes a print mechanism of simple design and high reliability, resulting in a superior performance, the company said. It has a print head life of 100 million characters.

Among the other features are a print speed of 125 cps and a through-put print speed of 63 lpm. The adjustable sprocket feed mechanism allows use of forms from 2.5" to 9.5" wide with loading from either the bottom or rear. A full 96 ASCII set permits printing upper and lower case characters which can be expanded for double width fonts in bold face. The VFU (Vertical Format Unit) provides pre-programmed/programmable tab positions, top of form and bottom of form.

The MS-204 offers the flexibility of 40, 66, 80 or 132 characters per line, the company said. It's compatible with TRS-80, Apple, Pet, Sorcerer or any other Centronics-type system. The \$795 price includes complete documentation. For more information contact Bob Lahm, Matchless Systems, Dept. 7, 18444 South Broadway, Gardena, CA 90248; (213) 327-1010. Circle No. 150

Data Acquisition with the Apple II

American Multiplex Systems, Inc., has introduced a system of remote multiplexing components that may be controlled by an off-the-shelf Apple II microcomputer. The new miniMUX 800 series components make it easy for users to design and install their own data acquisition and control system. Both the user or installer can expect savings of over 50% of the cost of conventional data acquisition and control systems, the company said.

Word Processing Newsletter

Want to really USE your computer? Then word processing is for you. Let your computer show you how much easier writing can be.

Learn about the new 510 cps 'non-daisy' that at 10X daisy speed gives correspondence quality, at less than twice the cost. Too slow? The really fast guys are coming. How about 30 11x14 typeset-quality documents per minute? Maybe you could use the same 'printer' as a copier.

Read about all this and more in **Low Cost Word Processing**, the only newsletter about word processing using your personal computer. Just \$15 for 12 issues.

COMPUTER INFORMATION EXCHANGE

Box 159

San Luis Rey CA 92068

CIRCLE 37

Save 10%-30% on all your Computer Supplies!

Whatever your computer needs, chances are, we have it -- and at considerable savings. We carry a complete line of printer ribbons, disk packs, cartridges, paper and more. Compare our prices. A simple phone call gets you a quote. Call (212) 586-0923.

MEMOREX® DISKETTES

	10-40	50-90	100-190	200-290	300 +
1-sided/single-density	3.40	3.25	3.05	2.95	2.80
2-sided/single-density	5.80	5.60	5.20	5.00	4.80
1-sided/dual-density	4.45	4.30	4.00	3.85	3.70
2-sided/dual density	5.80	5.60	5.20	5.00	4.80
Minis (5-1/4")	3.10	3.00	2.75	2.65	2.55

Nobody manufactures a finer magnetic product than Memorex® Corporation.

OPUS® DISKETTES

	10-40	50-90	100-190	200-290	300 +
1-sided/single-density	3.15	3.05	2.85	2.75	2.65
2-sided/single-density	4.55	4.40	4.15	4.00	3.85
1-sided/dual-density	3.70	3.55	3.35	3.20	3.10
2-sided/dual density	5.30	5.10	4.80	4.60	4.45
Minis (5-1/4")	3.10	3.00	2.75	2.65	2.55

Opus® is our economy diskette. The price is lower, but there is no compromise on quality. All our diskettes are certified 100% error-free and come with an unconditional money-back or replacement guarantee!

We carry flexible disks for all make systems:

Ball Comp., CDC, Data 100, DEC, Decision Data, Diablo, Four Phase, Hewlett-Packard, Honeywell, IBM, 3740, 3741, System 32, System 34 & 5110, NCR, Perdec, Shugart, Sycor, Univac and many others.

* Memorex is a registered trademark of Memorex® Corp.

* Opus is a registered trademark of Computer Resources Inc.®

For immediate delivery or for a quote on any other product call...

BRADKE
COMPUTER CORP.

(212) 586-0923

250 W. 57TH ST.
NEW YORK, N.Y. 10107

"The data and word processing discount warehouse"

CIRCLE 38



UNTIL NOW,
this was the
best your
APPLE
could do...

COMPU-SPELL

By Sherwin Steffin and Steven Pederson

This revolutionary program in spelling is as simple as it is effective. Unlike competing products which elegantly teach your computer to creatively mispell (two "s" 's), Compu-Spell uses only positive feedback to insure accurate learning.

All displays show carefully selected spelling words in hi-resolution paragraphs, and ask the learner to replicate the correct spelling as the computer patiently monitors progress. An elaborate operating system supports use by many students in a classroom environment, while separate data diskettes make it affordable to individual home users.

The main program disk contains the Compu-Spell program, operating system, and sample spelling units chosen from each of the six available data diskettes (grade levels 4, 5, 6, 7, 8 and secretarial.) You choose a specific diskette or a coupon exchangeable for one once you have determined a suitable entry level.

Compu-Spell requires a 48K Apple, ROM-based Applesoft, and a disk drive.

Main Program Disk and one data diskette 39.95 each

Additional data diskettes (6 Available) 19.95 each

Available at finer computer stores everywhere. CA. res. add 6% sales tx. Add \$1.00 for shipping.

EDU-WARE SERVICES, INC. (213) 346-6783

22035 Burbank Blvd., Suite 223 • Woodland Hills, Ca. 91367

EDU-WARE T.M.
UNIQUE SOFTWARE FOR THE UNIQUE MIND

CIRCLE 39

ASCII EXPRESS II

By Bill Blue

THE MOST COMPLETE COMMUNICATIONS PACKAGE
FOR THE APPLE II AVAILABLE

This professional terminal system includes:

- Full upper/lower case support
- Upload/download files to ANY type of online computer
- Built-in line editor for files
- Keyboard macros for efficient operation

Recommended system requirements include a 48K APPLE II with disk, FP ROM or language card, and Micromodem or Comm. card.

\$59.95 plus 6% for Calif. residents

Available from your local computer store or:

southwestern data systems

P.O. BOX 582-P • SANTEE, CA 92071


(714) 562-3670

CIRCLE 40

WHAT'S COMING UP

Three different terminals and a special Apple II interface board make the miniMUX 800 Series components well-suited to hundreds of applications: energy control of commercial and industrial facilities; remote site monitoring and/or control; lighting control; remote video switch and camera control; liquid storage tank gauging systems monitoring and control; industrial facilities manufacturing equipment monitoring and control systems; security, fire and safety systems and many more.

The miniMUX 800 Series terminals are completely self-contained ready to install. AMX caters to the do-it-yourselfer with their building block approach to data acquisition and control components, said the company. The miniMUX 800 terminals will interface with computers using the RS-232-C interface unit.



AMX is offering a limited number of introductory starter kits, which include an RS-232-C or Apple II interface unit, one miniMUX 801 input/output terminal with eight discrete inputs and seven discrete outputs, and one miniMUX 802 analog terminal with one input channel of eight bits resolution, and seven discrete outputs for the introductory price of \$895. For more information contact American Multiplex Systems, Inc., 1148 E. Elm Ave., Fullerton, CA 92801; (714) 870-5821. Circle No. 142

Matrix Printer for Small Business Computers

The Anacom-150 Serial Matrix Printer has been announced by Anacom General Corp.

The new unit prints its 9 x 9 dot matrix bidirectionally while logic seeking the quickest way to print the next line. It has a 136 column format but accepts tractor fed paper of any width. Line feed and top of form controls are at your fingertips, the company said. Vertical format is programmable as are double width characters. Interfacing is accomplished by use of a personality board with parallel or serial interface supplied as required at no additional cost.



Anacom will market the printer nationally and internationally through distributors. It is priced at \$1350. For additional information contact Dick Lombardi at Anacom General Corp., 1116 East Valencia Dr., Fullerton, CA 92631; (714) 992-0223. *Circle No. 114*

Two Interfaces for Videotaping Apple Color Graphics

Adwar Video offers two interfaces for bridging the difference between Apple computer graphics output standards and those of NTSC video recording and broadcasting equipment. While the Apple output works well with a dedicated color video monitor, it is incompatible with NTSC signal requirements, ruling out the many advantages of videotaping or telecasting its color graphics.

The simpler of the two devices, the Adwar Apple Proc Mod (\$250), is a circuit board inserted into the Apple plug-in slot #7. This brings the Apple output sufficiently close to NTSC video equipment tolerances to permit its direct videotaping.

For more exacting applications, such as combining the Apple color graphics output, through a time-base corrector, with other video signals through a switcher, the more sophisticated Adwar Apple Graphics Interface is required. This more expensive device (\$4690) stores an entire non-standard Apple video frame in solid state memory. It then reads out from that memory at standard NTSC rates required for multi-source tape editing, special effects and telecasting on the air. According to the company, at the time of this writing, the product is scheduled to be available in September.

The Adwar Apple Graphics Interface requires all six house system drives, including sync and subcarrier, locking the outgoing signal to those drives. For more information contact Adwar Video, 100 Fifth Ave., New York, NY 10011; (212) 691-0976. *Circle No. 132*

Correction

A product announcement by M & R Enterprises, published in the August *PC*, on an Upper/Lower Case Board for Apple II, contained the wrong address for the company.

The correct address for M & R Enterprises is P.O. Box 61011, Sunnyvale, CA 94088.

Personal Computing apologizes for any inconvenience this error may have caused. *Circle No. 145*

THE LEAST EXPENSIVE PROGRAMS YOU CAN BUY.

NONPROFIT
PEOPLE'S SOFTWARE

Up to 77 high-quality programs
for TRS-80, only \$10.95

LEVEL II TAPES:

'Tiny' Pascal runs on any 16K Level II system, includes the programming structuring capabilities of full Pascal, but not data structuring.

Able to compile Z-80 machine code, programs run about five-times faster than Level II Basic—graphics run eight-times faster! Requires use of T-Bug and Edit-Assembler.

Tape 3, People's Pascal I \$19.95

Tape 6P PASPATCH allows old Pascal II (no longer available) to use printer, floppy disk \$15.00

Tape 1, 34 business, educational, game programs \$10.95

Tape 2, 77 programs from Osborne book: 'Some Common Basic Programs' \$10.95

Tape 5, 24 business, educational, game programs \$10.95

Tape 7, 31 business, educational, game programs \$10.95

Tape 8, about 30, including 1,700-baud tape loader \$10.95

Overseas, add \$1us per tape for postage

California residents add 6 pct. tax. Dealer inquiries invited

COMPUTER INFORMATION EXCHANGE

Box 159
San Luis Rey CA 92068

CIRCLE 41

Science Fiction



Turn your daydreams and visions of the future into cash. We're looking for short (500 to 2000 words) science fiction stories dealing with the future of microcomputers—their possible uses and their roles in society and in people's lives. Stories must be original and not published elsewhere. Submit your typed, double-spaced manuscript to Personal Computing, 1050 Commonwealth Ave., Boston, MA 02215.



THE NATIONAL COMPUTER SHOWS HAVE WE GOT A PROGRAM FOR YOU!

The new computers are showing off. Over \$50 million worth of equipment in over 100,000 square feet of space, including the latest software and hardware for business, government, home and personal use. Everything the NCC show has and more will be on display, and you can buy it all right on the spot.

Computers costing \$150 to \$250,000, mini and micro computers, data- and word-processing equipment, telecommunications, office machines, peripheral equipment and services from leading names in the industry like IBM, Xerox, Radio Shack and Apple will all be there.

There'll be conferences on business uses of small to medium sized computers, and how to make purchasing evaluations.

There'll be robots, computerized video games, computer art and computer music.

Everyone from kids to people who earn their living with computers will have a great time at the largest computer show ever organized in each region.

Admission for adults is \$5. The public is invited, and no pre-registration is necessary.

Don't miss the computer show that mixes business with pleasure. Show up for the show.

THE MID-ATLANTIC COMPUTER SHOW

WASHINGTON, D.C.
D.C. ARMORY/STARPLEX
THURSDAY-SUNDAY
SEPTEMBER 18-21
11 A.M. TO 9 P.M. THURS.-SAT.
11 A.M. TO 5 P.M. SUN.

THE MID-WEST COMPUTER SHOW

CHICAGO
McCORMICK PLACE
THURSDAY-SUNDAY
OCTOBER 16-19
11 A.M. TO 9 P.M. THURS.-SAT.
11 A.M. TO 5 P.M. SUN.

Produced by National Computer Shows,
824 Boylston Street, Chestnut Hill, MA 02167.
Telephone (617) 739-2000.

THE NORTHEAST COMPUTER SHOW

BOSTON
HYNES AUDITORIUM
PRUDENTIAL CENTER
THURSDAY-SUNDAY
NOVEMBER 20-23
11 A.M. TO 9 P.M. THURS.-SAT.
11 A.M. TO 5 P.M. SUN.

Please send me:

- ☐ adult tickets at \$5 each. I have enclosed the proper amount of \$ _____
☐ Information on the show's conference program.
☐ Hotel registration information ☐ Exhibitor rental information

Please print: Name _____
 Address _____
 City _____ State _____ Zip _____

SYSTEMS

Price Reduction On Floppy Disk Systems

Altos Computer Systems announced a price reduction averaging 10 percent on its single-user floppy disk systems utilizing single or dual floppy drives.

The reduction positions the Altos systems within the price performance range of smaller floppy disk based systems costing from \$3500 to \$4500, the company said. The systems feature Shugart floppy disk drives, fully socketed single board computers with Z80A processors, and communications capabilities including asynchronous, bisynchronous and networking. All systems are available for immediate delivery. For more information contact Altos Computer Systems, 2360 Bering Dr., San Jose, CA 95131.

Circle No. 146

New Single Board Computer

Vector Graphics Inc., has introduced a new single board computer. Designed to function as the center of an approach to system design, the new ZCB single board computer generates all standard S-100 bus signals, including emulation of an 8080 CPU, and contains a Z80-A operating at 4 MHz, 1K of high-speed static RAM memory, 3 sockets for up to 12K of PROM, one serial port and three 8-bit programmable parallel ports.

According to Vector, circuitry is provided to support static or dynamic memories. Use of 2708, 2716 or 2732 PROMs is jumper selectable and the addressing of the PROM and RAM is completely variable. Use of wait states on bus cycle and/or instruction fetch cycle is also jumper selected.

The serial port makes use of the Intel 8251 USART, which enables software to control the format of the transmitted data and to vary the mode of transmission. A dip-switch is used to specify the basic rate between 110 and 9600 baud. The parallel ports use the Intel 8255 which allows the same lines to be used for input and output under program control, and allows a great deal of flexibility in the assigning of lines to

I/O addresses, also under program control, said the company.

The use of the ZCB single board computer in Vector's own computers enables efficient development of special-purpose systems. For process-control or instrumentation problems, a designer can compose and test new software and interface-hardware entirely within the full-strength computer system, connected directly to the process being controlled, said the company. Vector's variety of I/O boards, supplemented by dozens of S-100 I/O boards from other vendors, can be inserted directly in the full system. When testing is complete, the target software and hardware, centering around the ZCB single board computer, is then moved to its final chassis with no downloading or in-circuit-emulation required.

The ZCB single board computer has a suggested retail price of \$395. Immediate delivery is available from off the shelf inventory. For further information contact Carole Ely or Robert Harp at Vector Graphic, Inc., 31364 Via Colinas, Westlake Village, CA 91361; (213) 991-2302.

Circle No. 153

Intelligence Provided By Single Board Microcomputer

A single board microcomputer, the M-80, which has a Z-80 CPU, sockets for 2K/4K of PROM, 2.1K of RAM, 16 highly flexible I/O lines and a system clock, has been introduced by Miller Technology. The board also provides a breadboard area and 12 decoded address strobes for easy user customizing, the company said.

The 4.5 inch by 6.5 inch board was designed for test equipment, smart peripheral controllers and dedicated control and processing applications. The board may be mounted in a card cage or by standoffs.

Two software packages are currently available. A monitor contained in a single ROM enables you to dump or enter data into memory, set breakpoints, control I/O lines or download programs from another computer. An integer Basic provides 30 functions and commands, and permits calling machine language routines. Both monitor and



Black & white and-or COLOR
PURCHASE-LEASE or TRADE



Plus coming soon



All controlled by one or several computers



The Professionals of the Creative Computer Industry

CYGNUS COMPUTER PORTRAIT SYSTEMS
International Sales Office
3701 North Ravenswood
Chicago, Illinois 60613

CALL TOLL FREE

1-800-621-1258

IN ILLINOIS CALL 312 248-1425

See Us at the National Small
Computer Show, NY Coliseum,
Oct. 30-Nov. 1 Booths 4506 & 4508
CIRCLE 42

HOME VISITOR

SOUTHERN CAL MICHIGAN

17 1 2 3 4 14

QUARTER

BALL ON SOUTHERN CAL 38 TIME
1 DOWN 10 YARDS TO GO 11:43

OFFENSE PASSES DEEP**DEFENSE
IS A 3-4 PLAY GAINS 18 YARDS
**FIRST DOWN SOUTHERN CAL
DEFENSE?

FOOTBALL/80

Play college football with your computer. Match your offensive and defensive play calling abilities with FOOTBALL 80.

- 11 Offensive plays to choose from
- 5 Defensive strategies to use
- Graphics scoreboard
- Narrative of each play
- Play result computations are based on a combination of offensive and defensive strategies

BASEBALL/80

When the season changes switch to baseball. Challenge your computer to a complete game, matching your pitching and hitting strategies with BASEBALL 80.

- Graphics scoreboard updated each pitch
- Narrative of the results of each pitch
- In the field you call the pitches
- At the plate you set batting strategy

16K Level II
BOTH games on
one tape

\$995

CREATIVE DEVELOPMENTS
P.O. BOX 34057
Memphis, TN 38134
Phone 901 382-1909

CIRCLE 43

**EDUCATIONAL
SOFTWARE
TRS-80***

80+ Programs in:

ELEMENTARY	MATH
SCIENCE	BIOLOGY
GEOGRAPHY	HISTORY
ECONOMICS	ACCOUNTING
FOREIGN LANG.	BUSINESS ED.
GAMES	FARM RECORDS

Programs are grouped into packages of 4 to 7 programs priced at \$14.95 per package including shipping and handling. Available on disk or tape.

Write for catalog:
**MICRO LEARNINGWARE, BOX 2134,
 N. MANKATO MN 56001, 507-625-2205**
 *TRS-80 is a registered trademark of TANDY CORP."

CIRCLE 44

**DUAL-BAUD HI-SPEED CASSETTE S80
PROGRAMS**

Faster Load & Save of Data Files without mods
 Optional Speed Change during program available
 Accommodates popular clock Speed-Up mod, which Loads & Saves Data and Programs in near half the time normally.

Accommodates popular external HI-Speed Loader and may be used with Clock Speed mod for near Disc speed Loading & Saving programs and data. A 6k program loads in a few seconds.

Auto re-use of blank deleted data file lines
 Tape progress display for Data Loads & Saves
 Keyboard Logic Gating measures length of file information each line being inputted
 File size displayed at start of Data Load, with option to boot oversized file and start a new file.
 Data File Programs 16K Level 2 \$10. Cassette
 Dual-Baud Format provides for use of Gregory Electronics Clock Speed-Up optionally.

Hi-Speed Format uses JPC Products TC-8 external Fast Loader and optional use of the Clock mod.

Dual-Baud Home Expense Journal
 Hi-Speed Home Expense Journal
 Dual-Baud Home Mail & Telephone File
 Hi-Speed Home Mail & Telephone File
J/C ENTERPRISES

Box 441186 Miami, FL 33144

CIRCLE 47

THE LOWEST

prices on this high-quality software. Buy direct and save 50%. Now, also available for CBASIC on CP/M and MBASIC on HEATH HDOS.

DATA BASE MANAGER Mod-I \$69 Mod-II \$199
 You can use it to maintain a data base & produce reports without any user programming. Define file parameters & report formats on-line. Key random access, fast multi-key sort, field arith., label, audit log. No time-consuming overlays. 500 happy users in a year. Mod-II version with over 50 enhancements.

A/R Mod-I \$69 Mod-II \$149
 Invoices, statements, aging, sales analysis, credit checking, form input, order entry. As opposed to most other A/R, ours can be used by doctors, store managers, etc.

WORD PROCESSOR Mod-I \$49 Mod-II \$49
 Center, justification, page numbering...Used for letters, manuals, and reports. Mod-I version features upper/lower case without hardware change!

MAILING LIST Mod-I \$59 Mod-II \$99
 The best! Compare and be selective. Form input, 5-digit selection code, zip code ext., sort any field, multiple labels. Who else offers a report writer?

INVENTORY Mod-I \$99 Mod-II \$149
 Fast, key random access. Reports include order info, performance summary, E.O.Q., and user-specified reports. Many converted their inventory to ours!

PAYROLL A/R, A/P, and GL available for the Mod-II DOS and CP/M.

L216, a cassette package of 10 business programs for Level II 16K systems, \$59.

MICRO ARCHITECT, INC.,
 96 Dothan St., Arlington, MA 02174

CIRCLE 50

**M.G. Kelly
& Associates, Inc.**
**Printers, Interfacing
Consultations**
Retail Price: \$719.00
Wholesale Distributors Welcome

**LASER
ACTION
PRINTER**

Do you think lasers are the thing of the future? The future is here now with a new light weight, innovative printer. LAP-32, Laser Action Printer, incorporates a laser diode instead of the conventional impact or thermal systems.

**Standard Features and
Programmable Options**

- *Switch Selectable-RS232C, Current Loop, And Parallel I/F
- *Parallel I/F Compatible With Centronics, And Data Products
- *Software Control Printer Select-Deselect, Graphics Mode Enable-Disable
- *Variable Paper Widths From 3-1/2-14 Inches
- *132 Columns Printing Bidirectionally
- *132 Characters Per Second
- *300-1200 Baud 7 Bit ASCII With RS232C I/F
- *96 Upper-Lower Case Characters
- *Combination Tractor-Roller Paper Feed

If you are interested in more information or wishing to purchase the LAP-32 Printer, please contact your nearest Sales Representative.

4744-B.N.E. 28th Street
 Fort Worth, TX 76117 (817) 534-5932

CIRCLE 45

Apple® II

**SOFTWARE
ACCESSORIES
SUPPLIES**

ULTRA-CURRENT

**BUYERS GUIDE
850 ITEMS**

TO ORDER
 send \$3.00
 You receive current
BUYERS GUIDE
 and a certificate
 worth \$3.00 off of
 your first purchase.

weas 2513 N. Sheridan Rd.
 Peoria, Illinois 61604

CIRCLE 48

TRS-80 & OTHER NEEDS FILLED FOR LESS

- +++Compatible disk drives with power supply and case — 120 day warranty+++
- * 40 track (204,800 byte/disk) use both sides, anti-crimp/power protect \$329
- * 8 in. drive & P.S./case \$749 with P.S./case for 3 drives \$929
- * 80 track (204.8K byte) 90 day warranty \$479
- * 4-drive cable \$28 ** 10 disks-5-in. @ \$24-8 in. @ \$36-hard case \$3 & \$5
- *** Base 2 printer-60 line/min. 73,80,96,120 or 132 char. line
- Bi-direct dot matrix impact 96 char ASCII, 15 baud rates) \$499
- 2K buffer, graphics, & tractor option avail.***
- * Centronics 737 \$839++ cable @ \$25
- * Harris selective (word processing-typewriter & printer) \$790
- * Lower case foe Centronics 779/Radio Shack line printer 1-easy install \$99.95
- * UPS (uninterruptible power supply) prevent power drop surge or out? From \$195
- * Cat modem (orig/ans) \$144 ++ 16K memory set (200 nano \$44
- * Apple, Atari, Radio Shack model 1/2 hardware/software discounted
- A/R, A/P, G/L, P/R for \$360 or \$100 ea. (model 1) & \$630 or \$165 e. (model 2).

Applications interact & are complete & professional Will run on other computer. This is a special introductory price.

* Ask for free flyer with our low prices — dealer inquiries invited Mass. residents add 5% tax-F.O.B. Tewksbury — freight extra.

M/C, Visa or check accepted. TRS-80 is a reg. trade mark of Tandy Corp.

OMNITEK SYSTEMS
 24 Marcia Jean Dr., Dept. K, Tewksbury, MA 01876
 Call 617-851-3156

CIRCLE 51

Now you can afford quality!

 **Scotch®**
 DISKETTES

SAVE 30% TO 45%!

Possibly the LOWEST prices you'll find on quality SCOTCH Brand Diskettes in sizes to fit all Mini/Micro Computers. One box or by the case, all orders are processed quickly and shipped per your instructions.

Call COLLECT to Order!
(805) 484-8146

QUALITY DATA SUPPLY
 P.O. Box 236, Camarillo, CA 93010

Authorized Distributor
 Information Processing Products **3M**

CIRCLE 46

**GENEALOGY — Compiling Roots
and Branches**
 an extensive family tree system
 for the Radio Shack TRS-80* 64K 1-disk Model II

stores and reviews 1000 family members' names, dates, places, marital statuses (2), relationships (father, mother, spouses (2), children (16)), and footnotes (2)

outputs complete Family Books of info for yourself and others, new and revised pages for Family Book recipients, indices to names and their ID numbers, indented format 8-generation pedigree and descendant charts, lists of dates and footnotes, and blank and filled-in forms to solicit info

includes comprehensive indexed 70+ page manual *TRS-80-Trademark Tandy Corp.

diskette with manual	\$250.00
manual & 9-program	
81K BASIC listings	\$50.00*
manual alone	\$25.00*

*applicable toward diskette purchase
 brief description with
 example printouts \$1.00

send check or money order or call for more details
John J. Armstrong (205) 342-7642
 3700 Whispering Pine Road #47B
 Mobile, AL 36608

from the original author of Roots and Branches
 Personal Computing magazine September 1979

CIRCLE 49

PROGRAM COPYRIGHTS FOR YOU

Are you giving away valuable programs you created, because you thought Copyrights were expensive and available only to the elite?

Allow us to show you how easy it can be to obtain Copyrights for \$10, to protect your valued programs.

This offer is no gimmick. The information supplied guarantees to avoid red tape and has been compiled from our personal experience while recently obtaining many Copyrights.

We provide all necessary instructions and application examples to obtain Copyright for your deserving programs.

Yes! Your program can utilize techniques already in public use, we explain what you must add to it for successful Copyright.

Send your \$10 check today!

Ole' Jim's S-80 Software
 Graphic Math Review and Triangle Solutions
 Security Audit for Inventory
 Radio Amateur's Qsl File
 Hi-Speed Graphics Craps
 Send for free descriptive program brochure

J-C ENTERPRISES
BOX 441186 MIAMI, FL 33144

CIRCLE 52

WHY PAY CUSTOM PRICES???

SMALL QUANTITY
STOCK CONTINUOUS

FORMS

- CHECKS
- INVOICES
- STATEMENTS
- SPEED-O-GRAMS
- BILLS OF LADING
- PURCHASE ORDERS

IMPRINTING AVAILABLE

STOCK PRINTOUT PAPER
STOCK CONTINUOUS LABELS

Call or Write for Prices & Samples

DDF DISCOUNT DATA FORMS, INC.
407 EISENHOWER LANE SOUTH
LOMBARD, ILLINOIS 60148
(312) 629-6850

CIRCLE 53

SAVE MORE THAN 20%

NORTH STAR — INTERTUBE — MICROTEK	
ZENITH — RCA — COSMAC — ITHACA	
THINKER TOYS — GODBOUT — SUPERBRAIN	
THE SMARTEST COMPUTERS AT THE SMARTEST PRICE	
HORIZON-1-32K-DOUBLE DEN ASM & TESTED	\$1994
HORIZON-2-32K-DOUBLE DEN ASM & TESTED	2299
2 NORTH STAR SOFTWARE DISKS w/HORIZON	FREE
NORTHWORD	\$ 299
INFOMANAGER	369
HRZ-64Q+HARDDISK	7199
NS HARD DISK 18M	3939
NORTH STAR BASIC	FREE
ITHACA COMPUTER	2695
8086 CPU 16 BIT	556
MEAS 64K RAM ASM.	599
GODBOUT 16K STAT	285
DISCUS/2D + CP/M	975
2D ADD DRIVE	650
TARBELL CONTROLLER	295
INTERTUBE II	725
SUPERBRAIN	2395
ZENITH Z-19 A&T	739
HEATH Z-89 48K	2495
ANADIX 9500-1	1389
NEC PRINTER	2799
TEXTWRITER III	112
PDS Z-80 ASSEMBLER	89
EZ-80 Z-80 TUTOR	25
ECOSOFT ACCOUNTING	315
BOX OF DISKETTES	29
MAILMANAGER	239
GENERALEDDGER	799
HRZ-2-32K-Q ASM	2699
NS PASCAL ON DISK	190
COLOR II	PHONE
ITHACA RAM 64K	845
SSM Z80 CPU KIT	221
SSM VIDEO BRD VB3	412
SUPERRAM 32K	580
SUPERRAM 16K	290
2+2 ADD DRIVE	975
DISCUS/2+2	1259
HARD DISK 26 Mb	3995
SUPERBRAIN QUAD	2995
ZENITH H-11	2995
MICROTEK PRINTER	675
ANADIX 9000	865
SECRETARY WORD PRO	77
GOFAST SPEEDBASIC	71
NS BASIC COMPILER	77
EZ-CODE IN ENGLISH	71
WORDSTAR	325
BASIC DEBUGGER	89

Which Computers are BEST? BROCHURE.....FREE
ORDER 2 or more COMPUTERS... BIGGER DISCOUNTS
WE WILL BEAT OUR COMPETITION'S PRICE
FACTORY ASSEMBLED & FACTORY WARRANTY
AMERICAN SQUARE COMPUTERS
KIVETT DR. * JAMESTOWN, NC 27282
919-889-4577

CIRCLE 56

For Apple™ TRS-80™ Super Brain™
and others using 4116

RAM RIOT!

Mostek

16k-
as low as \$39.95

Guaranteed 200ns/55°C RAM

1-5 sets.....	49.95 each
6-10.....	44.95 each
11 and up.....	39.95 each

Berliner Computer Center

102 Jericho Tpke.,
New Hyde Park, NY 11040
(516) 775-4700

Add \$2.50 shipping/handling charges. No
C.O.D.'s N.Y.S. residents add applicable sales
tax. Check or money orders only.

CIRCLE 59

META-TREK

This is NOT your average star-trek game! Meta-Trek requires 32K and one disk drive, and features several never-before-incorporated missions! You'll be dodging black holes and meteor storms, contemplating time warps and dealing with sensor-zapped quadrants! You'll have the help of your computer (which resembles a TRS-80 remarkably) and a detailed report on your standings, but this one still isn't easy! There is a FREEZE command, though, to allow you to save your progress to disk. An excellent plot, with excellent graphics to match! Fast, too, with embedded Z-80 routines. This one's \$19.95 and comes on diskette with an orientation manual... well worth it! We've already enjoyed hours and hours, and have many more to go!

Order from The Alternate Source,
1806 Ada Street, Lansing, MI 48910
or by phoning (517) 485-0344 or
487-3358.

CIRCLE 54

COMPUCOLOR USERS!

BASIC Training for Compucolor Computers by Joseph J. Charles 200 pp. (1980) (1.5 lbs.) \$14.95

An introduction to statements, functions, graphics, files, FCS.

"... an excellent book ... belongs alongside every Compucolor computer within easy reach."

Reviewed by W. Rust, Personal Computing June 1980

Page Mode/Plot Mode Charts. Layout forms for graphics and output. Pad #101 50 sheets (12 oz.) ... \$3.50

Satisfaction Guaranteed. Surface postage included. Please remit payment.

Joseph J. Charles
130 Sherwood Dr.,
P.O. Box 750, Dept. C,
Hilton N.Y. 14468

CIRCLE 57

ENGINEERING SOFTWARE

New from SUPERIOR...
for Structural and Design Engineers!

STRUCTURAL MATRIX ANALYSIS PROGRAM Calculates moments, shears, joint rotation and displacements, and axial forces in all members of a two-dimensional frame. Structural analysis input of joint coordinates, cross section properties for each member, and any number of uniform or point loads on each member. Minimum 48K, Level II, One disc 49.95

SECTION PROPERTIES PROGRAM Computes section properties, i.e., moments of inertia, section modulus (top, bottom, left, right), radius of gyration of built-up members and various shaped individual members. 16K, Level II 14.95

LEISURE PROGRAMS

BOWLING SECRETARY Let your computer tally fees, total pins, games won/lost, hi-10, hi-30, men and women hi-10, hi-30 scratch and handicap, lane assignments with individual data, and next week's lanes. 32K, Level II, one disc 14.95
Life 7.4 A mathematical simulation of cell colony evolution at a rate of 95 generations per minute by John Conway. Patterns can be stored on disc or tape for recall at any time. Program can also be slowed to 1/3 normal speed or paused indefinitely for closer inspection. 4K, Level II Tape, 5.95. Disc, 6.95
TUMBLING CARDS Mix mind-challenging math, memory, and word skill problems with the fun, competition, and luck of an exciting casino-style game of cards. Pyramid your skills into imaginary big-money winnings in the winner's circle. 16K, Level II Tape, 8.95. Disc, 10.95

SUPERIOR SOFTWARE INC.
P.O. BOX 11676
KANSAS CITY, MO 64138

Postage paid.
Missouri residents add 4 1/2% sales tax.

Write SUPERIOR for information about marketing your SOFTWARE.

CIRCLE 60

For Quiz Kids and Card Sharks MOTIVATIONAL NEW 2-PLAYER

With Hi Level
"TUMBLING CARDS"
Animated Graphics

3 QUIZ CATEGORIES...

Elementary Math * Spelling * Geography
2 GAMES IN 1... With Casino-Style card Competition

A great new family game for kids and adults. Mix mind-challenging math, memory, and word skill problems with the fun, competition, and luck of an exciting game of cards. Pyramid your skills into imaginary big-money winnings in the winner's circle. Level II, 16 K.

SUPERIOR SOFTWARE INC.
P.O. BOX 11676
KANSAS CITY, MO 64138

ONLY \$8.95
Postage Paid
Missouri residents add 4 1/2% (40c) sales tax. Formatted disc price, 10.95. Missouri residents add 49c sales tax.

Write Superior for information about marketing your Software.

CIRCLE 55

HOMES for the TRS-80

Featuring

High Quality, Commercial, and Economy Models.

Computer Consoles for \$129.95,
Printer Stands \$39.95.

Complete TRS-80 Business System, built-in.



Custom furniture for the TRS-80 office or home decor.


FOR 24 HOUR INFORMATION —
PHONE 408-948-1265

AVS

AUDIO-VIDEO 2485 AUTUMNVILLE AVE.
SYSTEMS SAN JOSE, CA. 95129
Dealer inquiries invited

CIRCLE 58

90 Day Warranty



To Order:
Send \$59.95 plus \$2.50 for shipping and handling
Illinois Residents add 6% tax
TRS-80 Software (Specify Tape or Disk)
\$10 with purchase of Micro Commander
Assembled & Tested

COMPUTER CONTROLLED - REMOTE CONTROL

Now an inexpensive and direct carrier current interface between the TRS-80 and the BSR X-10 remote control modules. The MICRO COMMANDER. X-10 modules and your computer can control your lights, appliances, motors, TV, stereo, heaters, alarms, fans, pumps, etc. EASY TO USE - NO WIRES TO RUN
Total control of all X-10 modules. Utilize all 256 house and unit code combinations. Direct interface to AC power line. No command console to purchase. No sonic link. Plugs directly into TRS-80 Model I (Level II or Disk) cassette jack or any 1 bit input and 1 bit output TTL port.

MANUAL INCLUDES ALL SOFTWARE LISTINGS

The 14K basic 4 in 1 program does the following:

- Loads machine language driver.
- Simulates command console.
- Provides sequential operation.
- Utilizes real time clock for control.

Complete documentation includes 8080 source listing.

INTERFACE TECHNOLOGY

P.O. Box 383, Des Plaines, IL 60017
Phone (312) 297-2265

\$59.95

CIRCLE 61

IMMEDIATE DELIVERY ON SPEC. ED.,
IMMUNIZATION & FIXED ASSETS INVENTORY

- SPECIAL EDUCATION ADMINISTRATIVE PACKAGE
 - Student data, Inventory of Exceptionalities, Supplemental Services and Dates
 - Teacher Class Rosters
 - Reports totals & averages of days until diagnosis and placement
 - Students printed by specific category
- IMMUNIZATION ADMINISTRATIVE PACKAGE
 - Personal student data & dates for 6-DPT, 5-Polio, Rubiola, Rubella, and Mumps
 - Automatically calculates next shot date
 - Prints overdue immunization list by grade
- FIXED ASSET INVENTORY SYSTEM
 - Full maintenance — Addressed by tag #
 - Reports titled by operator
 - Full descriptive data retained — P.O.#, Model Serial #, Repairs, Appraisal, etc.
 - Prints single record, Selected range, or all records; also prints on cards

\$275.00

\$275.00

\$275.00

ALSO AVAILABLE IN MID-OCTOBER

- BUDGETARY ACCOUNTING PACKAGE
- ATTENDANCE ACCOUNTING PACKAGE
- GRADE ACCOUNTING PACKAGE
 - Report cards and Student transcript labels
- CENTRAL ACTIVITY ACCOUNTING PACKAGE

\$375.00

\$275.00

\$300.00

\$375.00

DEALER INQUIRIES INVITED

2405 San Pedro NE, Albuquerque, NM 87110
505-884-6042

CIRCLE 68

Free! Bubble Sort Program
WithCatalog & Samples\$ 4.00
(Applies to purchase)DATQWIK (C)\$189.00
Money Maker System\$189.00
For TRS-80 (TM)
Adaptable to other microcomputers

Software development aids

TUBE80 — Display aid\$ 49.00
NEWLIST Print programs
w/title & date\$ 49.00
PASCII — Disk to LP\$ 19.95
LPDIR — Dir on printer\$ 19.95

Midwest Computer Services

28 Hiway 75

Clearwater, MN 55320k

Call: 1-612-558-2844

TRS-80 is a trademark of Tandy Co.

CIRCLE 69

Moving?

1. For FASTEST service attach old mailing label in space below.

If mailing label is not available print your name and old address in this box

Please allow 6 weeks for change to take effect

2. Print your NEW address here

NAME _____

STREET _____

CITY _____ STATE _____ ZIP _____

3. Mail to: Circulation Manager
Personal Computing
1050 Commonwealth Ave.
Boston, MA 02215

WHAT'S COMING UP

Basic use serial I/O for communications.

Unit prices start at \$28.50 for the bare board, \$69 for a kit, and \$185 for a fully assembled and tested board. The assembled board is guaranteed for one year. For more information contact Miller Technology, 16930 Sheldon Rd., Los Gatos, CA 95030; (408) 395-2999. *Circle No. 143*

On-Site Service
for Apple Products

Bell and Howell has expanded its nationwide service organization to include on-site service of Apple Computers and is expanding its existing service on video products.

Trained electronic technicians can diagnose problems and repair equipment on the spot, said the company. More than 600 Bell & Howell service representatives are located across the country. Complete parts inventories will be maintained locally.

For more information contact Bell & Howell Information Systems Service Operations, 6800 McCormick Rd., Chicago, IL 60645; (312) 539-1077. *Circle No. 144*

Turnkey System for
Small Businesses

The Minimax, a complete small business computing system that is marketed through office products dealers, was announced by Computhink, Inc.

Minimax features a set of business software programs that are included with a hardware system. Both the hardware and the software are sold together as a complete "turnkey" system, giving you a computing package that is ready for immediate use, the company said.

Minimax's business software consists of seven integrated programs: accounts payable, accounts receivable, payroll, general ledger, a data base manipulation program, word processing and a program that gives Minimax data communications capabilities.

Hardware comes with a microcomputer that contains a large internal memory of 108K bytes, a video display terminal, a standard keyboard and a

floppy disk system that has capacities ranging from 800K bytes to 8.4 megabytes, giving the system the capability of storing over 3000 pages of data.

The Minimax system is priced under \$10,000. For more information, contact Computhink, 965 West Maude Ave., Sunnyvale, CA 94086; (408) 245-4033. *Circle No. 148*

Correction


A product announcement published in the September PC contained errors in pricing on a new desk-top business system.

The correct suggested list price for the Archives Business System is \$6500. Archives Incorporated, 404 West 35th St., Davenport, IA 52806; (319) 386-7400. *Circle No. 157*

COMPLEMENTS

Apple Desk

Furnwood Manufacturing has available a computer desk with custom fitted areas to hold Apple II or Apple II Plus computers. The desk is handcrafted in wood on the same lines as the Furnwood desks for larger computers. The drawer in front is designed to hold the



Apple Computer at a comfortable typing height, and a space saving custom area for the disk drives is easily accessible for loading disks. The drawer and disk drive area are engineered for air flow and cooling. The disk drive area may on request have a 4-1/2 inch hole cut allowing installation of a muffin fan for additional circulation.

The desk has a work top area of 27"

by 48" and is built to a height of 30". It is finished in a Salem maple stain but can be ordered in other stain finishes. The desk is sealed with mar-proof lacquer for protection. Upon request other compartments may be custom fitted for additional equipment or drawers may be added. The back has cable cut outs to keep a clean uncluttered look for anywhere in your home or business. Models are also available for the Atari and TRS-80 computers.

Suggested list price is \$400. For additional information contact Fumwood Manufacturing, Inc., 5665 S. W. Carman Drive, Lake Oswego, OR 97034; (503) 636-1991. *Circle No. 149*

Technical Reference Manual

APF Electronics, Inc., announced literature for its personal computer, The Imagination Machine with a Technical Reference Manual.

Manual includes nine chapters explaining technical details from memory maps, memory usage for programs and variables to entering and using machine language plus saving time and space, the company said. The three appendices include schematics and parts layout while the entire manual is illustrated with diagrams and charts.

It is available for \$2. For information contact APF Electronics Inc., 444 Madison Ave., New York, NY 10022, (800) 223-1264. *Circle No. 151*

Computer Terminal Desks

A new line of stylized computer terminal desks that increase work areas and save floor space has been introduced by Data-Mate, The Maine Manufacturing Company.

Desks feature large tops and supply compartments to enhance operator efficiency and conserve floor space the company said. They also provide leg room for operator comfort, and black steel frames accented with chestnut wood grain tops and trim.

Available in 27" or 30" heights, the desks are offered in 5 styles with 30" x 48" or 60" tops, and a 19" EIA rack mountable bay, supply drawer or hinged door cabinet. A tape/diskette model includes a compartment for a tape or

disk drive and drawer for tape and disk storage.

Desks are priced from \$298, depending on style. Literature is available on request. For more information contact Data-Mate, The Maine Manufacturing Co., 46 Bridge St., Nashua, NH 03060; (603) 883-5142 or (800) 258-1678. *Circle No. 152*

Data Communication Products

International Data Sciences, Inc., is offering free copies of its new 1980 Catalog of Data Communication Products.

The 29-page catalog features the company's Hawk 4000 Series Data-traps that provide a CRT display of

on-line data communications. Also described is a complete line of Range Rider data test sets for synchronous and asynchronous modems, TDMs and FDMs; EIA and telephone line patch, monitor and switching modules for tech control centers; data cables; error detection devices; and MiniTest interface monitors and breakout panels for EIA, Bell 301/303 and V.35 interfaces. Also featured is the new Model 65/60, the company's first hand-held, battery operated modem test set and breakout panel combined.

For a free catalog write Marketing Department, International Data Sciences, Inc., 7 Wellington Road, Lincoln, RI 02865. *Circle No. 154*

CLASSIFIEDS

FOR TRS-80 RS-232 BOARD
Fix problems due to intermittent PC board connector with a connector brace.
Simple to install.
Only \$4.95 PPD (TX residents \$5.20 incl. tax)
Gunn Industries,
704 Franklin Blvd.
Austin, TX 78751

INTERFACING TRS-80 to IBM electronic typewriter — No hardware modification, diagrams, codes & information, \$3.75.
Software listing, \$4.
FC&T, Box 57563, Webster, TX 77598.

TBUGX - Extend your Tandy TBUG with six powerful commands:
T - Trace instructions in step or run mode
→ - Move and relocate: TBUG & any instr., addr., or memory
H - Halt at any address
D - Control trace display
S - Display 12 levels of stack
:- Set any register or pair
Requires Level 2 TBUG, +<1.3K.
Cassette and manual — \$8.50 (FL residents add 4% sales tax) **ADVANCED DEVELOPMENT SYSTEMS, BOX 62, ORANGE PARK, FL 32073**
Tele. #1-904-264-8194

BASIC EXTENSION — Maximize the power of your TRS-80 Level II computer with MAX. Machine language program patches into BASIC ROM and features line referencing by name for jumps and subroutines, winking cursor, appending programs, fast saving and loading of all variables, single stepping during execution, overlaying of BASIC programs and more. Uses less than 750 bytes of memory.
\$12 R.C. Page, 100 Meehan Dr., Dayton, OH 45431

SLOW RUN your machine language programs for TStep, TBug users who are tired of hitting the space bar. TStep, TBug, TLegs is required but not included. Self linking, self relocating, variable speed slow stepper Level II system cassette and documentation \$9.95ppd; **Jerry Bell, 536 S. 2nd, Fairfax, OK 74637.**

UNDERSTAND COMPUTERS AND DATA PROCESSING

Now you can learn more about computers/DP in your spare time. Cassette learning seminar based on college course designed and taught by author. Listen while driving or relaxing.

Send \$19.95 (plus \$2.00 p and h) and request learning module C-10. Receive first learning module plus capsule summary of complete series and study booklet. Contains more than 2 hours of informative and practical instruction.

Career Enhancement Institute
361 Virginia Street
Crystal Lake, IL 60014

HATE TO TYPE? For \$1 per "K" we will type your favorite TRS-80 Basic programs onto cassette tape up to 16K. Please send original program listing plus \$3.50 to cover postage & handling to ensure proper delivery. **C-SAVE-IT, P.O. BOX 37506, OMAHA, NE 68137**

ATTENTION BARGAIN HUNTERS!

Buy, sell or trade all types of computer equipment and software (pre-owned and new) among 20,000 readers nationwide in the BIG (11x14") pages of **COMPUTER SHOPPER**. Subscription: \$10 a year/12 issues. Money back guarantee. P.O. Box F-11, Titusville, FL 32780. (305) 269-3211. VISA & MasterCard only, 800-327-9920.

EQUIPMENT & SOFTWARE BARGAINS

CAREERS IN PUBLISHING

Boston-based International Publishing Corporation on street car line has the following openings:

Managing Editor

Ideal candidate will be familiar with all aspects of magazine production and possess the ability to meet a monthly deadline — on time. 3 years experience plus science communications (or similar) degree required. Knowledge of electronic technology is desirable.

Assistant Editor

Candidate should have degree in journalism or English with at least one year's editing experience. Knowledge of electronic industry helpful. Electrical engineers who may be interested in a career in publishing are also encouraged to apply.

Please no calls — send resume to Leonard Spitz, Editor, Circuits Manufacturing, Benwill Publishing Corp., 1050 Commonwealth Ave., Boston, MA 02215

On-Site Service For HP-85

Hewlett-Packard now offers "on-site" service as well as its previously offered "return to HP" service for the HP-85 personal computer.

Under the on-site service agreement, which has covered other HP desktop computers, HP-85 system owners pay a monthly cost for next-day response to all sites within 100 miles of an HP service-responsible office.

Cost of the on-site agreement is \$25 per month. For an additional fee, HP-85 peripherals such as printers, plotters and flexible disk drives will be covered by the on-site agreement.

HP-85 owners farther than 100 miles from an HP service-responsible office will be covered by an on-site service agreement with a longer response time and a higher price.

Those who don't require as comprehensive an agreement may, for \$17 per month, choose a field repair center service agreement. Under this plan, a unit needing service is shipped to one of the

designated HP field repair centers throughout the world. HP will fix and ship the unit within three days of receipt.

Owners of HP-85s purchased before these agreements became applicable will be able to obtain coverage if their units are still under warranty. Machines that are out of warranty must be inspected before they will be covered by the new agreements.

The on-site service agreement will be offered on all HP-85s, whether sold by computer stores, office machine dealers or HP's sales force.

The HP 2621 terminals, which recently became available through dealers, also can be covered by an on-site service agreement.

For additional information on obtaining an on-site service agreement, see your local dealer or contact Inquiries Manager, Hewlett-Packard Co., 1507 Page Mill Rd., Palo Alto, CA 94304; (800) 547-3400 (in Oregon, 758-1010). *Circle No. 112*

ADVERTISER'S INDEX

Circle Number	Page		Page
15	Ackerman Digital Systems . . . 27	47,52	J-C Enterprises 108
29,34	Adventure International . 97, 101	45	M. G. Kelley & Assoc. 108
54	Alternate Source 109	23	Level IV Products 51
56	American Square Computers 109	1	Lobo Drives C-4
49	John J. Armstrong 108	6	Maxell/Data Products 5
58	Audio Video Systems 109	50	Micro Architect 108
27	Barclay Bridge Supplies 90	28	Microcomputer Technology . . 96
59	Berliner Computer 109	70	Micro Data Base Systems . . . C-3
4	Bottom Shelf 9	44	Micro Learningware 108
38	Brooke Computer 103	33	Micro Peripheral 99
20	CalData Systems 43	69	Midwest Computer Services . 110
57	Joseph J. Charles 109	30	Monument Computer Services. 97
17	Cload Magazine 33	3	Mountain Hardware 1
37,41	Computer Information Exchange 103, 105	—	National Small Computer Show 65
10	CPU Shop 17	16	Netronics R&D 31
43	Creative Developments 107	—	Northeast Computer Show . . 106
35	C&S Electronics Mart. 101	7	Novations 8
42	Cygnus Systems 107	—	NRI Schools, Electronics Div. 7
68	Data Processing Consultants . 110		
53	Discount Data Forms 109		
39	Edu-Ware 104		
32	Electronic Specialists 99		
26	Emtrol Systems 76		
22	Mark Gordon Computers 47		
31	GPA Electronics 98		
18	Hayden Book 41		
21	H&E Computronics 45		
61	Interface Technology 109		
		—	Omni Magazine 23
		51	Omnitek Systems 108
		—	Personal Computing Magazine 4, 48, 50, 100, 105, 112
		9	Potomac Micro-Magic 10
		1	Programma International 18
		46	Quality Data Supply 108
		25	Racet Computes 75
		5	Raygam 4
		36	Small Business Systems Group 102
		40	Southwestern Data Systems . 104
		24	Sun-Research 69
		55,60	Superior Software 109
		12	Tandon Magnetics 21
		2	Texas Instruments C-2
		9	TransNet 43
		48	Wallace Computer 108
		8	Xymec 3

SALES OFFICES

- **Northeast:** Arlene Joseph, Benwill Publishing Corp., c/o Morgan-Grampian, Inc., 2 Park Ave., New York, NY 10016; (212) 340-9780.
- **California:** Michael Reynolds, 924 Westwood Blvd., Los Angeles, CA 90024; (213) 478-3017.
- **Japan:** K. Yanigihara, International Business Corp., 10-10 Shinjuku 3-chome, Shinjuku, Tokyo, 160 Japan; (03) 350-0272.

Transform your programming language into a real data base management system

***SPECIAL NOTE!**

HDBS interfaces with CBASIC under CP/M, with TRS-80 (Models I and II), and with APPLE DOS.

NEW!

A major breakthrough in data handling for micros! At best, existing programming languages provide only rudimentary file handling capabilities. With HDBS (Hierarchical Data Base System), you can now transform your programming language from an ordinary file handling system into a flexible, powerful, and productive data base management system.

HDBS provides the two components any genuine data base system must have:

1. The Data Description Language (DDL), an easy-to-use, stand-alone language for specifying blueprints or schemas of data base organization.
2. The Data Manipulation Language (DML) for manipulating (storing, accessing, modifying, deleting) data organized according to a data base blueprint. The DML extends your data handling capabilities by allowing you to embed powerful data manipulation commands in the programs you write. The commands are stated through the "CALL" facilities of your programming language.

HDBS users are...

- free of the need to design files.
- free of the need to merge files; there is no scattering of data over several files. Records of many different types are automatically maintained in a single, integrated organization...one that can be spread over numerous disk drives.
- free of the need to be concerned with disk I/O because it is handled automatically by HDBS.

HDBS offers...

- hierarchical schema designs.
- data base schemas of up to 254 record types; each record type may contain up to 255 fields. The size of a field may be up to several thousand bytes in length.
- data bases spread over one to eight disk drives. HDBS is independent of the sizes and types of drives.
- user-defined names for fields, record types, and sets.
- records maintainable in several sorted orders...and in other orders as well.
- written in machine language for maximum execution efficiency and minimal memory usage.
- available versions: Z80 (requires approx. 18K), 6502 (approx. 26K), 8080 (approx. 22K). Total memory requirement must allow for buffer areas.

For more information on the HDBS, write or call us today!

HDBS can be used to extend any of the following programming languages under the indicated operating systems:

CP/M with CBASIC; Microsoft BASICs, FORTRAN or COBOL: InterSystem PASCAL/Z; Sorcim PASCAL/M; Micro Focus CIS COBOL; Digital Research PL/I
MVT/FAMOS with BASIC
OASIS with BASIC
TRSDOS and NEWDOS (Models I and II) with Disk BASIC
North Star DOS with North Star BASIC
Apple DOS and Applesoft BASIC
Machine Language interface available on all above systems.

Note: Because HDBS can be integrated with a wide range of languages and operating systems, it provides *uniform methods of data handling* across those many languages and systems.

HDBS/QRS. An interactive Report-Writer/Query-System with these features:

- may be customized for non-technical users.
- complex retrieval conditions may be specified.
- detailed reports can be quickly generated.
- wildcard and "match-one" string specifications included.

HDBS/SRS. This Schema Redesign System permits...

- renaming fields, record types, sets.
- adding new fields to existing record types.
- allocating additional pages to an existing data base.

Ordering information (applicable to Z80, 8080, and 6502 versions):

HDBS	\$300.00	When ordering, specify intended use with...
HDBS/QRS	300.00	1. North Star DOS and BASIC
HDBS/SRS	150.00	2. CP/M - CBASIC
HDBS/QRS/SRS Package	675.00	3. CP/M - Microsoft BASIC 4.XX
HDBS expansion to MDBS*	650.00	4. CP/M - Microsoft BASIC 5.XX
HDBS Manual	35.00	5. CP/M - Microsoft BASIC or FORTRAN Compiler
QRS Manual	5.00	6. CP/M - Microsoft COBOL-80
SRS Manual	5.00	7. CP/M - InterSystem PASCAL/Z
System Specific Manuals (each)	5.00	8. CP/M - Sorcim PASCAL/M
Guide to Data Base Management	10.00	9. CP/M - Digital Research PL/I
		10. CP/M - Micro Focus CIS COBOL
		11. TRSDOS/NEWDOS and TRS Disk BASIC (Models I and II)
		12. Apple DOS and Applesoft BASIC
		13. MVT/FAMOS and BASIC
		14. OASIS and OASIS BASIC *
		15. Machine Language Programs (Specify operating system.)

*HDBS may be expanded at any time to full network data base management system: MDBS.DMS/MDBS.DDL


Within a given operating system, add \$125.00 for each additional language selected.

For prices outside the U.S. and Canada, please ask for price lists.

Add \$2.50 handling fee for non-cash order (\$5.00 outside U.S.). Indiana residents add 4%. We accept Visa and Master Charge.

Micro Data Base Systems, inc.

Box 248, Lafayette, Indiana 47902
317-742-7388 or 317-448-1616




Micro Data Base Systems, Inc.
Setting standards of excellence for data base software...worldwide.

When It Comes To Add-on Memory...

LOBO Has It All.

LOBO DRIVES manufactures a full line of S-100 computer compatible disk drives. All drives are software compatible with most S-100 disk operating systems and applications software programs. Only LOBO DRIVES offers you the variety and choice of floppy and fixed disk drives. Choose from 5¼ and 8-inch floppies, 5¼ and 8-inch Winchester technology fixed disk drives, and several Floppy/Fixed disk combinations. Each LOBO DRIVES system is thoroughly tested and burned-in and has the famous LOBO DRIVES One Year, 100% Parts/Labor Warranty.



MODEL 400 5¼-INCH FLOPPY DISK MEMORY SYSTEM

A high-speed (298) Msec Access), high-reliability (8000 hrs MTBF), low-cost floppy disk memory system. It is available in both soft and hard sector formats, and a choice of single or double density configurations.

- Up to 220 KBytes Capacity
- Single/Double Density
- Soft Sector Format
- Complete Software Compatibility

MODEL 800/850 DUAL FLOPPY DISK DRIVE MEMORY SYSTEM

LOBO DRIVES offers you a choice of single-sided, single or double density (Model 800) or double-sided, single or double density (Model 850) dual 8-inch memory subsystems. Each system comes complete with chassis and power supply, cables, controller and interface.

- Compatible with Most S-100 DOS Systems
- Up to 3.2 MByte Capacity

MODEL 1850 DUAL FLOPPY/FIXED DISK MEMORY SYSTEM

No more worries about back-up. LOBO DRIVES has combined the latest state-of-the-art Winchester technology with the proven reliability and dependability of its Model 850 8-inch floppy disk drive to bring you the ultimate in memory expansion for your S-100 computer. The Model 1850 is the ideal memory system for small business and word processing applications.

- 5 or 10 MByte Fixed Disk Capacity
- 1.6 MByte Floppy Disk Capacity
- Software Compatibility
- Sealed Environment
- Winchester Reliability
- 70 Msec Average Access Time

MODEL 950 DUAL FLOPPY/FIXED DISK MEMORY SYSTEM

All the advantages of Winchester technology fixed disk memory: large capacity (6.38 MBytes), high speed (170 Msec avg. access time), and extended reliability, combined with the convenience of a built-in floppy disk back-up in one cabinet. Only LOBO can bring you the storage capacity of 16 mini-floppies at a fraction of the price.

- The Storage Capacity of 16 Mini-Floppies
- Built-in Back-up
- 170 Msec Access (Avg)
- Software Compatibility

See your nearest dealer, call, or write for the complete LOBO DRIVES story... find out just how competitively priced a quality drive can be.



935 Camino Del Sur
Goleta, California 93017
(805) 685-4546
Telex: 658 482